



Supplementary Information

Table S1. Compilation of selected nanoparticles data.

Data Compilation: SiO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (μg/mL)	Exp. Time (h)	Ratio ROS/Control
[33]	10	Nanostructured & Amorphous Materials	A549 lung adenocarcinoma epithelial cell	human	n	n	200	48	1.3
							400	48	1.4
[8]	80	Nanostructured & Amorphous Materials	A549 lung adenocarcinoma epithelial cell	human	n	n	200	48	1.2
							400	48	1.4
26	Corpuscular Inc.	Hepatocytes liver	rat	y	y	y	0.384	4	0.7
							1.92	4	0.7
							9.6	4	0.7
							48	4	0.7
							240	4	0.6
							0.384	24	0.7
							1.92	24	0.5
							9.6	24	0.6
							48	24	0.6
							240	24	0.6
52	Corpuscular Inc.	Hepatocytes liver	rat	y	y	y	0.384	4	0.8
							1.92	4	1.0
							9.6	4	1.0
							48	4	0.6
							240	4	0.6
							0.384	24	1.0
							1.92	24	0.5
							9.6	24	0.5
							48	24	0.5
							240	24	0.4

Table S1. Cont.

Data Compilation: SiO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[34]	25	Sigma Aldrich	A549 lung adenocarcinoma epithelial cell	human	n	n	113	24	2.4
							130	24	2.6
							226	24	2.9
							338	24	3.5
[9]	15	Wan Jing New Material Co., Ltd.	HaCaT epidermal keratinocyte	human	n	n	2.5	24	4.7
							5	24	6.5
							10	24	8.0
[9]	30	Wan Jing New Material Co., Ltd.	HaCaT epidermal keratinocyte	human	n	n	2.5	24	3.7
							5	24	4.0
							10	24	4.6
[55]	100	Wan Jing New Material Co., Ltd.	HaCaT epidermal keratinocyte	human	n	n	2.5	24	3.2
							5	24	3.3
							10	24	3.7
[35]	30	Alfa Aesar	Hep-2 laryngeal epithelial	human	n	n	125	0.5	1.7
							10	48	1.4
							50	48	1.6
[77]	15	Degussa Co.	A549 lung adenocarcinoma epithelial cell	human	n	n	100	48	1.9
							25	3	1.0
							50	3	1.3
							100	3	1.5
							200	3	2.7
							25	24	1.3
							50	24	1.7
[77]	20	sol-gel synthesizing	HUVEC umbilical vein endothelial	human	n	n	100	24	2.4
							200	24	3.2

Table S1. Cont.

Data Compilation: SiO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[28]	12	Degussa Co.	RAW264.7 peritoneal macrophage	mouse	y	n	5	24	1.1
							10	24	1.2
							20	24	1.2
							40	24	1.4
							5	24	1.1
	16	Reverse microemulsion process	HK-2 kidney	human	n	y	10	24	1.1
							25	24	1.1
							50	24	1.3
							5	24	1.3
							10	24	1.4
[30]	—	Reverse microemulsion process	LLC-PK1 tubular	porcine	n	y	25	24	1.6
							50	24	2.1
							5	24	1.0
							10	24	1.1
							25	24	1.1
	85	Reverse microemulsion process	HK-2 kidney	human	n	y	50	24	1.3
							5	24	1.1
							25	24	1.1
							10	24	1.2
							50	24	1.2
[36]	43	Stöber method	HepG2 hepatocellular carcinoma	human	n	n	25	3	1.5
							50	3	2.3
							100	3	2.7
							200	3	2.0
							25	24	1.2

Table S1. Cont.

Data Compilation: SiO ₂												
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control			
[37]	62	Stöber method	HepG2 hepatocellular carcinoma	human	n	n	50	24	1.2			
							100	24	1.7			
							200	24	1.0			
[32]	20	East China University of Science and Technology	PC12 pheochromocytoma	rat	n	n	25	24	1.7			
							50	24	2.1			
							75	24	2.8			
							100	24	3.1			
[64]	50	East China University of Science and Technology	PC12 pheochromocytoma	rat	n	n	25	24	1.5			
							50	24	1.9			
							100	24	2.2			
							25	24	1.2			
[29]	20	Runhe Co., Ltd.	primary embryo fibroblasts	mouse	n	n	5	24	1.2			
							10	24	1.5			
							20	24	1.5			
							50	24	2.2			
[29]	21	Sol-gel method. East China University of Science and Technology	H9c2(2-1) embryonic ventricular myocardial	rat	n	n	100	24	1.6			
							300	24	3.1			
			L-02 hepatic				200	24	1.1			
							400	24	1.5			
[29]	49	Sol-gel method. East China University of Science and Technology	H9c2(2-1) embryonic ventricular myocardial	rat	n	n	600	24	3.7			
							100	24	1.2			
							300	24	1.8			

Table S1. Cont.

Data Compilation: SiO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
	19	Jilin University	HepG2 hepatocellular carcinoma	human	n	y	100	24	1.3
[10]	43	Jilin University	HepG2 hepatocellular carcinoma	human	n	y	100	24	1.1
	68	Jilin University	HepG2 hepatocellular carcinoma	human	n	y	100	24	1.1
	20	East China University of Science and Technology	HEK293 embryonic kidney	human	n	n	25 50 100	24 24 24	1.3 1.8 2.3
[31]	—	East China University of Science and Technology	HEK293 embryonic kidney	human	n	n	25 50 100	24 24 24	1.1 1.4 2.2
Data Compilation: TiO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
	22	Degussa	Hepatocytes liver	rat	y	y	0.384 1.92 9.6 48 240 0.384 1.92 9.6 48 240	4 4 4 4 4 24 24 24 24 24	0.9 0.7 0.6 0.6 0.6 0.4 0.3 0.3 0.2 0.3
[2]	—	PC12 pheochromocytoma	rat	n	n	n	10 50 100 30	24 24 24 0.1	1.2 1.5 1.8 1.3
[39]	21								

Table S1. Cont.

Data Compilation: TiO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[40]	21	Degussa Korea	BEAS-2b bronchial epithelial	human	n	n	15	0.1	1.3
							60	0.1	1.7
							120	0.1	2.5
							5	24	1.2
[41]	31	Sonomechanical synthesis	WISH amnion epithelial	human	n	y	10	24	1.3
							20	24	1.5
							40	24	1.7
							0.625	24	1
[42]	50	Sigma Chemical Co. Ltd.	A431 epidermal	human	n	n	1.25	24	1
							2.5	24	1
							5	24	1.3
							10	24	1.9
[44]	35	NanoAmor. Nanostructured and Amorphous Materials Inc.	THP-1 monocytic leukemia	human	y	y	0.008	6	1.2
							0.08	6	1.3
							0.8	6	1.5
							8	6	1.7
[47]	11	Flame spray pyrolysis (FSP)	BEAS-2b bronchial epithelial	human	n	n	80	6	1.8
							3	3	0.4
							30	3	3.5
							300	3	3.4
			RAW 264.7 macrophage	mouse	y	n	10	1	1.1
							10	3	0.9
							10	6	0.7
							10	16	1.1

Table S1. Cont.

Data Compilation: TiO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[46]	28	INABTA and Co.	MPMVEC pulmonary microvascular endothelial	mouse	n	n	10	3	1.8
							10	6	1.3
							10	16	1.2
12	12	Hangzhou Wanjingxin Material Co., Ltd.	Ana-1 macrophage	mouse	y	n	0.625	12	1
							1.25	12	1
							2.5	12	1
							12.5	24	1.3
							25	24	1.8
							50	24	2.5
							100	24	3.3
[11]	21	Hangzhou Wanjingxin Material Co., Ltd.	Ana-1 macrophage	mouse	y	n	200	24	4.2
							400	24	6.4
							600	24	7.5
							12.5	24	1.4
							25	24	2.1
							50	24	3.7
98	98	Hangzhou Wanjingxin Material Co., Ltd.	Ana-1 macrophage	mouse	y	n	100	24	5.7
							200	24	6.7
							400	24	9
							600	24	12.2
							12.5	24	1.3
							25	24	1.9
							50	24	2.7
							100	24	3.5
							200	24	4
							400	24	5.9

Table S1. Cont.

Data Compilation: TiO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
148	63	Hangzhou Wanjingxin Material Co., Ltd.	Ana-1 macrophage	mouse	y	n	600	24	6.8
							12.5	24	1.4
							25	24	1.6
							50	24	2.3
							100	24	2.5
							200	24	3.1
							400	24	3.8
[45]	63	Sigma-Aldrich	A549 lung adenocarcinoma epithelial cell	human	n	n	40	4	1.4
							80	4	1.6
Data Compilation: ZnO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[51]	50	Sol-gel synthesis	A549 lung adenocarcinoma epithelial cell	human	n	n	5	24	1.1
							10	24	1.3
							25	24	1.7
							50	24	2.0
							100	24	2.5
							5	48	1.1
							10	48	1.6
							25	48	1.8
[52]	17	Sigma Aldrich	A375 malignant melanoma skin	human	n	n	50	48	2.3
							100	48	2.9
							5	24	1.1
							10	24	1.2
							20	24	1.6

Table S1. Cont.

Data Compilation: ZnO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	Ratio ROS/Control
[78]	58	Sigma Aldrich	RTG-2 gonad tissue	fish	n	y	5	48	1.2
							10	48	1.4
							20	48	1.8
							3.12	24	1.2
							6.25	24	1.3
			RTH-149 epithelial	fish	n	y	12.5	24	1.4
							25	24	1.5
							3.12	48	1.1
							6.25	48	1.2
							12.5	48	1.4
[78]	58	Sigma Aldrich	RTL-W1 liver	fish	n	y	25	48	1.5
							3.12	24	1.1
							6.25	24	1.3
							12.5	24	1.4
							25	48	1.5
			RTG-2 gonad tissue	fish	n	y	3.12	24	1.4
							6.25	24	1.5
							12.5	24	1.5
							25	48	1.6
							3.12	48	1.4

Table S1. Cont.

Data Compilation: ZnO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	Ratio ROS/Control
[54]	20	Nanostructured and Amorphous Materials	BEAS-2b bronchial epithelial	human	n	n	25	48	1.6
							5	6	1.4
							6	6	2.0
							7	6	2.2
							8	6	3.2
							9	6	3.8
							10	6	4.0
							5	24	1.3
							6	24	1.4
							7	24	1.9
[79]	10	IBU-tec advanced materials AG	Jurkat A3 leukemic T cell	human	n	y	8	24	4.1
							9	24	7.4
							10	24	11.6
							1	2	1.0
							5	2	1.0
[80]	155	Hydrothermal method	hPDLF periodontal ligament fibroblast tissue	human	n	y	10	2	1.0
							50	2	1.7
							100	2	2.1
							0.1	0.5	1.0
							1	0.5	1.1
			mDF dermal fibroblast	mouse	n	y	10	0.5	1.1
							50	0.5	1.3
							100	0.5	1.3
							0.1	0.5	1.0
						y	1	0.5	1.1
							10	0.5	1.2

Table S1. Cont.

Data Compilation: ZnO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	Ratio ROS/Control
[81]	31	Sigma Aldrich	BJ shp53 (knockdown)	human	n	n	50	0.5	1.3
							100	0.5	1.3
							0.5	5	1.0
							1	5	1.1
							2	5	1.2
							4	5	1.4
							8	5	1.6
							12	5	1.8
							16	5	2.1
							20	5	2.5
[50]	19	Shenzhen Nanuo Nanomaterials Corp.	Ana-1 macrophage	mouse	y	n	0.5	5	1.0
							1	5	1.0
							2	5	1.0
							4	5	1.0
							8	5	1.3
							12	5	1.7
							16	5	2.2
							20	5	3.0
							5	24	0.5
							10	24	0.8
							20	24	1.5
							40	24	2.3
							80	24	3.2
							100	24	3.8

Table S1. Cont.

Data Compilation: ZnO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	Ratio ROS/Control
71	Beijing Nachen Technology Co., Ltd.	Ana-1 macrophage	mouse	y	n		5	24	0.6
							10	24	0.7
							20	24	0.9
							40	24	1.2
							80	24	2.2
108	Beijing Nachen Technology Co., Ltd.	Ana-1 macrophage	mouse	y	n		100	24	2.7
							5	24	0.5
							10	24	0.6
							20	24	0.9
							40	24	1.4
342	Hangzhou Wanjingxin Material Co., Ltd.	Ana-1 macrophage	mouse	y	n		80	24	2.4
							100	24	2.8
							5	24	0.4
							10	24	0.6
							20	24	1.0
[82]	45	Sigma-Aldrich	HCMEC cardiac microvascular endothelial	human	n	n	40	24	1.7
							80	24	2.6
							100	24	3.0
							0.001	12	0.9
							0.01	12	1.2
							0.1	12	1.0
							1	12	1.2
							5	12	1.3
							10	12	1.6
							20	12	3.3

Table S1. Cont.

Data Compilation: ZnO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	Ratio ROS/Control
[53]	45	HAT Nano Company	astrocytes	rat	n	n	50	12	4.3
							100	12	5.2
							0.001	24	1.0
							0.01	24	1.2
							0.1	24	1.0
							1	24	1.0
							5	24	3.4
							10	24	4.3
							20	24	6.4
							50	24	7.3
[47]	13	Flame spray pyrolysis (FSP)	BEAS-2b bronchial epithelial	human	n	n	100	24	7.1
							4	6	1.2
							8	6	1.4
							12	6	2.1
							4	12	0.9
							8	12	1.0
							12	12	2.2
							4	24	1.0
							8	24	1.0
							12	24	1.1
			RAW 264.7	mouse	y	n	10	1	0.9
							10	3	0.7
							10	6	0.7
							10	16	0.0

Table S1. Cont.

Data Compilation: ZnO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	Ratio ROS/Control
[64]	20	Nanuo Co., Ltd.	Primary embryo fibroblasts	mouse	n	n	10	3	6.5
							10	6	4.7
							10	16	2.6
							5	24	1.3
							10	24	2.3
[83]	30	Sigma Chemical Co., Ltd.	HepG2 hepatocellular carcinoma	human	n	n	20	24	3.0
							50	24	4.9
							100	24	4.9
							8	6	1.0
[84]	90	Hangzhou Wan Jing New Ltd.	Caco-2 epithelial colorectal adenocarcinoma	human	n	n	14	6	1.2
							20	6	1.3
							10	24	2.3
							25	24	2.3
							50	24	2.3
[85]	22	Coprecipitation synthesis	HepG2 hepatocellular carcinoma	human	n	n	100	24	2.3
							200	24	2.3
							15	24	1.5
[45]	71	Sigma-Aldrich	A549 lung adenocarcinoma epithelial cell	human	n	n	40	4	1.1
							80	4	1.3
							10	48	1.2
[86]	35	Chemical pyrolysis	3T3-L1 preadipocytes	mouse	n	n	20	48	1.3
							30	48	1.5
							40	48	1.6
							50	48	1.8
							60	48	1.9

Table S1. Cont.

Data Compilation: ZnO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	
							70	48	2.1
							80	48	2.2
Data Compilation: CuO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	
[87]	26	Aqueous precipitation	BALB3T3 embryonic fibroblasts	mouse	n	n	5 10 15	48 48 48	1.3 1.6 1.8
[55]	30	Alfa Aesar	Hep-2 laryngeal epithelial	human	n	n	125	0.5	1.3
[45]	42	Sigma-Aldrich	A549 lung adenocarcinoma epithelial cell	human	n	n	40 80	4 4	1.4 2.1
[88]	180	Sigma Aldrich	BEAS-2b bronchial epithelial	human	n	n	0.1 0.2 6.4 3.2 0.4 0.8 1.6	3 3 3 3 3 3 3	1.2 1.3 1.4 1.4 1.5 1.6 1.6
[82]	46	Sigma-Aldrich	HCMEC cardiac microvascular endothelial	human	n	n	0.001 0.01 0.1 1 5 10 20	12 12 12 12 12 12 12	1 1.2 1.2 1.3 1.5 1.8 2.8

Table S1. Cont.

Data Compilation: CuO									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	Ratio ROS/Control
[56]	50	Sigma Aldrich	J774.A1 macrophage	mouse	y	n	50	12	4.6
							100	12	4.8
							0.01	24	0.9
							0.1	24	1
							0.001	24	1.2
							1	24	1.2
							5	24	2.1
							10	24	3.1
							20	24	6.1
							50	24	7.3
[89]	15	University of Hertfordshire	podocytes	mouse	n	n	100	24	7
							2.5	0.5	1
							5	0.5	1.8
[46]	42	Sigma-Aldrich	MPMVEC pulmonary microvascular endothelial	mouse	n	n	10	0.5	3.6
							1	0.5	1.1
							30	0.5	1.3
[46]	42	Sigma-Aldrich	MPMVEC pulmonary microvascular endothelial	mouse	n	n	0.625	12	1.4
							1.25	12	1.8
							2.5	12	2.1

Table S1. Cont.

Data Compilation: CeO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
14	C.I. Kasei Company Ltd./physical vapour synthesis			HaCaT epidermal keratinocyte	human	n	n	2	0.7
							100	6	0.6
							100	12	0.6
							100	24	0.8
							200	2	0.8
							200	6	0.6
							200	12	0.9
							200	24	1.5
							100	2	0.8
							100	6	0.6
[58]				A549 lung adenocarcinoma epithelial cell	human	n	n	24	0.5
							100	12	0.7
							100	24	0.5
							200	2	0.8
							200	6	1.0
							200	12	0.9
							200	24	0.9
							100	2	0.9
							100	6	0.8
							100	12	0.8
400	Junsei Chemical Company Ltd.		HaCaT epidermal keratinocyte	human	n	n	24	0.9	0.9
							200	2	1.1
							200	6	0.9
							200	12	1.4
							200	24	1.3

Table S1. Cont.

Data Compilation: CeO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[59]	30	Supercritical synthesis	A549 lung adenocarcinoma epithelial cell	human	n	n	100	2	1.2
							100	6	0.8
							100	12	0.9
							100	24	0.9
							200	2	0.7
							200	6	0.8
							200	12	1.0
[90]	12	Mixing of Ce(NO ₃) ₃ ·6H ₂ O with HMT	BEAS-2b bronchial epithelial	human	n	n	200	24	1.1
							5	24	1.1
							10	24	1.2
							20	24	1.3
[7]	7	Flame spray pyrolysis	HT22 hippocampal nerve cell line	mouse	n	y	40	24	1.4
							20	0.2	0.6
							20	0.5	0.7
			U937 leukemic monocyte lymphoma cell line	human	y	n	20	1	0.5
							50	24	0.8
[7]	14	Flame spray pyrolysis	U937 (PMA activated) leukemic monocyte lymphoma cell line	human	y	n	50	48	0.4
							50	72	0.9
							50	24	0.9
[7]	14	Flame spray pyrolysis	U937 leukemic monocyte lymphoma cell line	human	y	n	50	48	0.6
							50	72	0.8
							50	24	0.6

Table S1. Cont.

Data Compilation: CeO ₂										
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control	
94	Flame spray pyrolysis		U937 (PMA activated) leukemic monocyte lymphoma cell line			n	50	24	0.8	
							50	48	0.4	
							50	72	0.6	
			U937 leukemic monocyte lymphoma cell line			n	50	24	0.6	
							50	48	0.6	
			U937 (PMA activated) leukemic monocyte lymphoma cell line			n	50	72	0.7	
							1	3	1.0	
							10	3	1.4	
							25	3	1.7	
							50	3	2.0	
[90]	20	Sigma Chemical Co., Ltd.	A549 lung adenocarcinoma epithelial cell		human	n	y	100	3	2.6
								1	6	1.1
								10	6	2.1
								25	6	2.4
								50	6	2.7
							y	100	6	2.9
								1	24	0.9
								10	24	0.9
								25	24	1.2
								50	24	1.2
								100	24	1.1

Table S1. Cont.

Data Compilation: CeO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[47]	8	Flame spray pyrolysis (FSP)	BEAS-2b bronchial epithelial	human	n	n	10	1	1.1
							10	3	1.1
							10	6	1.0
							10	16	0.9
			RAW 264.7 macrophages	mouse	y	n	10	1	2.1
							10	3	2.1
							10	6	1.8
							10	16	1.2
	[60]	Flame spray pyrolysis	U937 leukemic monocyte lymphoma cell line	human	y	n	50	24	0.9
							200	24	0.8
							50	48	0.8
							200	48	0.6
							50	72	0.8
			U937 (PMA activated) leukemic monocyte lymphoma cell line	human	y	n	200	72	0.7
							50	24	0.9
							200	24	0.8
							50	48	0.7
							200	48	0.6
	[91]	Wet-chemical synthesis at room temperature	Jurkat tumour T lymphocytes	human	n	y	50	72	0.9
							200	1	0.9
							200	3	0.9
							200	24	0.8
							200	48	0.6
							200	72	0.5

Table S1. Cont.

Data Compilation: CeO ₂									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[91]	9.5 nm × < 1 µm	Nanocyl	U937 tumour monocytes	human	y	y	5	1	1.0
							20	1	0.9
							100	1	0.9
							200	1	0.8
							200	3	0.8
							5	6	0.9
							20	6	0.8
							100	6	0.8
							200	6	0.7
							200	6	0.8
Data Compilation: CNT									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[91]	9.5 nm × < 1 µm	Nanocyl	A549 lung adenocarcinoma epithelial cell	human	n	y	25	0.5	5.4
							25	1	17.0
							25	1.5	18.3
							25	2	10.4
							25	3	6.9
							25	4	6.4
							2.5	1	2.7
							10	1	6.2
							25	1	14.9

Table S1. Cont.

Data Compilation: CNT									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	Ratio ROS/Control
[67]	0.8–1.2 nm × Z μm	Sigma Aldrich	RAW 264.7 macrophages	murine	y	y	100	1	18.9
							25	0.5	2.2
							25	1	10.3
							25	1.5	9.4
							25	2	7.2
							25	3	4.3
							25	4	3.1
							2.5	1	4.5
							10	1	12.2
							25	1	28.7
[92]	1.2–1.5 nm × 2.5 μm	Sigma	RAEC rat aortic endothelial cells	rat	n	n	100	1	35.7
							12.5	72	1.0
							12.5	96	0.9
							25	72	1.1
							25	96	1.2
							50	72	1.2
							50	96	1.2
							100	72	1.4
							100	96	2.1
							200	72	1.5
[92]	1.2–1.5 nm × 2.5 μm	Sigma	A549 lung adenocarcinoma epithelial cell	human	n	n	200	96	3.3
							125	72	4.9
							250	72	13.8
							500	72	19.2

Table S1. Cont.

Data Compilation: CNT									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[93]	1.6 nm × 0.8 µm	CHeapTubes	HGF gingival fibroblast	human	n	n	50	24	2.3
							75	24	3.1
							100	24	4.3
							125	24	5.1
							150	24	5.7
[94]	30 nm × < 1 µm	Lawrence Berkeley National Laboratory; chemical vapour deposition method	HUVECs umbilical vein endothelial cells	human	n	y	0.5	2	1.1
							5	2	1.2
							20	2	1.9
[95]	50 nm × 0.5–3 µm	Yangtse Nanotechnology. arc-discharged evaporation	A549 lung adenocarcinoma epithelial cell	human	n	y	15	1	2.6
							15	1	2.7
							30	1	4.5
							30	1	5.6
[45]	110–170 nm × 5–9 µm	Sigma-Aldrich	A549 lung adenocarcinoma epithelial cell	human	n	n	40	4	0.8
							80	4	0.9
[96]	15 nm × 0.4–1.2 µm	SW-COOH; Carboxyl functionalized. Sigma Aldrich	Caco-2 epithelial colorectal adenocarcinoma	human	n	n	5	24	0.9
							10	24	1.0
							50	24	1.1
							100	24	1.6
							500	24	3.1
							1000	24	5.1
[62]	10–20 nm × 10–13 µm	Nanostructured & Amorphous Materials	NR8383 alveolar macrophage	rat	y	n	5	24	1.8
							10	24	2.2
							50	24	2.5
							100	24	3.7

Table S1. Cont.

Data Compilation: CNT									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[97]	1–2 nm × 5–15 µm	Nanostructured & Amorphous Materials	NR8383 alveolar macrophage	rat	y	n	5	24	1.8
							10	24	3.6
							50	24	4
							100	24	2.5
[97]	30–50 nm × 10–20 µm	Nanostructured & Amorphous Materials	NR8383 alveolar macrophage	rat	y	n	5	24	1.3
							10	24	1.6
							50	24	1.9
							100	24	3.2
[97]	4–5 nm × 0.5–0.6 µm	SW-PEG; PEG functionalized. Sigma Aldrich	MCF-7 breast cancer	human	n	y	5	1	0.9
							10	1	0.8
							20	1	0.8
							40	1	1.0
[97]	4–5 nm × 0.5–1.5 µm	SW-COOH; Carboxyl functionalized. Sigma Aldrich	MCF-7 breast cancer	human	n	y	5	1	0.9
							10	1	1.1
							20	1	0.9
							40	1	0.7
[97]	4–6 nm × 0.7–1 µm	SW-NH3; Amino functionalized. Sigma Aldrich	MCF-7 breast cancer	human	n	y	5	1	1.0
							10	1	0.9
							20	1	1.0
							40	1	1.1
[97]	4–6 nm × 0.7–1 µm	SW-NH3; Amino functionalized. Sigma Aldrich	MCF-7 breast cancer	human	n	y	80	1	1.1

Table S1. Cont.

Data Compilation: CNT									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration ($\mu\text{g/mL}$)	Exp. Time (h)	Ratio ROS/Control
[98]	8–14 nm × 2–4 μm	Bayer Technologies Service	A549 lung adenocarcinoma epithelial cell	human	n	y	3.2	2	17.9
							6.25	2	33.8
							12.5	2	55.6
							25	2	70.5
[69]	1–2 nm × 20 μm	Beijing Nachen Technology & Development Co., Ltd.	PC12 adrenal gland	rat	n	n	50	24	1.6
							50	48	2.1
	10–18 nm × 2–6 μm	Cheap Tubes	Jurkat T cells	human	n	y	7.5	2	2.5
							15	2	3.7
[99]	6–10 nm × 1–2 μm	Nanocyl SA	Jurkat T cells	human	n	y	7.5	2	2.7
							15	2	4.4
	8–14 nm × 2–4 μm	Bayer Technologies Service	Jurkat T cells	human	n	y	30	2	5.2
							7.5	2	5.4
[100]	1–2 nm × 20 μm	Beijing Nachen Technology & Development Co., Ltd.	PC12 adrenal gland	rat	n	n	5	24	1.4
							5	48	1.5
							50	24	1.6
							50	48	2.1
							100	24	2.5
							100	48	2.7
							200	24	5.0
							200	48	5.3

Table S1. Cont.

Data Compilation: CNT									
Ref.	Size (nm)	Origin of NM/Synthesis Method	Cells	Organism	Phagocytes	Pos. Control	Concentration (µg/mL)	Exp. Time (h)	Ratio ROS/Control
[64]	8 nm × 5 µm	COCC. Chinese Academy of Science	Primary embryo fibroblasts	mouse	n	n	5	24	1.1
							10	24	2.3
							20	24	2.6
							50	24	4.0
							100	24	4.2
[101]	20–40 nm × 5–30 µm	Nanotech Port	A549 lung adenocarcinoma epithelial cell	human	n	n	50	24	1.5
							100	24	1.9
							150	24	2.1
[62]	0.8–1.2 nm × 800 nm	HiPco. Carbon Nanotechnologies	A549 lung adenocarcinoma epithelial cell	human	n	y	50	1	1.0
	1.2–1.5 nm × 2–5 µm	ArcD. arc discharged. Sigma Aldrich	NHBE normal human primary bronchial epithelial	human	n	y	50	1	0.8