



Abstract

Novel Copper Nanoparticles for the Control of Tomato Foliar and Fruit Diseases [†]

Panagiota Ntasiou ^{1,*}, Eleftherios Vellis ², Antreas Giannopoulos ² and George S. Karaoglanidis ¹ 

¹ Laboratory of Plant Pathology, Faculty of Agriculture, Forestry and Natural Environment, Aristotle University of Thessaloniki, P.O. Box 269, 54124 Thessaloniki, Greece; gkarao@agro.auth.gr

² K&N Efthymiadis Single Member S.A., Business Development Division, Industrial Area of Thessaloniki, P.O. Box 48, Sindos, 57022 Thessaloniki, Greece; l.vellis@efthymiadis.gr (E.V.); a.giannopoulos@efthymiadis.gr (A.G.)

* Correspondence: ntasioup@agro.auth.gr

[†] Presented at the 2nd International Electronic Conference on Plant Sciences—10th Anniversary of Journal Plants, 1–15 December 2021; Available online: <https://iecps2021.sciforum.net/>.

Abstract: Grey mould caused by *Botrytis cinerea* and Late Blight caused by *Phytophthora infestans* are the most important foliar and fruit diseases that affect tomato. The application of fungicides is the main control measure for these diseases. However, the development of resistance to single-site inhibitors by both pathogens necessitates research for the development of alternative products. Initially, four novel nano-copper (Cu-NPs) formulations were evaluated in vitro. The two most efficient formulations (CN_S4_X1 and CC_S4_X2) from the in vitro assay were further evaluated for their efficacy against *B. cinerea* and *P. infestans* on tomato seedling plants (cv. Belladonna) during the fourth true leaf growth stage under controlled environmental conditions. To evaluate the protective and curative activity of the Cu-NPs that were tested, spray treatments were conducted 24, 48, and 96 h before (protective treatments) or after (curative treatments) the inoculation of the plants. For each plant, the disease severity value was measured as follows: 0 = no disease symptom; 1 = disease symptoms covered 20% of the leaf; 2 = disease symptoms covered 50% of the leaf; 3 = disease symptoms covered 70% of the leaf; and 4 = dead leaf. For both pathogens, disease severity on the plants that were treated curatively was higher than it was in plants that had been treated preventively. The applications of the two Cu-NPs against *B. cinerea* 24 h prior the inoculation led to lower disease severity with means of 1.5 and 1.3, respectively, compared to 48 h and 96 h before or after inoculation. Disease severity was significantly higher on plants treated with the commercial copper products. Similarly, the two Cu-NPs that were tested were found to be highly effective against *P. infestans* and resulted in lower disease severity at 24 h and 48 h pre-/post-inoculation. The results of this study are expected to contribute to the optimization of tomato disease control and to reduce the yield losses caused through the use of a new generation of biocides.

Keywords: grey mould; Late Blight; tomato; copper nanoparticles



Citation: Ntasiou, P.; Vellis, E.; Giannopoulos, A.; Karaoglanidis, G.S. Novel Copper Nanoparticles for the Control of Tomato Foliar and Fruit Diseases. *Biol. Life Sci. Forum* **2022**, *11*, 4. <https://doi.org/10.3390/IECPS2021-11987>

Academic Editor: Fulai Liu

Published: 30 November 2021

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

Supplementary Materials: The poster presentation can be downloaded at: <https://www.mdpi.com/article/10.3390/IECPS2021-11987/s1>.

Funding: This research has been co-financed by the European Union and Greek national funds through the Operational Program Competitiveness, Entrepreneurship, and Innovation, under the call RESEARCH—CREATE—INNOVATE (project code: T1EDK-01492).

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: The data presented in this study are available in this article.

Conflicts of Interest: The authors declare no conflict of interest.