

# **Hyperjaponol H, A New Bioactive Filicinic Acid-based Meroterpenoid from *Hypericum japonicum* Thunb. ex Murray**

**Rongrong Wu<sup>1,†</sup>, Zijun Le<sup>2,†</sup>, Zhenzhen Wang<sup>3</sup>, Shuying Tian<sup>1</sup>, Yongbo Xue<sup>3</sup>, Yong Chen<sup>1</sup>, Linzhen Hu<sup>1,\*</sup> and Yonghui Zhang<sup>3</sup>**

<sup>1</sup> National & Local Joint Engineering Research Center of High-throughput Drug Screening Technology, Hubei Key Laboratory of Biotechnology of Chinese Traditional Medicine, School of Life Science, Hubei University, Wuhan 430062, Hubei Province, P. R. China; E-mails: wrr08291798@163.com (R. R. W.); TSY15008202259@163.com (S. Y. T.); yongchen101610@163.com (Y. C.)

<sup>2</sup> Wuhan Rayson School, Wuhan 430040, Hubei Province, P. R. China; E-mail: zijunle2018@163.com (Z. J. L.)

<sup>3</sup> Hubei Key Laboratory of Natural Medicinal Chemistry and Resource Evaluation, School of Pharmacy, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, Hubei, China; E-mails : wzz75283@163.com (Z. Z. W.); yongboxue@hust.edu.cn (Y. B. X.); zhangyh@mails.tjmu.edu.cn (Y. H. Z.)

† These authors contributed equally to this work.

\* Author to whom correspondence should be addressed; E-mail: linzhenhu@hubu.edu.cn (L. Z. H.); Tel.: +86-27-88668023 (L. Z. H.)

# Content

Figure S1. HRESIMS spectrum of hyperjaponol H ( <b>1</b> ) .....	1
Figure S2. $^1\text{H}$ NMR spectrum of hyperjaponol H ( <b>1</b> , in $\text{CDCl}_3$ ) .....	2
Figure S3. $^{13}\text{C}$ NMR and DEPT135 spectra of hyperjaponol H ( <b>1</b> , in $\text{CDCl}_3$ ).....	3
Figure S4. HSQC spectrum of hyperjaponol H ( <b>1</b> , in $\text{CDCl}_3$ ).....	4
Figure S5. HMBC spectrum of hyperjaponol H ( <b>1</b> , in $\text{CDCl}_3$ ).....	5
Figure S6. $^1\text{H}$ - $^1\text{H}$ COSY spectrum of hyperjaponol H ( <b>1</b> , in $\text{CDCl}_3$ ). ....	6
Figure S7. NOESY spectrum of hyperjaponol H ( <b>1</b> , in $\text{CDCl}_3$ ) .....	7
Figure S8. UV spectrum of hyperjaponol H (1, in methanol).....	8
<b>Figure S9.</b> IR spectrum of hyperjaponol H ( <b>1</b> , KBr disc) .....	9




Figure S1. HRESIMS spectrum of hyperjaponol H (**1**)




Figure S2.  $^1\text{H}$  NMR spectrum of hyperjaponol H (**1**, in  $\text{CDCl}_3$ )




Figure S3.  $^{13}\text{C}$  NMR and DEPT135 spectra of hyperjaponol H (**1**, in  $\text{CDCl}_3$ )




Figure S4. HSQC spectrum of hyperjaponol H (**1**, in  $\text{CDCl}_3$ )




Figure S5. HMBC spectrum of hyperjaponol H (**1**, in  $\text{CDCl}_3$ )




Figure S6.  $^1\text{H}$ - $^1\text{H}$  COSY spectrum of hyperjaponol H (**1**, in  $\text{CDCl}_3$ )




Figure S7. NOESY spectrum of hyperjaponol H (**1**, in  $\text{CDCl}_3$ )





Figure S8. UV spectrum of hyperjaponol H (**1**, in methanol)

E:\20171130\20171130HULINZ\1.0

14:19:02 2017-11-30



**Figure S9.** IR spectrum of hyperjaponol H (**1**, KBr disc)