## **Supplementary Materials** New Sesquiterpenoids from the Fermented Broth of *Termitomyces albuminosus* and the Anti-Acetylcholinesterase Activity

## Wei Li <sup>1,2</sup>, Qian Liu <sup>1,2</sup>, Shimian Cheng <sup>1,2</sup>, Shanren Li <sup>1,2</sup> and Yongbiao Zheng <sup>1,2,3,\*</sup>

- <sup>1</sup> Engineering Research Centre of Industrial Microbiology, Ministry of Education; College of Life Sciences, Fujian Normal University, Fuzhou 350117, China
- <sup>2</sup> Provincial University Key Laboratory of Cellular Stress Response and Metabolic Regulation, College of Life Sciences, Fujian Normal University, Fuzhou 350117, China
- <sup>3</sup> Fujian Provincial University Engineering Research Center of Industrial Biocatalysis, College of Chemistry and Material Sciences, Fujian Normal University, Fuzhou 350117, China
- \* Correspondence: yongbiaozheng@fjnu.edu.cn

## The List of Contents

No.	Content	Page
1	Figure S1 <sup>1</sup> H NMR spectra of compound <b>1</b> (in MeOD)	2
2	Figure S2 <sup>13</sup> C NMR spectra of compound <b>1</b> (in MeOD)	2
3	Figure S3 <sup>1</sup> H NMR spectra of compound <b>2</b> (in MeOD)	3
4	Figure S4 <sup>13</sup> C NMR spectra of compound <b>2</b> (in MeOD)	3
5	Figure S5 The circular dichroism spectra of ${f 1}$ (in methanol)	4
6	Figure S6 The circular dichroism spectra of <b>2</b> (in methanol)	4
7	Figure S7 1H NMR spectra of compound <b>3</b> (in MeOD)	5
8	Figure S8 <sup>13</sup> C NMR spectra of compound <b>3</b> (in MeOD)	5
9	Figure S9 <sup>1</sup> H NMR spectra of compound <b>4</b> (in MeOD)	6
10	Figure S10 <sup>13</sup> C NMR spectra of compound <b>4</b> (in MeOD)	6
11	Figure S11 <sup>1</sup> H NMR spectra of compound <b>5</b> (in MeOD)	7
12	Figure S12 <sup>13</sup> C NMR spectra of compound <b>5</b> (in MeOD)	7
13	Figure S13 <sup>1</sup> H NMR spectra of compound <b>6</b> (in MeOD)	8
14	Figure S14 <sup>13</sup> C NMR spectra of compound <b>6</b> (in MeOD)	8



Figure S1. <sup>1</sup>H-NMR spectra of compound 1 (in MeOD).



Figure S2. <sup>13</sup>C-NMR spectra of compound 1 (in MeOD).



Figure S3. <sup>1</sup>H-NMR spectra of compound 2 (in MeOD).



Figure S4. <sup>13</sup>C-NMR spectra of compound 2 (in MeOD).





Figure S6. The circular dichroism spectra of 2 (in methanol).



Figure S7. <sup>1</sup>H-NMR spectra of compound 3 (in MeOD).



Figure S8. <sup>13</sup>C-NMR spectra of compound 3 (in MeOD).



Figure S9. <sup>1</sup>H-NMR spectra of compound 4 (in MeOD).



Figure S10. <sup>13</sup>C-NMR spectra of compound 4 (in MeOD).



Figure S11. <sup>1</sup>H-NMR spectra of compound 5 (in MeOD).



Figure S12. <sup>13</sup>C-NMR spectra of compound 5 (in MeOD).



Figure S13. <sup>1</sup>H-NMR spectra of compound 6 (in MeOD).



Figure S14. <sup>13</sup>C-NMR spectra of compound 6 (in MeOD).