

Antibacterial and Antifungal Activity of Three Monosaccharide Monomyristate Derivatives

Jumina Jumina^{1,*}, Mutmainah Mutmainah², Bambang Purwono³, Yehezkiel Steven Kurniawan^{4,#} and Yana Maolana Syah⁵

¹ Department of Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Gadjah Mada, Yogyakarta 55281, Indonesia. Email: jumina@ugm.ac.id

² Department of Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Gadjah Mada, Yogyakarta 55281, Indonesia. Email: mutmainah@mail.ugm.ac.id

³ Department of Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Gadjah Mada, Yogyakarta 55281, Indonesia. Email: purwono.bambang@ugm.ac.id

⁴ Department of Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Gadjah Mada, Yogyakarta 55281, Indonesia. Email: yehezkiel.steven.k@mail.ugm.ac.id

⁵ Faculty of Mathematics and Natural Sciences, Institut Teknologi Bandung, Bandung 40132, Indonesia. Email: yana@chem.itb.ac.id

Present address: Ma Chung Research Center for Photosynthetic Pigments, Universitas Ma Chung, Malang 65151 and Indonesia. Email: yehezkiel.steven@machung.ac.id

* Correspondence: jumina@ugm.ac.id; Tel.: +62-2745-45188




Figure S1. The ¹H-NMR spectrum of fructosyl myristate




Figure S2. The ^{13}C -NMR spectrum of fructosyl myristate



Figure S3. The ^1H -NMR spectrum of glucosyl myristate




Figure S4. The ^{13}C -NMR spectrum of glucosyl myristate




Figure S5. The ^1H -NMR spectrum of galactosyl myristate




Figure S6. The ^{13}C -NMR spectrum of galactosyl myristate