

Article

Surface Structuring Combined with Chemical Surface Functionalization: An Effective Tool to Manipulate Cell Adhesion

Sarah M. Elsayed,^{1,2} Stefan Paschke,^{1,2} Sibylle Rau,^{1,2} and Karen Lienkamp^{1,2,*}

Freiburg Center for Interactive Materials and Bioinspired Technologies (FIT) and Department of Microsystems Engineering (IMTEK), Albert-Ludwigs-Universität, Georges-Köhler-Allee 105, 79110 Freiburg, Germany;
sarah.mahmoud@imtek.uni-freiburg.de (S.M.E.), stefan.paschke@imtek.uni-freiburg.de (S.P.),
sibylle.rau@uniklinik-freiburg.de (S.R.), lienkamp@imtek.uni-freiburg.de (K.L.)

*Correspondence: lienkamp@imtek.uni-freiburg.de; Tel.: +49-761-203-95090

Supporting Information




Figure S1: Optical micrographs of human keratinocytes (GM-K) after 24, 48 and 72 h growth on functionalized surfaces with 1 μm , 500 nm and 200 nm spacing.




Figure S2: Live-dead staining images of human Keratinocytes (GM-K) after 72 h grown on functionalized surfaces with 1 μm , 500 nm and 200 nm spacing. The green stain (SYTO 16) visualizes live cells and the red stain (propidium iodide) the dead cells. Merged images are an overlay of both.