



Supplementary Information An efficient greener approach for N-acylation of amines in water using benzotriazole chemistry

Tarek S. Ibrahim <sup>1,2</sup>, Israa A. Seliem <sup>2,3</sup>, Siva S. Panda <sup>3,\*</sup>, Amany M. M. Al-Mahmoudy <sup>2</sup>, Zakaria K. M. Abdel-samii <sup>2</sup>, Nabil A. Alhakamy <sup>4</sup>, Hany Z. Asfour <sup>5</sup> and Mohamed Elagawany <sup>6</sup>

- <sup>1</sup> Department of Pharmaceutical Chemistry, Faculty of Pharmacy, King Abdulaziz University, Jeddah, 21589, Saudi Arabia. tmabrahem@kau.edu.sa
- <sup>2</sup> Department of Pharmaceutical Organic Chemistry, Faculty of Pharmacy, Zagazig University, Zagazig, 44519, Egypt. isliem@augusta.edu (I.A.S.); amanysinger77@gmail.com (A.M.M.A-M.); zakariaabdelsamii@yahoo.com (Z.K.M.A.)
- <sup>3</sup> Department of Chemistry & Physics, Augusta University, Augusta, GA 30912, USA
- <sup>4</sup> Department of Pharmaceutics, Faculty of Pharmacy, King Abdulaziz University, Jeddah 21589, Saudi Arabia.
- <sup>5</sup> Department of Medical Microbiology and Parasitology, Faculty of Medicine, King Abdulaziz University, Jeddah 21589, Saudi Arabia
- <sup>6</sup> Department of Pharmaceutical Chemistry, faculty of pharmacy, Damanhour University, Damanhour, Egypt. alfath\_tours@yahoo.com
- \* Correspondence: sspanda12@gmail.com, sipanda@augusta.edu; Tel: +1-706-667-4022; fax: +1-706-667-4519

























90 80 f1 (ppm) -10 





































120 110 100 f1 (ppm) -10 ò 



















































































## HPLC spectra of compound 9 and 9a

