

Selective Targeting of Breast Cancer by Tafuramycin A Using SMA-Nanoassemblies

Ibrahim M. El-Deeb ¹, Valeria Pittala ^{2,*}, Diab Eltayeb ³ and Khaled Greish ^{3,*}

¹ Department of Medical Sciences, Royal College of Surgeons in Ireland, Medical University of Bahrain, Busaiteen 228, Bahrain; imeldeeb@gmail.com

² Department of Drug and Health Science, University of Catania, Catania 95125, Italy

³ Department of Molecular Medicine, Arabian Gulf University, Manama 329, Bahrain; khaledfg@agu.edu.bh


* Correspondence: valeria.pittala@unict.it (V.P.); khaledfg@agu.edu.bh (K.G.); Tel.: +39-095-7384269 (V.P.); Tel.: +973-17-237-393 (K.G.)

Content:

1. ¹ H NMR spectrum of Tafuramycin A.....	2
2. ¹³ C NMR spectrum of Tafuramycin A.....	3

¹H NMR spectrum of Tafuramycin A

IE1529.71.fid
IE1529-38
DMSO
IE1529 #71-74



¹³C NMR spectrum of Tafuramycin A

IE1529.73.fid
IE1529-38
DMSO
IE1529 #71-74

