


# SUPPLEMENTARY MATERIAL


## INDEX- Supplemental Material

<b>1. Spectral data</b> .....	2
<b>Figure S1.</b> <sup>1</sup> H NMR spectrum of the methanol extract of propolis (700 MHz, DMSO-d <sub>6</sub> ).....	2
<b>Figure S2.</b> <sup>1</sup> H NMR spectrum of F40 obtained from fractionation of the methanol extract of propolis (700 MHz, DMSO-d <sub>6</sub> ).....	3
<b>Figure S3.</b> <sup>13</sup> C NMR spectrum of F40 obtained from fractionation of the methanol extract of propolis (150 MHz, DMSO-d <sub>6</sub> ).....	4
<b>Figure S4.</b> <sup>1</sup> H NMR spectrum of F75 obtained from fractionation of the methanol extract of propolis (700 MHz, DMSO-d <sub>6</sub> ).....	5
<b>Figure S5.</b> <sup>13</sup> C NMR spectrum of F75 obtained from fractionation of the methanol extract of propolis (150 MHz, DMSO-d <sub>6</sub> ).....	6
<b>Figure S6.</b> <sup>1</sup> H NMR spectrum of F80 obtained from fractionation of the methanol extract of propolis (700 MHz, acetone-d <sub>6</sub> ).....	7
<b>Figure S7.</b> <sup>13</sup> C NMR spectrum of F80 obtained from fractionation of the methanol extract of propolis (150 MHz, acetone-d <sub>6</sub> ).....	8
<b>Figure S8.</b> <sup>1</sup> H NMR spectrum of F101 obtained from fractionation of the methanol extract of propolis (700 MHz, DMSO-d <sub>6</sub> ).....	9
<b>Figure S9.</b> <sup>13</sup> C NMR spectrum of F101 obtained from fractionation of the methanol extract of propolis (150 MHz, DMSO-d <sub>6</sub> ).....	10
<b>Figure S10.</b> <sup>1</sup> H NMR spectrum of F130 obtained from fractionation of the methanol extract of propolis (600 MHz, Acetone-d <sub>6</sub> ).....	11
<b>Figure S11.</b> <sup>13</sup> C NMR spectrum of F130 obtained from fractionation of the methanol extract of propolis (150 MHz, Acetone-d <sub>6</sub> ).....	12
<b>Figure S12.</b> <sup>1</sup> H NMR spectrum of F160 obtained from fractionation of the methanol extract of propolis (600 MHz, Acetone-d <sub>6</sub> ).....	13
<b>Figure S13.</b> <sup>13</sup> C NMR spectrum of F160 obtained from fractionation of the methanol extract of propolis (150 MHz, Acetone-d <sub>6</sub> ).....	14
<b>Figure S14.</b> HRMS (ESI-negative mode) spectra of the methanol extract of propolis.....	15
<b>Figure S15.</b> HRMS (ESI-negative mode) spectra of F40.....	16
<b>Figure S16.</b> HRMS (ESI-negative mode) spectra of F80.....	17
<b>Figure S17.</b> HRMS (ESI-negative mode) spectra of F101.....	18
<b>Figure S18.</b> HRMS (ESI-negative mode) spectra of F130.....	19
<b>Figure S19.</b> HRMS (ESI-negative mode) spectra of F160.....	20


## 1. Spectral Data




**Figure S1.**  $^1\text{H}$  NMR spectrum of the methanol extract of propolis (700 MHz,  $\text{DMSO-d}_6$ ).




**Figure S2.**  $^1\text{H}$  NMR spectrum of F40 obtained from fractionation of the methanol extract of propolis (700 MHz, DMSO- $d_6$ ).




**Figure S3.**  $^{13}\text{C}$  NMR spectrum of F40 obtained from fractionation of the methanol extract of propolis (150 MHz, DMSO- $d_6$ ).




**Figure S4.**  $^1\text{H}$  NMR spectrum of F75 obtained from fractionation of the methanol extract of propolis (700 MHz, DMSO- $d_6$ ).



**Figure S5.**  $^{13}\text{C}$  NMR spectrum of F75 obtained from fractionation of the methanol extract of propolis (150 MHz, DMSO- $d_6$ ).




**Figure S6.**  $^1\text{H}$  NMR spectrum of F80 obtained from fractionation of the methanol extract of propolis (700 MHz, acetone- $\text{d}_6$ ).




**Figure S7.**  $^{13}\text{C}$  NMR spectrum of F80 obtained from fractionation of the methanol extract of propolis (150 MHz, acetone- $\text{d}_6$ ).







**Figure S8.**  $^1\text{H}$  NMR spectrum of F101 obtained from fractionation of the methanol extract of propolis (700 MHz, DMSO- $d_6$ ).




**Figure S9.**  $^{13}\text{C}$  NMR spectrum of F101 obtained from fractionation of the methanol extract of propolis (150 MHz, DMSO- $d_6$ ).




**Figure S10.**  $^1\text{H}$  NMR spectrum of F130 obtained from fractionation of the methanol extract of propolis (600 MHz, Acetone- $\text{d}_6$ ).



**Figure S11.**  $^{13}\text{C}$  NMR spectrum of F130 obtained from fractionation of the methanol extract of propolis (150 MHz, Acetone- $\text{d}_6$ ).



**Figure S12.**  $^1\text{H}$  NMR spectrum of F160 obtained from fractionation of the methanol extract of propolis (600 MHz, Acetone- $\text{d}_6$ ).



**Figure S13.**  $^{13}\text{C}$  NMR spectrum of F160 obtained from fractionation of the methanol extract of propolis (150 MHz, Acetone- $d_6$ ).

## Display Report

### Analysis Info


Analysis Name D:\Data\Elena Vargas\042822\_Propoleo\_Neg.d  
Method tune\_Low negative.m  
Sample Name 042822\_Propoleo\_Neg  
Comment

Acquisition Date 28/04/2022 12:25:45 p.m.

Operator Daniel Arrieta  
Instrument micrOTOF-Q 228888.10392

### Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	180 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Collision Cell RF	200.0 Vpp	Set Divert Valve	Source



**Figure S14.** HRMS (ESI-negative mode) spectra of the methanol extract of propolis.

## Display Report

### Analysis Info

Analysis Name D:\Data\Elena Vargas\061722\_F40\_Neg.d  
Method tune\_Low negative.m  
Sample Name 061722\_F40\_Neg  
Comment

Acquisition Date 17/06/2022 04:20:46 p.m.

Operator Daniel Arrieta  
Instrument micrOTOF-Q 228888.10392

### Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	180 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Collision Cell RF	200.0 Vpp	Set Divert Valve	Source




Figure S15. HRMS (ESI-negative mode) spectra of F40.



## Display Report

### Analysis Info


Analysis Name D:\Data\Elena Vargas\061722\_F80\_Neg.d  
Method tune\_Low negative.m  
Sample Name 061722\_F80\_Neg  
Comment

Acquisition Date 17/06/2022 04:29:21 p.m.

Operator Daniel Arrieta  
Instrument micrOTOF-Q 228888.10392

### Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	180 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Collision Cell RF	200.0 Vpp	Set Divert Valve	Source



**Figure S16.** HRMS (ESI-negative mode) spectra of F80.

## Display Report

### Analysis Info



Analysis Name D:\Data\Elena Vargas\061722\_F101\_Neg.d  
Method tune\_Low negative.m  
Sample Name 061722\_F101\_Neg  
Comment

Acquisition Date 17/06/2022 04:32:53 p.m.

Operator Daniel Arrieta  
Instrument micrOTOF-Q 228888.10392

### Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	180 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Collision Cell RF	200.0 Vpp	Set Divert Valve	Source



**Figure S17.** HRMS (ESI-negative mode) spectra of F101.

## Display Report

### Analysis Info



Analysis Name D:\Data\Elena Vargas\061722\_F130\_Neg.d  
Method tune\_Low negative.m  
Sample Name 061722\_F130\_Neg  
Comment

Acquisition Date 17/06/2022 04:36:55 p.m.

Operator Daniel Arrieta  
Instrument micrOTOF-Q 228888.10392

### Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	180 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Collision Cell RF	200.0 Vpp	Set Divert Valve	Source



**Figure S18.** HRMS (ESI-negative mode) spectra of F130.

## Display Report

### Analysis Info

Analysis Name D:\Data\Elena Vargas\061722\_F160\_Neg.d  
Method tune\_Low negative.m  
Sample Name 061722\_F160\_Neg  
Comment

Acquisition Date 17/06/2022 04:40:28 p.m.

Operator Daniel Arrieta  
Instrument microTOF-Q 228888.10392

### Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	180 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Collision Cell RF	200.0 Vpp	Set Divert Valve	Source





Figure S19. HRMS (ESI-negative mode) spectra of F160.