

Supplementary Materials

Pumice as a Novel Natural Heterogeneous Catalyst for the Designation of 3,4-Dihydropyrimidine-2-(1H)-ones/thiones under Solvent-Free Conditions

Hany M. Abd El-Lateef ^{1,2,*}, Mohamed Gouda ^{1,*}, Mai M. Khalaf ^{1,2}, Saad Shaaban ^{1,3}, Nadia A. A. Elkanzi ^{4,5}, El Sayed A. Saber ⁶, Antar A. Abdelhamid ^{2,7} and Ali M. Ali ²

¹ Department of Chemistry, College of Science, King Faisal University, Al-Ahsa 31982, Saudi Arabia

² Department of Chemistry, Faculty of Science, Sohag University, Sohag 82534, Egypt

³ Chemistry Department, Faculty of Science, Mansoura University, Mansoura 35516, Egypt

⁴ Chemistry department, College of Science, Jouf University, Sakaka P.O. Box 2014, Saudi Arabia

⁵ Chemistry Department, Faculty of Science, Aswan University, Aswan P.O. Box 81528, Egypt

⁶ Geology Department, Faculty of Science, Sohag University, Sohag 82534, Egypt

⁷ Chemistry Department, Faculty of Science, Albaha University, Albaha P.O. Box 1988, Saudi Arabia

* Correspondence: hmahmed@kfu.edu.sa or hany_shubra@science.sohag.edu.eg (H.M.A.E.-L.); mgoudaam@kfu.edu.sa (M.G.)




Figure S1. ¹H-NMR Spectrum of compound 2a.

NADIA 20ALI-P-2
c13_su DMSO {C:\nmr-data} Student 10





Figure S2. ^{13}C -NMR Spectrum of compound 2a.**Figure S3.** Dept-135 Spectrum of compound 2a.




Figure S4. ¹H-NMR Spectrum of compound 5a.




Figure S5. ¹³C-NMR Spectrum of compound 5a.




Figure S6. Dept-135 Spectrum of compound 5a.

NADIA 20ALI-P-1
proton_su DMSO {C:\nmr-data} Student 11




Figure S7. ¹H-NMR Spectrum of compound 2b.




Figure S8. ¹³C-NMR Spectrum of compound 2b.




Figure S9. Dept-135 Spectrum of compound 2b.