

# Supporting Information

## **Semisynthesis and Pesticidal Activities of Novel Cholesterol Esters Derivatives Containing Cinnamic Acids-Like Fragments**

Rongfei Lu,<sup>1,#</sup> Jianwei Xu,<sup>1,#</sup> Hailong Wang,<sup>3</sup> Zhen Wang,<sup>1</sup> Shaoyong Zhang,<sup>2</sup> Hui Xu,<sup>1,\*</sup> and Min Lv<sup>1,\*</sup>

<sup>1</sup>College of Plant Protection, Northwest A&F University, Yangling 712100, Shaanxi Province, P.R. China

<sup>2</sup>Key Laboratory of Vector Biology and Pathogen Control of Zhejiang Province, College of Life Science, Huzhou University, Huzhou 313000, Zhejiang Province, P.R. China


<sup>3</sup>Yan'an Institute of Agricultural Sciences, Yan'an 716000, Shaanxi Province, P.R. China

\*Correspondence: [orgxuhui@nwsuaf.edu.cn](mailto:orgxuhui@nwsuaf.edu.cn); [lvmin@nwsuaf.edu.cn](mailto:lvmin@nwsuaf.edu.cn)


#These authors contributed equally to this work.

# $^1\text{H}$ NMR spectra


compound **2a**




compound **2b**




compound **3a**




compound **3b**




compound **4a**




compound **4b**




compound ***Ia***




compound ***Ib***




compound *Ic*




compound *Id*




compound *Ie*




compound *If*



compound **Ig**




compound **Ih**







compound *Ii*




compound *Iia*




compound *IIIb*




compound *IIIc*




compound *IIId*




compound *IIe*




compound *II**f*



compound *II**g*



compound *IIIh*



compound *IIIi*

