

Supplemental Materials

Synthesis and Pesticidal Activity of New Niacinamide Derivatives Containing a Flexible, Chiral Chain

Zhe-Cheng Wei¹, Qiao Wang¹, Li-Jing Min², Joanna Bajsa-Hirschel³, Charles L. Cantrell³, Liang Han²,
Cheng-Xia Tan¹, Jian-Quan Weng¹, Yu-Xin Li⁶, Na-Bo Sun^{5*}, Stephen O. Duke^{4*}, Xing-Hai Liu^{1*}

¹ College of Chemical Engineering, Zhejiang University of Technology, Hangzhou, 310014, Zhejiang, China; 398845586@qq.com(Z.W.); 751716045@qq.com(Q.W.);

² College of Life Science, Key Laboratory of Vector Biology and Pathogen Control of Zhejiang Province, Huzhou University, Huzhou, 313000, Zhejiang, China, 178341894@qq.com(L.J.)

³ Natural Products Utilization Research Unit, Agricultural Research Service, U.S. Department of Agriculture, P.O. Box 1848, University, Mississippi 38677, USA, charles.cantrell@usda.gov(C.L.); joanna.bajsa-hirsche@usda.gov(J.B.)


⁴ National Center for Natural Product Research, School of Pharmacy, University of Mississippi, P.O. Box 1848, University, Mississippi, 38677, USA, sduke@olemiss.edu(S.D.)

⁵ College of Biology and Environmental Engineering, Zhejiang Shuren University, Hangzhou 310015, Zhejiang, China, nabosun@126.com(N.B.)


⁶ State Key Laboratory of Elemento-Organic Chemistry, Department of Chemistry, Nankai University, Tianjin, China, Key Laboratory of Study and Discovery of Small Targeted Molecules of Hunan Province, Hunan Normal University, Changsha, Hunan, China, liyxl28@nankai.edu.cn(Y.X.)

Table of contents


1. The spectroscopy of target compounds.....	2-10
--	------




^1H NMR of compound 3a




^{13}C NMR of compound 3a




HRMS of compound 3a




¹H NMR of compound 3b




^1H NMR of compound 3c




^{13}C NMR of compound 3c




HRMS of compound 3c




¹H NMR of compound 3d




¹³C NMR of compound 3d




HRMS of compound 3d




¹H NMR of compound 3e




¹³C NMR of compound 3e




HRMS of compound 3e




¹H NMR of compound 3f




^{13}C NMR of compound 3f




HRMS of compound 3f




^1H NMR of compound 3g




^{13}C NMR of compound 3g




HRMS of compound 3g




¹H NMR of compound 3h




^{13}C NMR of compound 3h




HRMS of compound 3h




HRMS of compound 3i




¹H NMR of compound 3j




^{13}C NMR of compound 3j




HRMS of compound 3j




¹H NMR of compound 3k




¹³C NMR of compound 3k




HRMS of compound 3k




¹H NMR of compound 31




^{13}C NMR of compound 31




HRMS of compound 31




^1H NMR of compound 3m




^{13}C NMR of compound 3m




HRMS of compound 3m




¹H NMR of compound 3n




^{13}C NMR of compound 3n




HRMS of compound 3n




¹H NMR of compound 3o




¹³C NMR of compound 3o




HRMS of compound 3o



¹H NMR of compound 3p



^{13}C NMR of compound 3p



HRMS of compound 3p