

Supporting Materials

Morphological Effects of Au Nanoparticles on Electrochemical Sensing Platforms for Nitrite Detection

Ruiqin Feng¹, Ye Fan¹, Yun Fang^{1,*}, Yongmei Xia^{1,2,*}

¹*The Key Laboratory of Synthetic and Biological Colloids (Ministry of Education), School of Chemical and Material Engineering, Jiangnan University, Wuxi, Jiangsu 214122, P. R. China*

²*State Key Laboratory of Food Science and Technology, Jiangnan University, Wuxi, Jiangsu 214122, P. R. China*

Caption list

Figure S1. TEM of Au nanoplates growing in PVP(50 g·L⁻¹)–SDS(5 mmol·L⁻¹)–HAuCl₄(1.0 mmol·L⁻¹) solution.

Figure S2. LSPR spectra of Au nanoparticles growing in PVP(50 g·L⁻¹)–SDS–HAuCl₄(0.25 mmol·L⁻¹) solutions with different SDS concentrations.

Figure S3. LSPR spectra of Au nanoparticles growing in PVP–SDS(5 mmol·L⁻¹)–HAuCl₄(0.25 mmol·L⁻¹) solutions with different PVP concentrations.




Figure S1. TEM of Au nanoplates growing in PVP($50 \text{ g}\cdot\text{L}^{-1}$)–SDS($5 \text{ mmol}\cdot\text{L}^{-1}$)–HAuCl₄($1.0 \text{ mmol}\cdot\text{L}^{-1}$) solution.




Figure S2. LSPR spectra of Au nanoparticles growing in PVP(50 g·L⁻¹)–SDS–HAuCl₄(0.25 mmol·L⁻¹) solutions with different SDS concentrations.




Figure S3. LSPR spectra of Au nanoparticles growing in PVP–SDS(5 mmol·L⁻¹)–HAuCl₄(0.25 mmol·L⁻¹) solutions with different PVP concentrations.