


Supplementary Table S1. Primer sets used for qPCR



Gene	Forward Primer	Reverse Primer
<i>MMP-1</i>	5'-AGCTAGCTCAGGATGACATTGATG-3'	5'-GCCGATGGGCTGGACAG-3'
<i>MMP-2</i>	5'-GGCCCTGTCACTCCTGAGAT-3'	5'-GGCATCCAGGTTATCGGGGA-3'
<i>MMP-7</i>	5'-CTGGACGGATGGTAGCA-3'	5'-AAGAATGGCCAAGTTCATGAG-3'
<i>MMP-9</i>	5'-TTGACAGCGACAAGAAGTGG-3'	5'-TCACGTCGTCCTTATGCAAG-3'
NF- κ B (<i>RELA</i>)	5'-GGCCATGGACGAAGTGTCCC-3'	5'-GGAGGGTCCTTGGTGACCAG-3'
<i>SLUG</i>	5'-TGGTTGCTTCAAGGACACAT-3'	5'-GTTGCAGTGAGGGCAAGAA-3'
<i>SOX-9</i>	5'-GTACCCGCACTTGCACAAC-3'	5'-TCGGTCTCGTTCAGAAGTCTC-3'
<i>18S</i>	5'-TGGCTCATTAAATCAGTTATG-3'	5'-CGGCATGTATTAGCTCTA-3'

Supplementary Figure S1



(C)

A549



A549

