

# checkCIF/PLATON report

Structure factors have been supplied for datablock(s) 252

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found.      CIF dictionary      Interpreting this report

## Datablock: 252

---

Bond precision:    C-C = 0.0087 A                      Wavelength=1.54178

Cell:              a=11.1190(3)              b=11.3357(3)              c=22.9094(6)  
                    alpha=76.297(1)              beta=77.360(1)              gamma=71.388(1)

Temperature:      296 K

	Calculated	Reported
Volume	2626.27(12)	2626.27(12)
Space group	P -1	P -1
Hall group	-P 1	-P 1
Moiety formula	C36 H41 Dy F19.50 Li O17, 0.5(F), C H3	?
Sum formula	C37 H44 Dy F20 Li O17	C37 H44 Dy F20 Li O17
Mr	1310.16	1310.16
Dx,g cm-3	1.657	1.657
Z	2	2
Mu (mm-1)	8.848	8.848
F000	1302.0	1302.0
F000'	1288.35	
h,k,lmax	13,13,27	13,13,27
Nref	9540	9407
Tmin,Tmax	0.687,0.767	
Tmin'	0.253	

Correction method= Not given

Data completeness= 0.986                      Theta(max)= 67.761

R(reflections)= 0.0402( 8914)              wR2(reflections)= 0.1103( 9407)

S = 1.037                                      Npar= 805

---

The following ALERTS were generated. Each ALERT has the format

**test-name\_ALERT\_alert-type\_alert-level.**

Click on the hyperlinks for more details of the test.

---

**Alert level B**

PLAT215_ALERT_3_B	Disordered F9A	has ADP max/min Ratio	.....	4.2	Note
PLAT215_ALERT_3_B	Disordered F9C	has ADP max/min Ratio	.....	4.3	Note
PLAT230_ALERT_2_B	Hirshfeld Test Diff for	O14D	--C15D	.	30.9 s.u.
PLAT230_ALERT_2_B	Hirshfeld Test Diff for	O16C	--C17C	.	20.0 s.u.
PLAT230_ALERT_2_B	Hirshfeld Test Diff for	C13B	--C18B	.	13.6 s.u.
PLAT230_ALERT_2_B	Hirshfeld Test Diff for	C13C	--C18C	.	8.0 s.u.
PLAT234_ALERT_4_B	Large Hirshfeld Difference	F7D	--C6D	.	0.30 Ang.
PLAT234_ALERT_4_B	Large Hirshfeld Difference	F8C	--C6C	.	0.28 Ang.
PLAT241_ALERT_2_B	High 'MainMol' Ueq as Compared to Neighbors of			O14D	Check
PLAT260_ALERT_2_B	Large Average Ueq of Residue Including		F8DA	0.303	Check

---

**Alert level C**

PLAT057_ALERT_3_C	Correction for Absorption Required	RT(exp)	...	1.12	Do !
PLAT213_ALERT_2_C	Atom O16B	has ADP max/min Ratio	.....	3.8	prolat
PLAT213_ALERT_2_C	Atom C15B	has ADP max/min Ratio	.....	3.4	prolat
PLAT215_ALERT_3_C	Disordered F1#	has ADP max/min Ratio	.....	3.4	Note
PLAT215_ALERT_3_C	Disordered F3#	has ADP max/min Ratio	.....	3.1	Note
PLAT215_ALERT_3_C	Disordered F4D	has ADP max/min Ratio	.....	3.4	Note
PLAT215_ALERT_3_C	Disordered F5D	has ADP max/min Ratio	.....	3.6	Note
PLAT215_ALERT_3_C	Disordered F8A	has ADP max/min Ratio	.....	3.4	Note
PLAT215_ALERT_3_C	Disordered F9D	has ADP max/min Ratio	.....	3.7	Note
PLAT215_ALERT_3_C	Disordered F13#	has ADP max/min Ratio	.....	4.0	Note
PLAT220_ALERT_2_C	Non-Solvent Resd 1	C	Ueq(max)/Ueq(min) Range	3.8	Ratio
PLAT220_ALERT_2_C	Non-Solvent Resd 1	F	Ueq(max)/Ueq(min) Range	3.2	Ratio
PLAT220_ALERT_2_C	Non-Solvent Resd 1	O	Ueq(max)/Ueq(min) Range	4.6	Ratio
PLAT230_ALERT_2_C	Hirshfeld Test Diff for	O16B	--C13B	.	5.3 s.u.
PLAT234_ALERT_4_C	Large Hirshfeld Difference	F7DA	--C6D	.	0.22 Ang.
PLAT234_ALERT_4_C	Large Hirshfeld Difference	F5C	--C3C	.	0.16 Ang.
PLAT234_ALERT_4_C	Large Hirshfeld Difference	F8B	--C6B	.	0.16 Ang.
PLAT234_ALERT_4_C	Large Hirshfeld Difference	F8D	--C6D	.	0.19 Ang.
PLAT234_ALERT_4_C	Large Hirshfeld Difference	F9B	--C6B	.	0.18 Ang.
PLAT234_ALERT_4_C	Large Hirshfeld Difference	F7AA	--C6A	.	0.18 Ang.
PLAT234_ALERT_4_C	Large Hirshfeld Difference	F8AA	--C6A	.	0.19 Ang.
PLAT234_ALERT_4_C	Large Hirshfeld Difference	C13D	--C18D	.	0.17 Ang.
PLAT241_ALERT_2_C	High 'MainMol' Ueq as Compared to Neighbors of			C6C	Check
PLAT241_ALERT_2_C	High 'MainMol' Ueq as Compared to Neighbors of			C10B	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of			O1S	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of			O14B	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of			O14C	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of			C3A	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of			C3B	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of			C12B	Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of			C13B	Check
PLAT260_ALERT_2_C	Large Average Ueq of Residue Including		Dy	0.118	Check
PLAT260_ALERT_2_C	Large Average Ueq of Residue Including		C17B	0.135	Check
PLAT342_ALERT_3_C	Low Bond Precision on	C-C Bonds	.....	0.00871	Ang.
PLAT360_ALERT_2_C	Short C(sp3)-C(sp3) Bond	C3C	- C6C	.	1.43 Ang.
PLAT361_ALERT_2_C	Long C(sp3)-C(sp3) Bond	C13B	- C18B	..	1.74 Ang.
PLAT361_ALERT_2_C	Long C(sp3)-C(sp3) Bond	C13D	- C18D	..	1.67 Ang.
PLAT911_ALERT_3_C	Missing FCF Refl Between Thmin & STh/L=	0.600		112	Report
PLAT978_ALERT_2_C	Number C-C Bonds with Positive Residual Density.			0	Info

---

**Alert level G**

PLAT002_ALERT_2_G	Number of Distance or Angle Restraints on AtSite			18	Note
PLAT154_ALERT_1_G	The s.u.'s on the Cell Angles are Equal ..(Note)			0.001	Degree
PLAT172_ALERT_4_G	The CIF-Embedded .res File Contains DFIX Records			6	Report
PLAT230_ALERT_2_G	Hirshfeld Test Diff for	F5DA	--C3D	.	6.1 s.u.
PLAT230_ALERT_2_G	Hirshfeld Test Diff for	F7C	--C6C	.	14.1 s.u.

PLAT230_ALERT_2_G	Hirshfeld Test Diff for	F8CA	--C6C	.	13.5 s.u.
PLAT230_ALERT_2_G	Hirshfeld Test Diff for	F9A	--C6A	.	7.0 s.u.
PLAT230_ALERT_2_G	Hirshfeld Test Diff for	F9AA	--C6A	.	18.4 s.u.
PLAT242_ALERT_2_G	Low 'MainMol' Ueq as Compared to Neighbors of				C3C Check
PLAT242_ALERT_2_G	Low 'MainMol' Ueq as Compared to Neighbors of				C3D Check
PLAT242_ALERT_2_G	Low 'MainMol' Ueq as Compared to Neighbors of				C6A Check
PLAT242_ALERT_2_G	Low 'MainMol' Ueq as Compared to Neighbors of				C6B Check
PLAT242_ALERT_2_G	Low 'MainMol' Ueq as Compared to Neighbors of				C6D Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F4DA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F5DA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F7DA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F4C		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F4D		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F9DA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F5C		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F5D		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F4CA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F5CA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F7A		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F7C		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F7D		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F7CA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F8A		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F8C		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F8D		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F8CA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F9A		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F9C		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F9D		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F9CA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F7AA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F8AA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F9AA		Constrained at	0.5 Check
PLAT300_ALERT_4_G	Atom Site Occupancy of	F8DA		Constrained at	0.5 Check
PLAT301_ALERT_3_G	Main Residue Disorder .....	(Resd 1 )			17% Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 2 )				100% Note
PLAT304_ALERT_4_G	Non-Integer Number of Atoms in .....	Resd 1			115.50 Check
PLAT304_ALERT_4_G	Non-Integer Number of Atoms in .....	Resd 2			0.50 Check
PLAT343_ALERT_2_G	Unusual sp3 Angle Range in Main Residue for				C13B Check
PLAT344_ALERT_2_G	Unusual sp? Angle Range in Solvent/Ion for				C17B Check
PLAT398_ALERT_2_G	Deviating C-O-C Angle From 120 for O14D				104.8 Degree
PLAT398_ALERT_2_G	Deviating C-O-C Angle From 120 for O16C				109.7 Degree
PLAT432_ALERT_2_G	Short Inter X...Y Contact	F8DA	..C6D		1.73 Ang.
			x,y,z =	1_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact	F8DA	..C3D		2.19 Ang.
			x,y,z =	1_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact	F8DA	..C2D		2.95 Ang.
			x,y,z =	1_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact	O14B	..C17B		2.67 Ang.
			x,y,z =	1_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact	O16B	..C17B		1.78 Ang.
			x,y,z =	1_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact	C12B	..C17B		2.72 Ang.
			x,y,z =	1_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact	C13B	..C17B		2.15 Ang.
			x,y,z =	1_555	Check
PLAT720_ALERT_4_G	Number of Unusual/Non-Standard Labels .....				16 Note
PLAT773_ALERT_2_G	Check long C-C Bond in CIF: C13B	--C18B			1.74 Ang.
PLAT779_ALERT_4_G	Suspect or Irrelevant (Bond) Angle(s) in CIF . #				163 Check
	C13B -C18B -O16B	1.555	1.555	1.555	35.30 Deg.
PLAT779_ALERT_4_G	Suspect or Irrelevant (Bond) Angle(s) in CIF . #				266 Check
	C6A -F9AA -C3A	1.555	1.555	1.555	44.90 Deg.

PLAT793_ALERT_4_G Model has Chirality at C13A	(Centro SPGR)	R Verify
PLAT793_ALERT_4_G Model has Chirality at C13B	(Centro SPGR)	S Verify
PLAT793_ALERT_4_G Model has Chirality at C13D	(Centro SPGR)	R Verify
PLAT794_ALERT_5_G Tentative Bond Valency for Dy	(III)	3.17 Info
PLAT860_ALERT_3_G Number of Least-Squares Restraints	.....	16 Note
PLAT883_ALERT_1_G No Info/Value for _atom_sites_solution_primary	.	Please Do !
PLAT909_ALERT_3_G Percentage of I>2sig(I) Data at Theta(Max) Still		89% Note
PLAT910_ALERT_3_G Missing # of FCF Reflection(s) Below Theta(Min).		1 Note
PLAT912_ALERT_4_G Missing # of FCF Reflections Above STh/L=	0.600	20 Note
PLAT933_ALERT_2_G Number of OMIT Records in Embedded .res File	...	1 Note

---

0 **ALERT level A** = Most likely a serious problem - resolve or explain  
10 **ALERT level B** = A potentially serious problem, consider carefully  
39 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight  
68 **ALERT level G** = General information/check it is not something unexpected

2 ALERT type 1 CIF construction/syntax error, inconsistent or missing data  
51 ALERT type 2 Indicator that the structure model may be wrong or deficient  
16 ALERT type 3 Indicator that the structure quality may be low  
47 ALERT type 4 Improvement, methodology, query or suggestion  
1 ALERT type 5 Informative message, check

---

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special\_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

### Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

### Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

---

**PLATON version of 07/08/2019; check.def file version of 30/07/2019**

