

Supplementary Information

Anti-Neuroinflammatory and Neuroprotective Effect of Inter-medin B Isolated from the *Curcuma longa* L. via NF-κB and ROS Inhibition in BV2 microglia and HT22 hippocampus

Hwan Lee ¹, Zhiming Liu ¹, Linsha Dong ¹, Dae Young Lee ², Dahye Yoon ², Hyuncheol Oh ³, Youn-Chul Kim ³, Ren-Bo An ^{4,*} and Dong-Sung Lee ^{1,*}

¹ College of Pharmacy, Chosun University, Gwangju 61452, Republic of Korea; ghksdldi123@hanmail.net (H.L.); lzmquist@126.com (Z.L.); donglinsha011@163.com (L.D.)

² Department of Herbal Crop Research, National Institute of Horticultural and Herbal Science, Rural Development Administration (RDA), Eumseong 27709, Republic of Korea; dylee0809@gmail.com (D.Y.L.); dahyeyoon@korea.kr (D.Y.)

³ College of Pharmacy, Wonkwang University, Iksan 54538, Republic of Korea; hoh@wonkwang.ac.kr (H.O.); yckim@wku.ac.kr (Y.-C.K.)

⁴ College of Pharmacy, Yanbian University, Yanji 133002, China

* Correspondence: anrb@ybu.edu.cn (R.-B.A.); dslee2771@chosun.ac.kr (D.-S.L.)

Contents

- Figure S1.** ^1H - and ^{13}C - NMR spectrum of compound **1**.
- Figure S2.** ^1H - and ^{13}C - NMR spectrum of compound **2**.
- Figure S3.** ^1H - and ^{13}C - NMR spectrum of compound **3**.
- Figure S4.** ^1H - and ^{13}C - NMR spectrum of compound **4**.
- Figure S5.** ^1H - and ^{13}C - NMR spectrum of compound **5**.
- Figure S6.** ^1H - and ^{13}C - NMR spectrum of compound **6**.
- Figure S7.** ^1H - and ^{13}C - NMR spectrum of compound **7**.
- Figure S8.** ^1H - and ^{13}C - NMR spectrum of compound **8**.
- Figure S9.** ^1H - and ^{13}C - NMR spectrum of compound **9**.
- Figure S10.** ^1H - and ^{13}C - NMR spectrum of compound **10**.
- Figure S11.** ^1H - and ^{13}C - NMR spectrum of compound **11**.
- Figure S12.** ^1H - and ^{13}C - NMR spectrum of compound **12**.
- Figure S13.** ^1H - and ^{13}C - NMR spectrum of compound **13**.
- Figure S14.** ^1H - and ^{13}C - NMR spectrum of compound **14**.
- Figure S15.** ^1H - and ^{13}C - NMR spectrum of compound **15**.
- Figure S16.** ^1H - and ^{13}C - NMR spectrum of compound **16**.
- Figure S17.** ^1H - and ^{13}C - NMR spectrum of compound **17**.




Figure S1. ¹H- and ¹³C- NMR spectrum of compound 1.




Figure S2. ¹H- and ¹³C- NMR spectrum of compound 2.




Figure S3. ¹H- and ¹³C- NMR spectrum of compound 3.




Figure S4. ¹H- and ¹³C- NMR spectrum of compound 4.




Figure S5. ¹H- and ¹³C- NMR spectrum of compound 5.




Figure S6. ¹H- and ¹³C- NMR spectrum of compound 6.




Figure S7. ¹H- and ¹³C- NMR spectrum of compound 7.




Figure S8. ¹H- and ¹³C- NMR spectrum of compound 8.




Figure S9. ¹H- and ¹³C- NMR spectrum of compound 9.




Figure S10. ¹H- and ¹³C- NMR spectrum of compound 10.




Figure S11. ¹H- and ¹³C- NMR spectrum of compound 11.




Figure S12. ¹H- and ¹³C- NMR spectrum of compound 12.




Figure S13. ¹H- and ¹³C- NMR spectrum of compound 13.




Figure S14. ¹H- and ¹³C- NMR spectrum of compound 14.




Figure S15. ¹H- and ¹³C- NMR spectrum of compound **15**.




Figure S16. ¹H- and ¹³C- NMR spectrum of compound 16.




Figure S17. ¹H- and ¹³C- NMR spectrum of compound 17.