


*Supporting Information for*  
**N-(2-(1*H*-indol-3-yl)-1-(5-thioxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)ethyl)-4-methylbenzenesulfonamide**

Nikil P. and Boja Poojary\*


Department of Chemistry, Mangalore University, Mangalagangotri-574 199, Karnataka,  
India.

\*e-mail : [bojapoojary@gmail.com](mailto:bojapoojary@gmail.com)




**Figure S1. FTIR Spectrum of *N*-(2-(1*H*-indol-3-yl)-1-(5-thioxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)ethyl)-4-methylbenzenesulfonamide**


\*MSD1 SPC, time=0.089:0.266 of C:\CHEM32\1\DATA\NOV-15\041115A 2015-11-04 16-23-24V4.A.D MM-ES+APCI, Scan




**Figure S2. Mass Spectrum of *N*-(2-(1*H*-indol-3-yl)-1-(5-thioxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)ethyl)-4-methylbenzenesulfonamide**




**Figure S3.  $^1\text{H}$ -NMR Spectrum of *N*-(2-(1*H*-indol-3-yl)-1-(5-thioxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)ethyl)-4-methylbenzenesulfonamide**



**Figure S4.** Expanded aromatic region of  $^1\text{H}$ -NMR Spectrum of *N*-(2-(1*H*-indol-3-yl)-1-(5-thioxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)ethyl)-4-methylbenzenesulfonamide



**Figure S5.** Expanded aliphatic region of  $^1\text{H}$ -NMR Spectrum of *N*-(2-(1*H*-indol-3-yl)-1-(5-thioxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)ethyl)-4-methylbenzenesulfonamide



**Figure S6.**  $^{13}\text{C}$ -NMR Spectrum of *N*-(2-(1*H*-indol-3-yl)-1-(5-thioxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)ethyl)-4-methylbenzenesulfonamide