

Supplementary information

Supplementary data: The ^1H , ^{13}C , 2D NMR, LC-MS and IR spectra of compounds **2** and **3**. Antitumor activity of compound **3** at the concentration of 10 μM

Table of Contents

Atom numbering of compound 3	S2
Copies of ^1H , ^{13}C NMR, IR and LC-MS spectra of compound 2	S3-5
Copies of ^1H , ^{13}C , 2D NMR, IR and LC-MS spectra of compound 3	S6-12
Antitumor activity of compound 3 at the concentration of 10 μM	S13




Figure S1. Atom numbering of compound **3**




Figure S2. ¹H NMR spectrum of compound 2






Figure S3. ¹³C NMR spectrum of compound 2



Molecular Weight: 425,53

Figure S4. LC-MS spectrum of compound 2




Figure S5. IR spectrum of compound 2




Figure S6. ¹H NMR spectrum of compound 3





Figure S7. ¹³C NMR spectrum of compound 3



Ret_Time: 1.485 min

Mol Wt
Exact Mass

#	Time	Area%
1	1.485	100.00



RT 1.498



Molecular Weight: 536,45

Figure S8. LC-MS spectrum of compound 3




Figure S9. COSY spectrum of compound **3**




Figure S10. HMBC spectrum of compound **3**

zpk2635_hsqc




Figure S11. HSQC spectrum of compound **3**




Figure S12. IR spectrum of compound **3**




Figure S13. Antitumor activity of compound **3** at the concentration of 10 µM