

SUPPLEMENTARY MATERIAL

Methyl 9-(2-iminothiazol-3(2H)-yl)-9-oxononanoate

Gabriele Micheletti,^{1*} Natalia Calonghi,² and Carla Boga^{1,*}

1. Department of Industrial Chemistry "Toso Montanari", Alma Mater Studiorum- Università di Bologna, Viale del Risorgimento 4, 40136 Bologna, Italy

2. Department of Pharmacy and Biotechnology, University of Bologna, Via Irnerio 48, 40126 Bologna, Italy

* Correspondence: gabriele.micheletti3@unibo.it (G.M.); carla.boga@unibo.it (C.B.); Tel.: +39-051-209-3616 (C.B.)




Figure S1. ^1H -NMR spectrum of compound **3** in CDCl_3 .



Figure S2. NOE (Irradiation at 2.54 ppm) spectrum of compound 3 in CDCl_3 .




Figure S3. ¹³C-NMR spectrum of compound 3 in CDCl₃.




Figure S4. DEPT spectrum of compound **3** in CDCl_3 .




Figure S5. ESI-MS⁺ spectrum of compound 3.




Figure S6. FT-IR spectrum of compound **3** in CHCl_3 .




Figure S7. UV-Vis spectrum of compound 3 in CHCl_3 .