

Supplementary material

Communication

Bis((5-allyl-2-(benzo[*d*][1,3]dioxol-5-yl)benzofuran-7-yl)oxy)methane: An Unusual *Nor*-Neolignan Dimer from *Magnolia grandiflora* L.

Diego Cárdenas-Laverde, Diego Quiroga, and Ericsson Coy-Barrera *

Bioorganic Chemistry Laboratory, Facultad de Ciencias Básicas y Aplicadas, Universidad Militar Nueva Granada, Cajica 250247, Colombia

*Correspondence: ericsson.coy@unimilitar.edu.co (E.C-B.)

Content	Page
Figure S1. Infrared spectrum of 1 (ATR)	2
Figure S2. ¹ H NMR spectrum of 1 (400 MHz, CDCl ₃)	2
Figure S3. ¹³ C NMR spectrum of 1 (100 MHz, CDCl ₃)	3
Figure S4. DEPT 135 spectrum of 1 (100 MHz, CDCl ₃)	3
Figure S5. HMQC spectrum of 1	4
Figure S6. ¹ H- ¹ H COSY spectrum of 1	4
Figure S7. HMBC spectrum of 1	5
Figure S8. HRMS spectrum of 1	5




Figure S1. Infrared spectrum of **1** (ATR)




Figure S2. ^1H NMR spectrum of **1** (400 MHz, CDCl_3)




Figure S3. ^{13}C NMR spectrum of **1** (100 MHz, CDCl_3)




Figure S4. DEPT 135 spectrum of **1** (100 MHz, CDCl_3)




Figure S5. HMOC spectrum of **1**




Figure S6. ^1H - ^1H COSY spectrum of **1**




Figure S7. HMBC spectrum of **1**




Figure S8. HRMS spectrum of **1**