

Supplementary Material to

Mayra Galarza Pérez, Fabian Fell, Dimitrina Zheleva-Dimitrova and Christian Zidorn:

Isoetin 2'-O- α -L-arabinopyranoside-5'-O- β -D-glucopyranoside

Supplementary Figures:

Figure S1. HRMS/MS spectrum of compound **1**.

Figure S2. ^1H NMR spectrum of compound **1**.

Figure S3. ^{13}C NMR spectrum of compound **1**.

Figure S4. COSY spectrum of compound **1**.

Figure S5. HSQC spectrum of compound **1**.

Figure S6. HMBC spectrum of compound **1**.

Figure S7. HSQC-TOCSY spectrum of compound **1**.

Figure S8. ROESY spectrum of compound **1**.




Figure S1. HRMS/MS spectrum of compound 1, [M-H]⁻ at m/z 595.1310 in the negative ion mode.




Figure S2. ^1H NMR spectrum of compound **1**.




Figure S3. ^{13}C NMR spectrum of compound **1**.




Figure S4. COSY spectrum of compound **1**.




Figure S5. HSQC spectrum of compound **1**.




Figure S6. HMBC spectrum of compound **1**.




Figure S7. HSQC-TOCSY spectrum of compound **1**.




Figure S8. ROESY spectrum of compound **1**.