

Table S1. Checklist of parasite taxa detected in fishes of the Galaxiidae family.

| Country | Fish species | Parasite group | Parasite taxa | References |
|---------------------------|---------------------------|-----------------|---|---|
| Argentina | <i>Aplochiton zebra</i> | Acanthocephalan | <i>Acanthocephalus tumescens</i> | Fernández et al. 2012 |
| | | Acanthocephalan | <i>Pomphorhynchus patagonicus</i> | Ortubay et al. 1994 |
| | | Mollusc | <i>Diplodon chilensis</i> | Fernández et al. 2012 |
| | | Cestode | <i>Ailinella mirabilis</i> | Fernández et al. 2012; Ortubay et al. 1994; Semenas et al. 1987 |
| | | Ciliate | <i>Ichthyophthirius multifiliis</i> | Fernández et al. 2012 |
| | | Ciliate | <i>Trichodina</i> sp. | Fernández et al. 2012 |
| | | Myxozoan | <i>Myxobolus</i> sp. | Fernández et al. 2012 |
| | | Nematode | <i>Camallanus corderoi</i> | Fernández et al. 2012 |
| | | Nematode | <i>Contraecaecum</i> sp. | Fernández et al. 2012 |
| | | Nematode | <i>Hysterothylacium patagonense</i> | Fernández et al. 2012 |
| | | Trematode | <i>Acanthostomoides apophalliformis</i> | Fernández et al. 2012; Ortubay et al. 1994; Semenas et al. 1987 |
| | | Trematode | <i>Allocreadium</i> sp. | Fernández et al. 2012 |
| | | Trematode | <i>Austrodiplostomum mordax</i> | Semenas et al. 1987 |
| | | Trematode | <i>Derogenes</i> sp. | Ortubay et al. 1994; Semenas et al. 1987 |
| <i>Galaxias maculatus</i> | <i>Galaxias maculatus</i> | Acanthocephalan | <i>Acanthocephalus tumescens</i> | Fernández et al. 2015a,b; Ortubay et al. 1994; Rauque et al. 2002, 2003; Revenga et al. 2005; Semenas & Trejo 1997; Trejo et al. 2000; Viozzi et al. 2009 |
| | | Acanthocephalan | <i>Pomphorhynchus patagonicus</i> | Fernández et al. 2015b; Viozzi et al. 2009 |
| | | Mollusc | <i>Diplodon chilensis</i> | Semenas 1999; Semenas & Brugni 2002; Semenas et al. 1994; Viozzi & Brugni 2001; Viozzi et al. 2009 |

| | | |
|------------|--------------------------------------|---|
| Cestode | <i>Ailinella mirabilis</i> | Fernández et al. 2010, 2015a,b; Gil de Pertierra & Semenas 2006; Ortubay et al. 1994; Rauque et al. 2003; Reissig 2000; Revenga et al. 2005; Semenas 1999 |
| Cestode | <i>Dibothriocephalus dendriticus</i> | Ortubay et al. 1994; Viozzi et al. 2009 |
| Cestode | <i>Dibothriocephalus</i> sp. | Fernández et al. 2015a,b; Ortubay et al. 1994 |
| Ciliate | <i>Ichthyophthirius multifiliis</i> | Semenas 1999 |
| Ciliate | <i>Trichodina</i> sp. | Semenas 1999; Viozzi 1996 |
| Copepod | <i>Ergasilus</i> sp. | Ortubay et al. 1994; Semenas 1999; Viozzi et al. 2009 |
| Monogenean | <i>Gyrodactylus</i> sp. | Fernández et al. 2010, 2015a,b; Semenas 1999; Viozzi et al. 2009 |
| Monogenean | <i>Philureter tricorniopsis</i> | Fernández et al. 2010, 2015a,b; Semenas 1999; Viozzi & Gutiérrez 2001; Viozzi & Semenas 2009; Viozzi et al. 2005, 2009 |
| Myxozoan | <i>Myxidium biliare</i> | Viozzi 1996; Viozzi & Flores 2003; Viozzi et al. 2009 |
| Myxozoan | <i>Myxobolus galaxii</i> | Flores & Viozzi 2007; Szidat 1952, 1953; Viozzi 1996; Viozzi et al. 2009 |
| Myxozoan | <i>Myxobolus magellanicus</i> | Flores & Viozzi 2001; Semenas 1999; Szidat 1952, 1953; Viozzi 1996; Viozzi et al. 2009 |
| Myxozoan | <i>Ortholinaea lauquen</i> | Alama et al. 2019 |
| Nematode | <i>Camallanus corderoi</i> | Fernández et al. 2010, 2015a,b; Ortubay et al. 1994; Rauque et al. 2003; Revenga & Scheinert 1999a,b; Semenas 1999; Viozzi et al. 2009 |
| Nematode | <i>Contracaecum</i> sp. | Fernández et al. 2010, 2015a,b; Ortubay et al. 1994; Revenga & Scheinert 1999a,b; Revenga et al. 2005; Semenas 1999; Viozzi et al. 2009 |
| Nematode | <i>Eustrongylides</i> sp. | Brugni & Viozzi 1999; Guagliardo et al. 2019 |
| Nematode | <i>Eustrongylides tubifex</i> | Brugni & Viozzi 2003; Viozzi et al. 2009 |
| Nematode | <i>Hedruris suttonae</i> | Brugni & Viozzi 2010; Fernández et al. 2010, 2015a,b; Revenga et al. 2005; Semenas 1999; Viozzi et al. 2009 |
| Nematode | <i>Hysterothylacium patagonense</i> | Fernández et al. 2010, 2015a,b; Viozzi et al. 2009 |

| | | |
|------------------------|---|---|
| Nematode | <i>Placonema pataguense</i> | Brugni et al. 2009; Fernández et al. 2010; Fernández et al. 2015a |
| Trematode | <i>Acanthostomoides apophalliformis</i> | Fernández et al. 2010, 2015a,b; Ortubay et al. 1994; Ostrowski de Núñezet al. 1999; Revenga & Scheinert 1999a,b; Revenga et al. 2005, 2006a,b; Trochine 2000; Viozzi et al. 2009 |
| Trematode | <i>Allocreadium patagonicum</i> | Flores et al. 2004 |
| Trematode | <i>Austrodiplostomum mordax</i> | Ortubay et al. 1994 |
| Trematode | <i>Derogenes</i> sp. | Fernández et al. 2015b; Semenas 1999 |
| Trematode | <i>Diplostomidae</i> sp. | Ortubay et al. 1994 |
| Trematode | <i>Diplostomum</i> sp. | Ortubay et al. 1994; Semenas et al. 1987 |
| Trematode | <i>Hemiuroidae</i> sp. | Ortubay et al. 1994; Semenas et al. 1987 |
| Trematode | <i>Heterophyidae</i> sp. | Fernández et al. 2010, 2015b |
| Trematode | <i>Posthodiplostomum</i> sp. | Fernández et al. 2010, 2015a,b; Ortubay et al. 1994; Revenga et al. 2005; Ritossa et al. 2013, 2014; Semenas 1999; Viozzi et al. 2009 |
| Trematode | <i>Steganoderma szidati</i> | Fernández et al. 2010, 2015a,b; Revenga et al. 2005; Viozzi et al. 2000, 2009 |
| Trematode | <i>Stephanoprora uruguayense</i> | Fernández et al. 2010, 2015a,b; Ortubay et al. 1994; Ostrowski de Núñezet al. 2004; Viozzi et al. 2009 |
| Trematode | <i>Tylodelphys argentinensis</i> | Quaggiotto & Valverde 1992 |
| Trematode | <i>Tylodelphys bariloensis</i> | Flores & Baccalá 1998; Flores & Semenas 2002; Quaggiotto & Valverde 1992; Revenga & Scheinert 1999a,b; Revenga et al. 2005; Semenas 1999 |
| Trematode | <i>Tylodelphys crubensis</i> | Flores & Baccalá 1998; Flores & Semenas 2002; Quaggiotto & Valverde 1992; Semenas 1999 |
| Trematode | <i>Tylodelphys</i> sp. | Fernández et al. 2010, 2015a,b; Flores 1997; Olabuenaga 2000; Ortubay et al. 1994; Viozzi et al. 2009 |
| <i>Galaxias platei</i> | Acanthocephalan | <i>Acanthocephalus tumescens</i> |
| | Acanthocephalan | <i>Pomphorhynchus patagonicus</i> |
| | | Ortubay et al. 1994; Rauque et al. 2003, 2006 |
| | | Ortubay et al. 1994; Ortubay et al. 1989, 1991; Semenas et al. 1987, 1992; Úbeda et al. 1994 |

| | | | | |
|------------------------------|-----------------------------|---|--|----------------------|
| <i>Galaxias platei</i> cont. | Mollusc | <i>Diplodon chilensis</i> | Ortubay et al. 1994; Semenas et al. 1994, 1987 | |
| | Cestode | <i>Amphicotylidae</i> sp. | Ortubay et al. 1994; Ortubay et al. 1987, 1989 | |
| | Cestode | <i>Dibothriocephalus</i> sp. | Ortubay et al. 1994 | |
| | Cestode | <i>Galaxitaenia toloi</i> | Gil de Pertier & Semenas 2005; Rauque et al. 2003 | |
| | Nematode | <i>Ascaridida</i> sp. | Ortubay et al. 1989 | |
| | Nematode | <i>Camallanus corderoi</i> | Ortubay et al. 1994; Rauque et al. 2003 | |
| | Nematode | <i>Dracunculoidea</i> sp. | Ortubay et al. 1994; Semenas et al. 1987 | |
| | Nematode | <i>Hedruris</i> sp. | Ortubay et al. 1994; Semenas et al. 1987 | |
| | Nematode | <i>Hedruris suttonae</i> | Brugni & Viozzi 2010 | |
| | Nematode | <i>Philometridae</i> sp. | Ortubay et al. 1989 | |
| | Nematode | <i>Rhabdochona</i> sp. | Ortubay et al. 1994 | |
| | Trematode | <i>Acanthostomoides apophalliformis</i> | Ortubay et al. 1994; Ostrowski de Núñez et al. 1999; Rauque et al. 2003; Semenas et al. 1987 | |
| | Trematode | <i>Allocreadiidae</i> sp. | Ortubay et al. 1989, 1994 | |
| | Trematode | <i>Diplostomidae</i> sp. | Ortubay et al. 1989 | |
| | Trematode | <i>Diplostomum</i> sp. | Ortubay et al. 1994; Semenas et al. 1987 | |
| | Trematode | <i>Hemiuroidae</i> sp. | Ortubay et al. 1994; Semenas et al. 1987 | |
| | Trematode | <i>Steganoderma</i> sp. | Ortubay et al. 1994 | |
| | Trematode | <i>Steganoderma szidati</i> | Viozzi et al. 2000 | |
| | Trematode | <i>Tylodelphys</i> sp. | Ortubay et al. 1994 | |
| | Trematode | <i>Zoogonidae</i> sp. | Ortubay et al. 1989 | |
| <hr/> | | | | |
| Australia | <i>Galaxias auratus</i> | Acanthocephalan | <i>Paracanthorhynchus galaxiasus</i> | Smales 2015 |
| | | Trematode | <i>Apatemon gracilis</i> | Smith & Hickman 1983 |
| | | Trematode | <i>Diplostomum galaxiae</i> | Smith & Hickman 1983 |
| | | Trematode | <i>Diplostomum</i> sp. | Johnson 1981 |
| | <i>Galaxias brevipinnis</i> | Oomycete | <i>Saprolegnia</i> sp. | Scott 1936 |
| | | Trematode | <i>Opistorciid</i> sp. | Scott 1936 |
| | <i>Galaxias fuscus</i> | Trematode | Unidentified trematode | Raadik 1995 |
| | <i>Galaxias johnstoni</i> | Trematode | <i>Opistorciid</i> sp. | Scott 1936 |

| | | | |
|------------------------------|---|---|--|
| <i>Galaxias maculatus</i> | Acanthocephalan Cestode Ciliophora Nematode Nematode Nematode Nematode Trematode Trematode Trematode | <i>Paracanthorhynchus galaxiasus</i> <i>Ligula</i> sp. <i>Trichodina heterodentata</i> <i>Contraecaecum</i> sp. <i>Eustrongylides gadopsis</i> <i>Eustrongylides</i> sp. <i>Filaria sanguinea</i> <i>Spiroptera bicolor</i> <i>Coitocaecum parvum</i> Dip01 (family Diplostomatidae and Strigeidae) <i>Diplostomum murrayense</i> <i>Diplostomum</i> sp. | Edmonds 1967; Smales 2015 Chapman et al. 2006; Pollard 1974 Dove & O'Donoghue 2005 Chapman et al. 2006; Johnston 1944 Johnston 1940, 1944 Chapman et al. 2006; Pollard 1974 Johnston 1940 Johnston 1940 Crowcroft 1944 Tritt 2018 Johnston 1941 Chapman et al. 2006 |
| <i>Galaxias occidentalis</i> | Mollusc Copepod Copepod Nematode Nematode Nematode Trematode Trematode | <i>Westralunio carteri</i> <i>Dermoergasilus</i> sp. <i>Lernaea cyprinacea</i> <i>Contraecaecum</i> sp. <i>Eustrongylides</i> sp. Unidentified nematode Dip01 (family Diplostomatidae and Strigeidae) <i>Diplostomum</i> sp. | Klunzinger 2012 Hassan et al. 2009 Hassan et al. 2008; McCredden 2016 Rashnavadi 2010 Rashnavadi 2010 Rashnavadi 2010 Tritt 2018 Rashnavadi 2010 |
| <i>Galaxias olidus</i> | Ciliophora Copepod Hirudinea Myxozoan Nematode Nematode Nematode Trematode Trematode | <i>Trichodina heterodentata</i> <i>Lernaea cyprinacea</i> <i>Richardsonianus australis</i> <i>Myxobolus galaxii</i> <i>Contraecaecum</i> sp. <i>Eustrongylides gadopsis</i> <i>Eustrongylides galaxias</i> <i>Diplostomum murrayense</i> Unidentified trematode | Dove & O'Donoghue 2005 Bond 2004 Cadwallader 1978 Langdon 1990 Johnston 1947 Johnston 1947 Johnston 1940 Johnston 1941 Duhig 1931 |
| <i>Galaxias rostratus</i> | Cestode unknown | Unidentified cestode Unidentified parasite | Llewellyn 2005 Llewellyn 2005 |

| | | | | |
|---------------------------|--------------------------------|-----------------|---|--|
| | <i>Galaxias truttaceus</i> | Cestode | <i>Ligula intestinalis</i> | Morgan 2003 |
| | | Cestode | Unidentified cestode | Humphries 1987 |
| | | Nematode | Unidentified nematode | Humphries 1987 |
| | | Trematode | Unidentified trematode | Humphries 1987 |
| | <i>Galaxiella pusilla</i> | Trematode | <i>Apatemon gracilis</i> | Coleman & Hoffmann 2016 |
| | <i>Galaxiella toourtkoourt</i> | Trematode | <i>Apatemon gracilis</i> | Coleman & Hoffmann 2016 |
| | <i>Lovettia sealii</i> | Trematode | <i>Parahemius lovettiae</i> | Crowcroft 1946 |
| Chile | <i>Aplochiton taeniatus</i> | Nematode | <i>Camallanus corderoi</i> | Torres et al. 1990 |
| | <i>Aplochiton zebra</i> | Trematode | <i>Acanthostomoides apophalliformis</i> | Torres et al. 1988 |
| | | Trematode | <i>Steganoderma oviformis</i> | Szidat 1962 |
| | <i>Brachigalaxias bullocki</i> | Ciliate | Epistilidae sp. | Viozzi et al. 2008 |
| | | Ciliate | <i>Ichthyophthirius multifiliis</i> | Viozzi et al. 2008 |
| | | Ciliate | <i>Trichodina</i> sp. | Viozzi et al. 2008 |
| | | Myxozoan | <i>Myxidium</i> sp. | Viozzi et al. 2008 |
| | | Myxozoan | <i>Myxobolus</i> sp. | Viozzi et al. 2008 |
| | | Nematode | <i>Camallanus corderoi</i> | Torres et al. 1990 |
| | | Trematode | <i>Acanthostomoides apophalliformis</i> | Torres et al. 1988; Viozzi et al. 2008 |
| <i>Galaxias maculatus</i> | | Trematode | <i>Stephanopora uruguayense</i> | Viozzi et al. 2008 |
| | | Trematode | <i>Tylodelphys</i> sp. | Viozzi et al. 2008 |
| | | Acanthocephalan | <i>Acanthocephalus</i> sp. | George-Nascimento et al. 2020; Torres et al. 1990b |
| | | Acanthocephalan | <i>Acanthocephalus tumescens</i> | Arias Peña 2008; Bravo et al. 2007; Torres et al. 1992, 2017 |
| | | Mollusc | <i>Diplodon chilensis</i> | Torres et al. 2017 |
| | | Branchiura | <i>Argulus</i> sp. | Bravo et al. 2007; George-Nascimento et al. 2020 |
| | | Cestode | <i>Cyclophyllidea</i> sp. | George-Nascimento et al. 2020 |
| | | Cestode | <i>Dibothricephalus dendriticus</i> | Torres et al. 1998 |
| | | Cestode | <i>Dibothricephalus latus</i> | Torres et al. 1989, 1998, 2004 |
| | | Ciliate | <i>Trichodina</i> sp. | Bravo et al. 2007; Torres et al. 2017 |

| | | | | |
|--------------------------------------|---------------------------|---|--|---|
| | Monogenean | <i>Dactylogyridae</i> gen. sp. | George-Nascimento et al. 2020 | |
| | Monogenean | <i>Dactylogyrus</i> sp. | Bravo et al. 2007 | |
| | Monogenean | <i>Inserotrema puyezi</i> | Viozzi et al. 2007 | |
| | Myxozoan | <i>Myxobolus magellanicus</i> | Bravo et al. 2007; Torres et al. 2017 | |
| | Myxozoan | <i>Myxobolus</i> sp. | Torres et al. 2017 | |
| | Nematode | <i>Camallanus corderoi</i> | George-Nascimento et al. 2020; Torres et al. 1990 | |
| | Nematode | <i>Contracaecum rudolphii</i> | Torres et al. 1992, 2000 | |
| | Nematode | <i>Contracaecum</i> sp. | Bravo et al. 2007; George-Nascimento et al. 2020; Torres et al. 1988, 1990, 2017 | |
| | Nematode | <i>Cystidicoloides</i> sp. | George-Nascimento et al. 2020; Torres et al. 1990, 1992 | |
| | Nematomorpha | <i>Gordiida</i> gen. sp. | Torres et al. 2017 | |
| | Trematode | <i>Acanthostomoides apophalliformis</i> | Bravo et al. 2007; George-Nascimento et al. 2020; Torres et al. 1988, 1992 | |
| | Trematode | <i>Allocreadium pichi</i> | George-Nascimento et al. 2020 | |
| | Trematode | <i>Posthodiplostomum</i> sp. | George-Nascimento et al. 2020 | |
| | Trematode | <i>Stephanopryra uruguayense</i> | Torres et al. 2017 | |
| | Trematode | <i>Tylodelphys</i> sp. | George-Nascimento et al. 2020 | |
| <i>Galaxias platei</i> | Cestode | <i>Dibothrioccephalus latus</i> | Torres et al. 1989 | |
| | Cestode | <i>Dibothrioccephalus</i> sp. | Torres et al. 1989 | |
| | Nematode | <i>Camallanus corderoi</i> | Torres et al. 1990 | |
| | Nematode | <i>Contracaecum</i> sp. | Torres 1983 | |
| | Trematode | <i>Acanthostomoides apophalliformis</i> | Torres et al. 1988 | |
| Islas Malvinas / Falkland Islands | <i>Aplochiton zebra</i> | Acanthocephalan | Acanthocephala sp. | McDowall 2005 |
| | <i>Galaxias maculatus</i> | Myxozoan | <i>Myxobolus bartoni</i> | Chaganti et al. 2000 |
| New Zealand | <i>Galaxias anomalus</i> | Acanthocephalan | <i>Acanthocephalus galaxii</i> | Kelly et al. 2009; Paterson et al. 2011 |
| | | Trematode | <i>Apateomon</i> spp. | Kelly et al. 2009 |
| | | Trematode | <i>Coitocaecum parvum</i> | Kelly et al. 2009 |
| | | Trematode | <i>Deretrema minutum</i> | Kelly et al. 2009 |

| | | | |
|--------------------------------|-----------------|------------------------------------|---|
| <i>Galaxias anomalus</i> cont. | Trematode | <i>Deretrema philippae</i> | Kelly et al. 2009 |
| | Trematode | <i>Stegodexamene anguillae</i> | Kelly et al. 2009 |
| | Trematode | <i>Telogaster opisthorchis</i> | Kelly et al. 2009, 2010a,b |
| <i>Galaxias argenteus</i> | Acanthocephalan | <i>Acanthocephalus galaxii</i> | Lagrule et al. 2011 |
| | Nematode | <i>Hedruris spinigera</i> | Lagrule et al. 2011 |
| | Nematode | Unidentified nematode | Bonnet & Lambert 2002 |
| | Trematode | <i>Coitocaecum parvum</i> | Lagrule et al. 2011 |
| <i>Galaxias brevipinnis</i> | Mollusc | <i>Diplodon lutulentus</i> | Percival 1931 |
| | Mollusc | <i>Hyridella</i> sp. | Boustead 1982 |
| | Ciliate | <i>Ichthyophthirius multifilis</i> | Boustead 1982 |
| | Monogenean | Unidentified gyrodactylid | McDowall 1978 |
| | Monogenean | <i>Gyrodactylus</i> sp. | Johnson 1976 |
| | Myxozoan | <i>Myxobolus</i> sp. | Johnson 1976 |
| | Trematode | <i>Coitocaecum parvum</i> | MacFarlane 1939 |
| | Trematode | <i>Deretrema</i> sp. | McDowall 1978 |
| | Trematode | <i>Phyllodistomum anguillae</i> | Macfarlane 1936 |
| | Trematode | <i>Phyllodistomum magnificum</i> | Hine 2000 |
| | Trematode | <i>Stegodexamene anguillae</i> | Johnson 1976; Macfarlane 1951, 1952; Paterson et al. 2013; Poulin et al. 2012 |
| | Trematode | <i>Telogaster opisthorchis</i> | MacFarlane 1945, 1952; Paterson et al. 2013; Poulin et al. 2012 |
| | Trematode | Unidentified trematode | Johnson 1976 |
| <i>Galaxias depressiceps</i> | Trematode | <i>Stegodexamene anguillae</i> | Poulin et al. 2012 |
| | Trematode | <i>Telogaster opisthorchis</i> | Poulin et al. 2012 |
| <i>Galaxias divergens</i> | Trematode | <i>Deretrema philippae</i> | Hine 1977 |
| | Trematode | <i>Deretrema</i> sp. | McDowall 1978 |
| | Trematode | <i>Stegodexamene anguillae</i> | McDowall 1978 |
| | Trematode | <i>Telogaster opisthorchis</i> | McDowall 1978 |
| <i>Galaxias fasciatus</i> | Trematode | <i>Telogaster opisthorchis</i> | McDowall 1978 |
| <i>Galaxias gollumoides</i> | Trematode | <i>Stegodexamene anguillae</i> | Poulin et al. 2012 |
| | Trematode | <i>Telogaster opisthorchis</i> | Poulin et al. 2012 |

| | | | |
|----------------------------|-----------------|--------------------------------|---|
| <i>Galaxias maculatus</i> | Acanthocephalan | <i>Acanthocephalus galaxii</i> | Cirtwill et al. 2016; Hine 1977; Lagrue et al. 2011; McDowall 1968 |
| | Acanthocephalan | <i>Acanthocephalus</i> sp. | Manter 1955b |
| | Cestode | <i>Nippotaenia contorta</i> | Hine 1977 |
| | Cestode | Unidentified cestode | McDowall 1968 |
| | Copepod | <i>Abergasilus amplexus</i> | Hewitt 1978 |
| | Myxozoan | <i>Myxobolus iucundus</i> | Hine 1977 |
| | Nematode | <i>Aphelenchus</i> sp. | Hine 2000; McDowall 1968 |
| | Nematode | Ascarid sp. | McDowall 1968 |
| | Nematode | <i>Dorylaimus</i> sp. | Hine 2000; McDowall 1968 |
| | Nematode | <i>Eustrongylides</i> sp. | Cirtwill et al. 2016; McDowall 1968; Stokell 1936 |
| | Nematode | <i>Hedruris spinigera</i> | Baylis 1932; Brunsdon 1956; Clark 1978; Hine 2000; Lagrue et al. 2011; Luque et al. 2010; McDowall 1968; Stokell 1936 |
| | Nematode | Rhabditoid sp. | McDowall 1968 |
| | Nematode | Spiruroid sp. | McDowall 1968 |
| | Trematode | <i>Coitocaecum parvum</i> | Holton 1984; Lagrue et al. 2011; MacFarlane 1939 |
| | Trematode | <i>Deretrema minutum</i> | Holton 1983; Manter 1954; McDowall 1968 |
| | Trematode | <i>Stegodexamene anguillae</i> | Cirtwill et al. 2016 |
| | Trematode | <i>Telogaster opisthorchis</i> | Cirtwill et al. 2016; MacFarlane 1945; McDowall 1978 |
| | Trematode | Unidentified trematode | McDowall 1968 |
| <i>Galaxias postvectis</i> | Trematode | <i>Telogaster opisthorchis</i> | McDowall 1978 |
| <i>Galaxias vulgaris</i> | Nematomorpha | Unidentified nematomorph | Blair 1983 |
| | Trematode | <i>Telogaster opisthorchis</i> | McDowall 1978; Poulin 1993 |
| | Unknown | Unidentified parasite | Howard 2007 |
| <i>Neochanna apoda</i> | Acanthocephalan | Unidentified acanthocephalan | Eldon 1978 |
| | Nematode | <i>Capillariinae</i> sp. | Jorge et al. 2018 |
| | Nematode | <i>Hedruris spinigera</i> | Eldon 1978 |
| | Nematode | Rhabditoid sp. | Eldon 1978 |
| | Proteobacteria | <i>Pseudomonas</i> sp. | Eldon 1978 |

| | | | |
|------------------------------|-----------------|------------------------------------|--|
| <i>Neochanna apoda</i> cont. | Trematode | Echinostome sp. | Eldon 1978 |
| | Trematode | <i>Telogaster opisthorchis</i> | Boustead 1982; Eldon 1978; McDowall 1978 |
| <i>Neochanna burrowsius</i> | Ciliate | <i>Ichthyophthirius multifilis</i> | O'Brien 2005 |
| | Oomycete | <i>Saprolegnia</i> sp. | O'Brien 2005 |
| <i>Neochanna diversus</i> | Acanthocephalan | Unidentified acanthocephalan | McDowall 1978 |

Supplementary References

- Alama-Bermejo, G.; Viozzi, G.; Waicheim, M. A.; Flores, V.; Atkinson, S. Host-parasite relationship of *Ortholinea lauquen* n. sp. (Cnidaria: Myxozoa) and the fish *Galaxias maculatus* (Jenyns, 1842) in Northwest Patagonia, Argentina. *Dis. Aquat. Organ.* **2019**, *136*, 163–174.
- Arias Peña, C. I. Infección por *Acanthocephalus tumescens* (von Linstow, 1896) (Acanthocephala: Echinorhynchidae) y su relación con la talla, sexo, alimentación y estacionalidad en peces del lago Panguipulli (Chile). Tesis de Grado. Universidad Austral de Chile, Valdivia, Chile, 2008.
- Baylis, H. A. XXII.—A new Nematode of the genus *Cucullanus* from New Zealand. *Annals Mag. Nat. Hist.* **1932**, *9*, 174-177.
- Blair, D. Larval horsehair worms (Nematomorpha) from the tissues of native freshwater fish in New Zealand. *N. Z. J. Zool.* **1983**, *10*, 341-344.
- Bond, N. R. Observations on the effects of the introduced parasite *Lernaea cyprinacea* on a lowland population of a small native Australian fish, mountain galaxias *Galaxias olidus*. *Vic. Natur.* **2004**, *121*, 194-198.
- Bonnett, M. L.; Lambert, P. W. Diet of giant kokopu, *Galaxias argenteus*. *N. Z. J. Mar. Freshw. Res.* **2002**, *36*, 361-369.
- Boustead, N. *Fish diseases recorded in New Zealand, with a discussion on potential sources and certification procedures*. Occasional Publication No. 34, New Zealand Ministry of Agriculture and Fisheries, Wellington, New Zealand, 1982.
- Bravo, S.; Almonacid, C.; Oyarzo, C.; Silva, M. T. The parasite fauna of *Galaxias maculatus* in the estuary of Maullín River, Chile. *B. Eur. R. Assoc. Fish Pat.* **2007**, *27*, 10–17.
- Brugni, N. L.; Viozzi.; G.P. Presence of *Eustrongylides* sp. (Jagerskiold, 1909) (Nematoda: Dioctophymatoidea) in *Galaxias maculatus* (Jenyns, 1842) (Pisces: Galaxiidae) from Patagonia, Argentina. *J. Helminthol. Soc. Wash.* **1999**, *66*, 92–94.
- Brugni, N.; Viozzi, G. Presencia de *Eustrongylides tubifex* (Nematoda: Dioctophymatoidea) en la Patagonia, Argentina. *Parasitol. Latinoam.* **2003**, *58*, 83–85.
- Brugni, N.; Viozzi, G. A new hedrurid species (Nematoda) from galaxiid fishes in Patagonia (Argentina), and infection of amphipods as intermediate host. *J. Parasitol.* **2010**, *96*–115.
- Brugni, N.; Viozzi, G.; Fernández, M. V.; Vega, R. A new genus of cystidicolid nematode from the stomach of *Galaxias maculatus* (Osmeriformes: Galaxiidae) in Patagonia (Argentina). *J. Parasitol.* **2009**, *95*, 151–155.
- Brunson, R. V. (1956). Studies on nematode parasites of New Zealand fishes. Ph.D. thesis, Victoria University of Wellington, Wellington, New Zealand, 1956.
- Cadwallader, P. First record of *Richardsonianus australis* (Bosisto, 1859) (Hirudinea: Richardsonianidae) taking a blood meal from a fish. *Proc. Roy. Soc. Vic.* **1976**, *90*, 283–286.

- Chaganti, K.; Brickle, P.; Mackenzie, K. Two new species of myxozoan parasites (Myxosporea, Multivalvulida, Bivalvulida) from fishes of the Falkland Islands. *Acta Parasitol.* **2000**, *45*, 285–288.
- Chapman, A.; Hobbs, R. P.; Morgan, D. L.; Gill, H. S. Helminth parasitism of *Galaxias maculatus* (Jenyns 1842) in southwestern Australia. *Ecol. Freshw. Fish*, **2006**, *15*, 559–564.
- Cirtwill, A. R.; Stouffer, D. B.; Poulin, R.; Lagrue, C. Are parasite richness and abundance linked to prey species richness and individual feeding preferences in fish hosts? *Parasitology*, **2016**, *143*, 75–86.
- Clark, W. C. Head morphology and prehensile adaptations in *Hedruris spinigera* (Nematoda: Spirurida). *N. Z. J. Zool.* **1978**, *5*, 497–501.
- Coleman, R. A.; Hoffmann, A. A. Digenean trematode cysts within the heads of threatened *Galaxiella* species (Teleostei: Galaxiidae) from south-eastern Australia. *Aust. J. Zool.* **2017**, *64*, 285–291.
- Crowcroft, P. New trematodes from Tasmanian fishes (Order, Digenea. Family, Allocreadiidae). *Pap. Proc. Roy. Soc. Tas.* **1944**, *61*–70.
- Crowcroft, P. Some digenetic trematodes from fishes of shallow Tasmanian waters. *Pap. Proc. Roy. Soc. Tas.* **1946**, *5*–25.
- Dove, A.; O'Donoghue, P. Trichodinids (Ciliophora: Trichodinidae) from native and exotic Australian freshwater fishes. *Acta Protozoologica*, **2005**, *44*, 51–60.
- Duhig, J. V. Abstract of proceedings, 30 June 1930. *Proc. Roy. Soc. Qld.* **1931** *XLII*, xvi.
- Edmonds, S. *Paracanthorhynchus galaxiasus*, a new genus and species of Acanthocephala from a fish. Australian Acanthocephala No. 12. *Trans. Roy. Soc. S. Aus.* **1967**, *91*, 41–43.
- Eldon, G. *The life history of Neochanna apoda* Gunther (Pisces: Galaxiidae) [brown mudfish, New Zealand]. Fisheries Research Bulletin No. 19. New Zealand Ministry of Agriculture and Fisheries, Wellington, New Zealand, 1978.
- Fernández, M. V.; Brugni, N.; Viozzi, G.; Semenas, L. The relationship between fish assemblages and the helminth communities of a prey fish, in a group of small shallow lakes. *J. Parasitol.* **2010**, *96*, 1066–1071.
- Fernández, M. V., L. Semenas, G. Viozzi. Parasites of the “Peladilla,” *Aplochiton zebra* (Osmeriformes: Galaxiidae), from Patagonia (Argentina and Chile). *Comp. Parasitol.* **2012**, *79*, 231–237.
- Fernández, M. V.; Semenas, L.; Viozzi, G. La estructura de las comunidades de helmintos de *Galaxias maculatus* (Osmeriformes: Galaxiidae) en diferentes sitios de un lago de la Patagonia Argentina. *Ecol. Austral.* **2015a**, *25*, 212–220.
- Fernández, M. V.; Garibotti, G.; Semenas, L.; Viozzi, G. Influence of biotic and abiotic factors on the metazoan parasite communities of a native prey fish: study in 28 Andean Patagonian lakes. *Ecol. Austral.* **2015b**, *221*–230.
- Flores, V. Aportes a la descripción morfológica de *Tylodelphys barilochensis* y *Tylodelphys crubensis* (Trematoda. Diplostomidae) parásitos del encéfalo de *Galaxias maculatus* (Teleostei, Galaxiidae). *Bol. Chil. Parasitol.* **1997**, *52*, 84–88.

- Flores, V; Baccalá, N. Multivariate analyses in the taxonomy of two species of *Tylodelphys* Diesing, 1850 (Trematoda: Diplostomatidae) from *Galaxias maculatus* (Teleostei: Galaxiidae). *Syst. Parasitol.* **1998**, 40, 221–227.
- Flores, V.; Semenas, L. Infection patterns of *Tylodelphys bariloensis* and *T. crubensis* (Trematoda: Diplostomatidae) metacercariae in *Galaxias maculatus* (Osmeriformes: Galaxiidae) from two Patagonian lakes and observations on their geographical distribution in the Southern Andean region, Argentina. *J. Parasitol.* **2002**, 88, 1135–1139.
- Flores, V.; Viozzi, G. Redescription, seasonality and distribution of *Myxobolus magellanicus* (Myxosporea) in *Galaxias maculatus* (Osmeriformes, Galaxiidae) from Patagonian Andean lakes (Argentina). *Acta Parasitol.* **2001**, 46, 159–163.
- Flores, V.; Viozzi, G. Infection of *Myxobolus galaxii* (Myxozoa) in *Galaxias maculatus* (Osmeriformes: Galaxiidae) from Northwestern Patagonian Andean lakes (Argentina). *J. Parasitol.* **2007**, 93, 418–421.
- Flores, V.; Brugni, N.; Ostrowski de Núñez, M. *Allocreadium pichi* n. sp. (Trematoda: Allocreadiidae) in *Galaxias maculatus* (Osteichthyes: Galaxiidae) from lake Moreno in Patagonia (Argentina). *Syst. Parasitol.* **2004**, 58, 217–221.
- George-Nascimento, M.; López-Rodríguez, R.; Górska, K. Geographic variation in composition of metazoan parasite infracommunities in *Galaxias maculatus* Jenyns 1842 (Osmeriformes: Galaxiidae) in southern Chile (38–47° S). *Rev. Chil. de Hist. Nat.* **2020**, 93, 2.
- Gil de Pertier, A.; Semenas, L. *Galaxitaenia toloii* n. gen. n. sp. (Eucestoda: Pseudophyllidea) from *Galaxias platei* (Pisces: Osmeriformes, Galaxiidae), in the Patagonian region of Argentina. *J. Parasitol.* **2005**, 91, 900–908.
- Gil de Pertier, A.; Semenas, L. *Ailinella mirabilis* gen. n.; sp. n. (Eucestoda: Pseudophyllidea) from *Galaxias maculatus* (Pisces: Galaxiidae) in the Andean-Patagonian region of Argentina. *Folia Parasitol.* **2006**, 53: 276–286.
- Guagliardo, S.; Viozzi, G.; Brugni, N. Pathology associated with larval *Eustrongylides* sp. (Nematoda: Dioctophymatoidea) infection in *Galaxias maculatus* (Actinopterygii: Galaxiidae) from Patagonia, Argentina. *Int. J. Parasitol. Parasites Wildl.* **2019**, 10, 113–116.
- Hassan, M.; Beatty, S. J.; Morgan, D. L.; Doupé, R. G.; Lymbery, A. J. An introduced parasite, *Lernaea cyprinacea* L.; found on native freshwater fishes in the south west of Western Australia. *J. Roy. Soc. West. Aus.* **2008**, 91, 149–153.
- Hassan, M.; Jones, B.; Lymbery, A. J. A new species of *Dermoergasilus* Ho Do, 1982 (Copepoda: Ergasilidae) from freshwater fishes in the south-west of Western Australia. *Syst. Parasit.* **2009**, 74, 143–148.
- Hewitt, G. C. *Abergasilus amplexus* gen. et sp. nov. (Ergasilidae; parasitic Copepoda) from fishes in Lake Ellesmere, New Zealand. *N. Z. J. Mar. Freshw. Res.* **1978**, 12, 173–177.
- Hine, P. M. *Acanthocephalus galaxii* n. sp. parasitic in *Galaxias maculatus* (Jenyns, 1842) in the Waimeha Stream, New Zealand. *J. Roy. Soc. N. Z.* **1977**, 7, 51–57.

- Hine, M.; Jones, J. B.; Diggles, B. K. A checklist of the parasites of New Zealand fishes including previously unpublished records. The National Institute of Water and Atmospheric Research, Wellington, New Zealand, 2000.
- Holton, A. L. Observations on the life history of *Deretrema minutum* Manter, 1954 (Digenea: Zoogonidae) in freshwater crustacean and fish hosts from Canterbury, New Zealand. *N. Z. J. Mar. Freshw. Res.* **1983**, 17, 373-376.
- Holton, A. L. A redescription of *Coitocaecum parvum* Crowcroft, 1945 (Digenea: Allocreadiidae) from crustacean and fish hosts in Canterbury. *N. Z. J. Zool.* **1984**, 11, 1-8.
- Howard, S. W. Effects of trout on galaxiid growth and antipredator behaviour. M.Sc. thesis, University of Canterbury, Christchurch, New Zealand, 2007.
- Humphries, P. Life history strategies of diadromous and landlocked populations of the spotted galaxias, *Galaxias truttaceus* Valenciennes in Tasmania. Ph.D. Thesis, University of Tasmania, Hobart, Australia, 1987.
- Johnson, C. R.; White, R. W. G. The variation in non-specific esterases in the white muscles of two species of *Galaxias* in Tasmania. *Biochem. Syst. Ecol.* **1981**, 9, 221-223.
- Johnston, T. H.; Mawson, P. M. Some nematodes parasitic in Australian freshwater fish. *Trans. Roy. Soc. S. Aus.* **1940**, 64, 340-352.
- Johnston, T. H.; Angel, L. M. Life cycle of the trematode, *Diplostomum murrayense* J. C. *Trans. Roy. Soc. S. Aus.* **1941**, 65, 140-144.
- Johnston, T. H.; Mawson, P. M. Remarks on some parasitic nematodes from Australia and New Zealand. *Trans. Roy. Soc. S. Aus.* **1944**, 68, 60-66.
- Johnston, T. H.; Mawson, P. M. Some avian and fish nematodes, chiefly from Tailem Bend, South Australia. *Rec. S. Aus. Museum*, **1947**, 8, 547-553.
- Johnson, W.; Mace, J.; Turner, A. *Fisheries Survey of Lake Christabel, West Coast Acclimatisation District, South Island*. Fisheries Technical Report 144. Ministry of Agriculture and Fisheries: Wellington, New Zealand, 1976.
- Jorge, F.; White, R. S.; Paterson, R. A. Hiding in the swamp: new capillariid nematode parasitizing New Zealand brown mudfish. *J. Helminthol.* **2018**, 92, 379-386.
- Kelly, D. W.; Paterson, R. A.; Townsend, C. R.; Poulin, R.; Tompkins, D. M. Has the introduction of brown trout altered disease patterns in native New Zealand fish? *Freshw. Biol.* **2009**, 54, 1805-1818.
- Kelly, D. W.; Poulin, R.; Tompkins, D. M.; Townsend, C. R. Synergistic effects of glyphosate formulation and parasite infection on fish malformations and survival. *J. Appl. Ecol.* **2010a**, 47, 498-504.
- Kelly, D. W.; Thomas, H.; Thieltges, D. W.; Poulin, R.; Tompkins, D. M. Trematode infection causes malformations and population effects in a declining New Zealand fish. *J. Anim. Ecol.* **2010b**, 79, 445-452.
- Klunzinger, M. W.; Beatty, S. J.; Morgan, D. L.; Thomson, G. J.; Lymbery, A. J. Glochidia ecology in wild fish populations and laboratory determination of competent host fishes for an endemic freshwater mussel of south-western Australia. *Aus. J. Zool.* **2012**, 60, 26-36.

- Lagrule, C.; Kelly, D. W.; Hicks, A.; Poulin, R. Factors influencing infection patterns of trophically transmitted parasites among a fish community: host diet, host-parasite compatibility or both? *J. Fish Biol.* **2011**, *79*, 466-485.
- Langdon, J. Observations on new *Myxobolus* species and *Kudoa* species infecting the nervous system of Australian fishes. *J. Appl. Ichthyol.* **1990**, *6*, 107-116.
- Llewellyn, L. Breeding biology, and egg and larval development of *Galaxias rostratus Klunzingeri*, the Murray Jollytail from inland New South Wales. *Aust. Zool.* **2005**, *33*, 141-165.
- Luque, J. L.; Vieira, F. M.; Herrmann, K.; King, T. M.; Poulin, R.; Lagrule, C. New evidence on a cold case: trophic transmission, distribution and host-specificity in *Hedruris spinigera* (Nematoda: Hedruridae). *Folia Parasitol.* **2010**, *57*, 223-231.
- Macfarlane, W. V. Life-cycle of four New Zealand trematodes: Bionomics of *Ophecona*, *Telogaster*, *Coitocaecum* and *Fasciola*. M.Sc. thesis, University of Canterbury, Christchurch, New Zealand, 1936.
- MacFarlane, W. V. Life cycle of *Coitocaecum anaspidis* Hickman, a New Zealand digenetic trematode. *Parasitology*, **1939**, *31*, 172-184.
- Macfarlane, W. V. The life cycle of the heterophyoid trematode *Telogaster opisthorchis* n.g.; n.sp. *Trans. Proc. Roy. Soc. N. Z.* **1945**, *75*, 218-230.
- Macfarlane, W. V. The life cycle of *Stegodexamene anguillae* n.g.; n.sp.; an allocreadiid trematode from New Zealand. *Parasitology*, **1951**, *41*, 1-10.
- Macfarlane, W. V. Bionomics of two trematode parasites of New Zealand eels. *J. Parasitol.* **1952**, *38*, 391-397.
- Manter, H. W. Some digenetic trematodes from fishes of New Zealand. *Trans. Roy. Soc. N. Z.* **1954**, *82*, 475-568.
- Manter, H. W. The zoogeography of trematodes of marine fishes. *Experim. Parasitol.* **1955**, *4*, 62-86.
- McCredden, M. Anchors away: The susceptibility and response to infection between native and co-introduced fishes to the alien anchor worm *Lernaea cyprinacea*. Ph.D. thesis, Murdoch University, Perth, Australia, 2016.
- McDowall, R. M. Making a living in Red Pond: A snapshot of the diet of a population of *Aplochiton zebra* (Teleostei: Galaxiidae) at the Falkland Islands. *N. Z. J. Zool.* **2005**, *32*, 23-27.
- McDowall, R. M. *Galaxias maculatus (Jenyns), the New Zealand Whitebait*. Fisheries Research Bulletin No. 2, Wellington, New Zealand, 1968.
- McDowall, R. M. *New Zealand freshwater fishes - A guide and natural history*, Heinemann Educational Books, Auckland, New Zealand, 1978.
- Morgan, D. L. Distribution and biology of *Galaxias truttaceus* (Galaxiidae) in south-western Australia, including first evidence of parasitism of fishes in Western Australia by *Ligula intestinalis* (Cestoda). *Environ. Biol. Fish.* **2003**, *66*, 155-167.
- O'Brien, L. The conservation ecology of Canterbury mudfish (*Neochanna burrowsius*). Ph.D. thesis, University of Canterbury, Christchurch, New Zealand, 2005.

- Olabuenaga, S. Efecto in vitro del suero de la trucha Arco Iris (*Oncorhynchus mykiss*) sobre metacercarias del género *Tylodelphys* (Trematoda, Diplostomatidae). *Bol. Chil. Parasitol.* **2000**, 55, 39–45.
- Ortubay, S.; Semenas, L.; Úbeda, C. Elminti parassiti e loro effetti sui pesci del lago Rosario (Chubut, Argentina). A study of helminth parasites and their effect on fishes from Rosario Lake (Chubut, Argentina). *Riv. It. Acquacol.* **1989**, 24, 207–218.
- Ortubay, S.; Úbeda, C.; Semenas, L.; Kennedy, C. *Pomphorhynchus patagonicus* n. sp. (Acanthocephala: Pomphorhynchidae) from freshwater fishes of Patagonia, Argentina. *J. Parasitol.* **1991**, 77, 353–356.
- Ortubay, S.; Semenas, L.; Úbeda, C.; Quaggiotto, A.; Viozzi, G. *Catálogo de peces dulceacuícolas de la Patagonia Argentina y sus parásitos metazoos*. Dirección de Pesca de la provincia de Río Negro, Viedma, Argentina. 1994, pp. 110.
- Ostrowski de Núñez, M.; Flores V.; Viozzi, G. and Kreiter, A. *Stephanopora uruguayense* Holcman-Spector et Olagüe, 1989 (Digenea, Echinostomatidae) from Argentina, and comments on species of *Stephanopora* from birds of the Neotropical region. *Acta Parasitol.* **2004**, 49, 292–299.
- Ostrowski de Núñez, M.; Semenas, L.; Brugni N.; Viozzi G.; Flores V. Redescription of *Acanthostomoides apophalliformis* (Trematoda, Acanthostomidae) from *Percichthys trucha* (Pisces, Percichthyidae) with notes on its life cycle in Patagonia, Argentina. *Acta Parasitol.* **1999**, 44, 222–228.
- Paterson, R. A.; Townsend, C. R.; Poulin, R.; Tompkins, D. M. Introduced brown trout alter native acanthocephalan infections in native fish. *J. Anim. Ecol.* **2011**, 80, 990–998.
- Paterson, R. A.; Lal, A.; Dale, M.; Townsend, C. R.; Poulin, R.; Tompkins, D. M. Relative competence of native and exotic fish hosts for two generalist native trematodes. *Int. J. Parasitol.: Parasites Wildl.* **2013**, 2, 136–143.
- Percival, E. A note on the life history of *Diplodon lutulentus* Gould. *Trans. Proc. N. Z. Inst.* **1931**, 86–91.
- Pollard, D. A. The biology of a landlocked form of the normally catadromous salmoniform fish *Galaxias maculatus* (Jenyns). IV. Effects of cestode and nematode parasites. *Mar. Freshw. Res.* **1974**, 25, 105–120.
- Poulin, R. (1993). Age-dependent effects of parasites on anti-predator responses in two New Zealand freshwater fish. *Oecologia*, **1993**, 96, 431–438.
- Poulin, R.; Closs, G. P.; Lill, A. W.; Hicks, A. S.; Herrmann, K. K.; Kelly, D. W. Migration as an escape from parasitism in New Zealand galaxiid fishes. *Oecologia*, **2012**, 169, 955–963.
- Quaggiotto, A.; Valverde, F. Nuevas metacercarias del género *Tylodelphys* (Trematoda, Diplostomatidae) en poblaciones lacustres de *Galaxias maculatus* (Teleostei, Galaxiidae). *Bol. Chil. Parasitol.* **1992**, 47, 19–24.
- Raadik, T. A. *A research recovery plan for the barred Galaxias in south-eastern Australia*. Flora Fauna Technical Report 144. Department of Conservation and Natural Resources, Melbourne, Australia, 1995.

- Rashnavadi, M. The ecological impacts of secondary salinisation on halo-tolerant fishes in south-western Australia. Ph.D. thesis, Murdoch University, Perth, Australia, 2010.
- Rauque, C.; Semenas, L.; Viozzi, G. Post-cyclic transmission in *Acanthocephalus tumescens* (Acanthocephala: Echinorhynchidae). *Folia Parasitol.* **2002**, *49*, 127–130.
- Rauque, C.; Viozzi, G.; Semenas, L. Component population study of *Acanthocephalus tumescens* (Acanthocephala) in fishes from lake Moreno, Argentina. *Folia Parasitol.* **2003**, *50*, 72–78.
- Rauque, C; Semenas, L.; Viozzi, G. Seasonality of recruitment and reproduction of *Acanthocephalus tumescens* (Acanthocephala) in fishes from lake Moreno (Patagonia, Argentina). *J. Parasitol.* **2006**, *92*, 1265–1269.
- Reissig, M. Dinámica poblacional y maduración de *Nippotaenia* sp. (Cestoda: Nippotaeniidae) en *Galaxias maculatus* (Osteichthyes: Galaxiidae) del sistema del lago Moreno, Parque Nacional Nahuel Huapi, Río Negro, Argentina. Tesis de grado. Universidad Nacional del Comahue, Argentina, 2000.
- Revenga, J.; Scheinert, P. Infections by helminth parasites in "puyen" *Galaxias maculatus* (Galaxiidae, Salmoniformes), from southern Argentina with special reference to *Tylodelphys bariloensis* (Digenea, Platyhelminthes). *Mem. Inst. Oswaldo Cruz*, **1999a**, *94*, 659–660.
- Revenga, J.; Scheinert, P. Absence of *Tylodelphys bariloensis* (Trematoda: Diplostomidae) induced mortality in "puyen" *Galaxias maculatus* (Teleostomi: Galaxiidae) from Southern Argentina. *Mem. Inst. Oswaldo Cruz*, **1999b**, *94*, 659–660.
- Revenga, J.; Torres, P.; Baiz, M. Impact of a caged-trout farm on parasites of *Galaxias maculatus* in lake Moreno, Sothern Argentina. *J. Parasitol.* **2005**, *91*, 707–709.
- Revenga, J.; Torres, P.; Siegmund, I. *Galaxias maculatus* (Galaxiidae, Salmoniformes) infected with *Acanthostomoides apophalliformis* (Digenea, Platyhelminthes) in Southern Argentina. Pathology and absence of parasite induced mortality. *Braz. J. Vet. Res. Anim. Sci.* **2006a**, *43*, 642–646.
- Revenga, J.; Torres, P.; Siegmund, I. *Acanthostomoides apophalliformis* (Trematoda: Cryptogonimidae) does not cause detectable mortality in *Galaxias maculatus* (Teleostomi: Galaxiidae). *Braz. J. Vet. Res. Anim. Sci.* **2006b**, *49*, 713–715.
- Ritossa, L.; Flores, V.; Viozzi, G. Life cycle stages of a *Posthodiplostomum* species (Digenea: Diplostomidae) from Patagonia, Argentina. *J. Parasitol.* **2013**, *99*, 777–780.
- Ritossa, L.; Flores, V.; Viozzi, G. Infection dynamics of *Posthodiplostomum* (Digenea: Diplostomidae) in the intermediate hosts of a Patagonian species. *Revista Argentina de Parasitología*, **2014**, *3*, 16–23.
- Scott, E. Observations on fishes of the family Galaxiidae: Part 1. *Pap. Proc. Roy. Soc. Tas.* **1936**, 85–112.
- Semenas, L. Estructura comunitaria de parásitos en *Galaxias maculatus* (Pisces, Galaxiidae) y *Percichthys trucha* (Pisces, Percichthyidae) del lago Escondido (Río Negro, Argentina). Tesis Para optar al grado de Doctor. Universidad Nacional de Buenos Aires, Argentina, 1999.

- Semenas, L.; Úbeda, C.; Ortubay, S.; Noguera, P.; Revenga, J.; Viozzi, G. Estado sanitario de las poblaciones de peces de cuerpos de agua andinopatagónicos. *Jornadas Nacionales de Fauna Silvestre, Libro de Resúmenes*, **1987**, 329-347.
- Semenas, L.; Ortubay, S.; Úbeda, C. Studies on the development and life history of *Pomphorhynchus patagonicus* Ortubay, Úbeda, Semenas et Kennedy, 1991 (Palaeacanthocephala). *Rev. Parasitol.* **1992**, 53, 89-93.
- Semenas, L.; Ortubay, S.; Úbeda, C. Presencia de gloquidios de *Diplodon chilensis* Haas 1931 (Mollusca, Pelecypoda) en peces dulceacuícolas patagónicas. *Bol. Chil. Parasitol.* **1994**, 49, 85-86.
- Semenas, L.; Trejo A. Redescription of *Acanthocephalus tumescens* (von Linstow, 1896) (Palaeacanthocephala: Echinorhynchidae) in *Galaxias maculatus* (Pisces: Galaxiidae) in Patagonia (Argentina). *Syst. Parasitol.* **1997**, 36, 13-16.
- Semenas, L.; Brugni, N. Características poblacionales y ciclo de vida de *Diplodon chilensis* (d'Orbigny, 1835) (Hyriidae, Bivalvia) en el lago Gutiérrez (Patagonia, Argentina). *Ecol. Austral*, **2002**, 12, 29-40.
- Smales, L. R.; Weaver, H. J. An annotated checklist of Acanthocephala from Australian fish. *Zootaxa*, **2015**, 3985, 349-374.
- Smith, S. J.; Hickman, J. L. Two strigeoid trematodes, *Apatemon (Apatemon) gracilis* (Rudolphi, 1819) and *Diplostomum (Dolichorchis) galaxiae* n. sp.; which encyst in the freshwater fish *Galaxias auratus* Johnston in Lake Crescent, Tasmania. *Pap. Proc. Roy. Soc. Tas.* **1983**, 117, 21-39.
- Stokell, G. The nematode parasites of Lake Ellesmere trout. *Trans. Proc. Roy. Soc. N. Z.* **1936**, 80-96.
- Szidat, L. Consideraciones preliminares sobre especies nuevas de la familia Myxobolidae Thelohan (Protozoa, Clase Sporozoa) de los peces de agua dulce de la República Argentina. *Revista de Medicina Veterinaria*, **1952**, 34, 75-79.
- Szidat, L. Einige neue Arten der Familie Myxobolidae Thelohan (Protozoa, Klasse Sporozoa) aus Süßwasserfischen Argentiniens. *Gewässer und Abwässer*, **1953**, 5, 7-16.
- Szidat, L. *Steganoderma oviformis* n. sp. (Trematoda) del intestino de *Aplochiton zebra* Jenyns. *Neotrópica*, **1962**, 8, 67-72.
- Torres, P. Larvas de *Contracaecum* sp. en *Galaxias platei* del lago Calafquén, Chile. *Bol. Chil. Parasitol.* **1983**, 38, 31-32.
- Torres, P.; Franjola, R.; Cubillos, V.; Miranda, J.; Vera, R. Parasitismo en ecosistemas de agua dulce en Chile. 1. Presencia de metacercarias del género *Stephanostomum* (Digenea: Acanthocolpidae) en peces. *J. Vet. Med. B* **1988a**, 35, 169-177.
- Torres, P.; Arenas, J.; Neira, A.; Cabezas, X.; Covarrubias, C.; Jara, C.; Gallardo, C.; Campos, M. Nematodos anisákitos en peces autóctonos de la cuenca del río Valdivia, Chile. *Bol. Chil. Parasitol.* **1988b**, 43, 37-41.
- Torres, P.; Franjola, R.; Perez, J.; Sadi, A.; Uherek, F.; Miranda, J.; Flores, L.; Riquelme, J.; Salazar, S.; Hermosilla, C.; Rojo, R. Epidemiología de la Difilobotriasis en la cuenca del río Valdivia, Chile. *Rev. Saude Pública, San Paulo Rev.* **1989**, 23, 45-57.

- Torres, P.; Franjola, R.; Cabezas, X.; Neira, A.; Covarrubias, C. Distribución de la infección por *Camallanus corderoi* (Nemata: Spiruroidea) en distintos hospedadores autóctonos y sectores de la cuenca del río Valdivia, Chile. *Bol. Chil. Parasitol.* **1990a**, 45, 55–59.
- Torres, P.; Ruiz, E.; Rebolledo, C.; Mira, A.; Cubillos, V.; Navarrete, N.; Gesche, W.; Montefusco, A.; Valdez, L.; Alberdi, A. Parasitismo en peces y comunidades humanas ribereñas de los lagos Huillinco y Natri (Isla Grande de Chiloé), Chile. *Bol. Chil. Parasitol.* **1990b**, 45, 47–55.
- Torres, P.; Contreras, A.; Cubillos, V.; Gesche, W.; Montefusco, A.; Rebolledo, C.; Mira, A.; Arenas, J.; Miranda, J.; Asenjo, S.; Schlatter, R. Parasitismo en peces, aves piscívoras y comunidades humanas ribereñas de los lagos Yelcho y Tagua-Tagua, X Región de Chile. *Arch. Méd. Vet.* **1992**, 24, 77–92.
- Torres, P.; Gesche, W.; Montefusco, A.; Miranda, J.; Dietz, P.; Huijse, R.; Diphyllobothriosis humana y en peces del lago Riñihue, Chile: efecto de la actividad educativa, distribución estacional y relación con sexo, talla y dieta de los peces. *Arch. Med. Vet.* **1998**, 30, 31–45.
- Torres, P.; Valdivieso, J.; Schlatter, R.; Montefusco, A.; Revenga, J.; Marín, F.; Lamilla, J.; Ramallo, G. Infection by *Contracaecum rudolphii* (Nematoda: Anisakidae) in the Neotropic cormorant *Phalacrocorax brasiliensis*, and fishes from the estuary of the Valdivia river, Chile. *Stud. Neotrop. Fauna Environm.* **2000**, 35, 101–108.
- Torres, P.; Cuevas, C.; Tang, M.; Barra, M.; Franjola, R.; Navarrete, N.; Montefusco, A.; Otth, L.; Wilson, G.; Puga, S.; Figueroa, L.; Cerda, O. Introduced and native fishes as infection foci of *Diphyllobothrium* spp in humans and dogs from two localities at lake Panguipulli in Southern Chile. *Comp. Parasitol.* **2004**, 71, 111–117.
- Torres, P.; Leyan, V.; Lamilla, J. Cyst stages of Gordiids (Nematomorpha) and other eukaryotic parasites from the inanga, *Galaxias maculatus* (Osmeriformes: Galaxiidae), in the Lingue River, Southern Chile. *Comp. Parasitology*, **2017**, 84, 72–79.
- Trejo, A.; Semenas, L.; Viozzi, G. *Acanthocephalus tumescens* (Acanthocephala, Echinorhynchidae) in *Galaxias maculatus* (Pisces, Galaxiidae) of lake Gutiérrez, Patagonia, Argentina. *J. Parasitol.* **2000**, 86, 188–191.
- Tritt, E. Black spot disease in freshwater fishes of south-western Australia: identification of the parasite, host range and potential as a bioindicator for water quality. Ph.D. thesis, Murdoch University, Perth, Australia, 2018.
- Trochine, C. Infestación por *Acanthostomoides apophalliformis* (Trematoda, Acanthostomoidae) de la fauna íctica del sistema del lago Moreno. Tesis de grado. Universidad Nacional del Comahue, Bariloche, Argentina, 2000.
- Úbeda, C.; Trejo, A.; Semenas, L.; Ortubay, S. Status of three different fish hosts of *Pomphorhynchus patagonicus* Ortubay, Úbeda, Semenas et Kennedy, 1991 (Acanthocephala) in Lake Rosario (Argentina). *Res. Rev. Parasitol.* **1994**, 54, 87–92.
- Viozzi, G. Presencia de protozoa parásitos en peces autóctonos de Patagonia Argentina. *Bol. Chil. Parasitol.* **1996**, 51, 32–34.

- Viozzi, G.; Flores V.; Ostrowski de Núñez, M. *Steganoderma szidati* n. sp. (Trematoda: Zoogonidae) from *Galaxias maculatus* (Jenyns) and *Galaxias platei* Steindachner in Patagonia, Argentina. *Syst. Parasitol.* **2000**, 46, 203–208.
- Viozzi, G.; Brugni, N. Relación parasitaria y nuevos registros de gloquidios de *Diplodon chilensis* (Unionacea: Hyriidae) en peces de la Patagonia Argentina. *Neotropica*, **2001**, 47, 3–12.
- Viozzi, G.; Gutiérrez P. *Philureter trigoniopsis*, a new genus and species (Dactylogyridae, Ancyrocephalinae) from ureters and urinary bladder of *Galaxias maculatus* (Osmeriformes: Galaxiidae) in Patagonia (Argentina). *J. Parasitol.* **2001**, 87, 392–394.
- Viozzi, G.; Flores, V. *Myxidium biliare* sp. n. (Myxozoa) from gall bladder of *Galaxias maculatus* (Osmeriformes: Galaxiidae) in Patagonia (Argentina). *Folia Parasitol.* **2003**, 50, 190–194.
- Viozzi, G.; Semenas L.; Gutiérrez P. Population dynamics of *Philureter trigoniopsis* (Monogenea: Ancyrocephalinae) from urinary organs of *Galaxias maculatus* (Osmeriformes: Galaxiidae) in a cold temperate Andean Patagonian lake (Argentina). *J. Parasitol.* **2005**, 91, 1368–1373.
- Viozzi, G.; Marín, S.; Carvajal, J.; Brugni, N.; Mancilla, M. A new genus of dactylogyrid from the gills of *Galaxias maculatus* (Osmeriformes: Galaxiidae) in Maullín Basin, Patagonia, Chile. *J. Parasitol.* **2007**, 93, 542–544.
- Viozzi, G.; Flores, V. Marín, S.; Mancilla, M.; Carvajal, J. Parasites of the red jollytail *Brachygalaxias bullock* (Osmeriformes: Galaxiidae), from the Maullín River, Patagonia, Chile. *Comp. Parasitol.* **2008**, 75, 326–328.
- Viozzi, G.; Semenas, L. Do environmental differences between lakes in Northwestern Argentinean Patagonia affect the infection of *Philureter trigoniopsis* (Monogenea) in *Galaxias maculatus* (Osmeriformes)? *J. Parasitol.* **2009**, 95, 25–31.
- Viozzi, G.; Semenas, L; Brugni, N.; Flores V. Metazoan parasites of *Galaxias maculatus* (Osmeriformes: Galaxiidae) from Argentinean Patagonia. *Comp. Parasitol.* **2009**, 76, 229–239.