

Supplementary Table S1: Change correlation matrix

As per Figure 2, and the values below, there were no associations between change in 6MWT and change in objective PA measures.

	6MWT	Steps	MVPA	Sed hrs	Light PA	Mod PA	Vig PA	Age	Sex	Marital status	Treatment	Charlson CI	Ejection Fraction	NYHA class	5MWT	Gait speed	Grip strength	SF-12 PCS	SF-12 MCS
6MWT	1																		
Steps	0.258	1																	
MVPA	-0.001	0.595	1																
Sed hrs	0.213	-0.151	-0.088	1															
Light PA	0.471	0.890***	0.663*	-0.142	1														
Mod PA	0.015	0.796**	0.858**	-0.222	0.814**	1													
Vig PA	-0.015	0.287	0.896***	0.048	0.382	0.541	1												
Age	-0.383	0.256	0.171	-0.161	-0.008	0.299	0.022	1											
Sex	0.066	0.464	0.138	-0.245	0.432	0.22	0.037	0.409	1										
Marital status	0.326	0.365	-0.03	-0.092	0.251	0.15	-0.179	-0.287	-0.356	1									
Treatment	0.481	0.381	-0.072	0.021	0.254	-0.008	-0.111	0.255	0.356	-0.048	1								
Charlson CI	-0.091	-0.032	-0.133	-0.002	-0.159	-0.053	-0.173	0.648*	0.47	-0.168	0.028	1							
Ejection Fraction	0.006	0.631	0.312	0.142	0.57	0.664*	-0.062	0.354	0.15	0.271	-0.099	0.115	1						
NYHA class	0.476	0.174	0.451	0.159	0.369	0.223	0.546	0.124	0.356	-0.524	0.524	0.028	-0.176	1					
5MWT	-0.860**	-0.562	-0.274	0.148	-0.711*	-0.3	-0.189	0.346	-0.189	-0.492	-0.451	0.231	-0.057	-0.384	1				
Gait speed	0.840**	0.519	0.247	-0.13	0.694*	0.254	0.186	-0.476	0.163	0.481	0.389	-0.33	0.005	0.344	-0.987***	1			
Grip strength	0.662*	0.002	-0.373	-0.135	0.197	-0.249	-0.396	-0.161	0.484	-0.146	0.511	0.221	-0.21	0.402	-0.492	0.486	1		
SF-12 PCS	0.249	-0.211	-0.764*	0.088	-0.352	-0.582	-0.748*	0.221	0.266	0.044	0.442	0.593	-0.154	-0.117	0.014	-0.066	0.603	1	
SF-12 MCS	0.498	0.28	0.328	-0.202	0.264	0.149	0.408	-0.107	0.002	0.468	0.301	0.112	-0.325	0.281	-0.663*	0.616	0.148	0.032	1