

Supporting Information

Communication

Novel Effective Fluorinated Benzothiophene-Indole Hybrid Antibacterials against *S. aureus* and MRSA Strains


Marius Seethaler¹, Tobias Hertlein², Elisa Hopke², Paul Köhling², Knut Ohlsen², Michael Lalk³ and Andreas Hilgeroth^{1,*}

¹ Institute of Pharmacy, Martin Luther University Halle-Wittenberg, 06120 Halle, Germany


² Institute of Molecular Infection Biology, Julius Maximilians University Würzburg, 97080 Würzburg, Germany

³ Institute of Biochemistry, Ernst Moritz Arndt University Greifswald, 17489 Greifswald, Germany


* Correspondence: andreas.hilgeroth@pharmazie.uni-halle.de; Tel.: +49-345-55-25168




¹H NMR spectrum of compound 3a




¹H NMR spectrum of compound 3b




¹H NMR spectrum of 3c




¹H NMR spectrum of 3d




¹H NMR spectrum of **3e**




¹H NMR spectrum of **3f**




¹H NMR spectrum of 3g




¹H NMR spectrum of 3h




¹H NMR spectrum of 3i




¹H NMR spectrum of 4a




¹H NMR spectrum of **4b**




¹H NMR spectrum of **4c**




¹H NMR spectrum of **4d**




¹H NMR spectrum of **4e**




¹H NMR spectrum of 4f




¹H NMR spectrum of 4g




¹H NMR spectrum of **4h**





¹H NMR spectrum of **5a**






¹H NMR spectrum of 5b



¹H NMR spectrum of 5c







¹H NMR spectrum of **6d**