

Supplementary Table S2. Detailed information on East Asian herbal medicine utilized as a component of integrative medicine interventions.

Study	EAHM prescription name	Source	Ingredients of EAHM prescription (Latin name)	Ingredients of EAHM prescription (Scientific name)	Types of preparation	Quality control reported? (Y/N)	Chemical analysis reported? (Y/N)
Che (2004)	Erdonghuoxu e decoction	Prepared by Researcher s	<i>Asparagi tuber,</i> <i>Liriopis seu</i> <i>ophiopogonis</i> <i>tuber,</i> <i>Scrophulariae</i> <i>radix, Angelicae</i> <i>sinensis radix,</i> <i>Spatholobi caulis,</i> <i>Rehmanniae radix</i> <i>recens, Smilax</i> <i>glabrae rhizoma,</i> <i>Salviae</i> <i>miltiorrhizae</i> <i>radix, Dictamni</i> <i>radicis cortex.</i> <i>Indigo pulverata</i>	<i>Asparagus cochinchinensis</i> (Lour.) Merr. [Asparagaceae], <i>Ophiopogon</i> <i>japonicus</i> (Thunb.) Ker Gawl. [Asparagaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], <i>Angelica sinensis</i> (Oliv.) Diels [Apiaceae], <i>Spatholobus</i> <i>suberectus</i> Dunn	Decoction	N	N

		<i>levis, Persicae</i>	[Fabaceae],
		<i>semen</i>	Rehmannia glutinosa (Gaertn.) DC.
			[Orobanchaceae](Reh manniae Radix Recens), Smilax glabra Roxb.
			[Smilacaceae], Salvia miltiorrhiza Bunge
			[Lamiaceae], Dictamnus
			dasycarpus Turcz.
			[Rutaceae], Persicaria tinctoria (Aiton) Spach
			[Polygonaceae], Prunus persica (L.) Batsch [Rosaceae]
Chen (2004)	Anti- psoriasis formula	Prepared by Researcher	<i>Lithospermi radix, Polygoni cuspidati rhizoma</i> Arnebia euchroma (Royle ex Benth.)
		s	I.M.Johnst. <i>et radix,</i> [Boraginaceae], Decoction N <i>Lonicerae flos,</i> Reynoutria japonica <i>Salviae</i> Houtt. <i>miltiorrhizaeradix</i> [Polygonaceae],

, <i>Rehmanniae</i>	Lonicera	japonica
<i>radix recens,</i>	Thunb.	
<i>Platycodonis</i>	[Caprifoliaceae],	
<i>radix, Isatidis</i>	Salvia	miltorrhiza
<i>folium, Moutan</i>	Bunge	[Lamiaceae],
<i>radicis cortex,</i>	Rehmannia	glutinosa
<i>Paeoniae radix</i>	(Gaertn.)	DC.
<i>rubra, Sophorae</i>	[Orobanchaceae](Reh	
<i>flos, Angelicae</i>	manniae	Radix
<i>sinensis radix,</i>	Recens),	Platycodon
<i>Spatholobi caulis</i>	grandiflorus	(Jacq.)
	A.DC.	
	[Campanulaceae],	
	Isatis tinctoria	subsp.
	tinctoria	
	[Brassicaceae],	
	Paeonia	× suffruticosa
	Andrews	
	[Paeoniaceae],	
	Paeonia	anomala
	subsp.	veitchii
	(Lynch)	D.Y.Hong &
	K.Y.Pan	
	[Paeoniaceae],	
	Styphnolobium	

			japonicum (L.) Schott [Fabaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Spatholobus suberectus Dunn [Fabaceae]
Xu (2005)	Liangxuejied u decoction	Prepared by Researcher	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Arnebia euchroma (Royle ex Benth.) I.M.Johnst. Scrophulariae [Boraginaceae], Styphnolobium japonicum (L.) Schott [Fabaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Smilax glabra Roxb. [Smilacaceae], Dictamnus dasycarpus Turcz.
			Decoction N N

			[Rutaceae], <i>Sophora</i> <i>flavescens</i> Aiton [Fabaceae], <i>Scleromitrion</i> <i>diffusum</i> (Willd.) R.J.Wang [Rubiaceae], <i>Scutellaria barbata</i> D.Don [Lamiaceae]
Liu (2006)	Jianpiyishen decoction	Prepared by Researcher s	Poria cocos Wolf [Polyporaceae], <i>Codonopsis</i> <i>pilosulae radix,</i> (Franch.) Nannf. <i>Atractylodis</i> <i>rhizoma alba,</i> [Campanulaceae], <i>Dolichoris semen,</i> [Asteraceae], <i>Lablab</i> <i>rhizoma,</i> <i>Epimedii herba,</i> [Fabaceae], <i>Dioscorea</i> <i>Astragali radix,</i> <i>Smilax glabrae</i> <i>rhizoma,</i> [Dioscoreaceae], <i>Hedyotidis herba</i> [Berberidaceae], Decoction N N

		Astragalus mongolicus Bunge [Fabaceae], Smilax glabra Roxb. [Smilacaceae], Scleromitrion diffusum (Willd.) R.J.Wang [Rubiaceae]
Chen (2007)	Xiaoyin granule	<p>Rehmanniae radix Rehmannia glutinosa <i>recens, Moutan</i> (<i>Gaertn.</i>) DC. <i>radicis cortex,</i> [Orobanchaceae](<i>Reh manniae Radix</i> <i>Paeoniae radix</i> <i>Recens</i>), <i>Paeonia × suffruticosa</i> Andrews <i>rubra, Angelicae</i> [<i>Paeoniaceae</i>], <i>sinensis radix,</i> <i>Paeonia anomala</i> <i>Sophorae radix,</i> subsp. <i>veitchii</i> Granule N <i>Lonicerae flos,</i> (<i>Lynch</i>) D.Y.Hong & <i>Scrophulariae</i> K.Y.Pan <i>radix, Arctii</i> [<i>Paeoniaceae</i>], <i>fructus, Cicadidae</i> <i>Angelica sinensis</i> <i>periostracum,</i> (<i>Oliv.</i>) Diels <i>Dictamni radicis</i> [<i>Apiaceae</i>], <i>Sophora</i> <i>cortex, Isatidis</i> <i>flavescens</i> Aiton <i>folium, Carthami</i> [<i>Fabaceae</i>], <i>Lonicera</i> <i>flos,</i> <i>Saposhnikoviae</i> </p>

			<i>radix</i>	japonica Thunb. [Caprifoliaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Arctium lappa L. [Asteraceae], Cryptotympana dubia (Haupt) [Cicadidae], Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Carthamus tinctorius L. [Asteraceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]		
Huang (2007)	Yinxiling tablet	Prepared by Researcher	<i>Angelicae</i> <i>sinensis radix,</i> <i>Rehmanniae radix</i>	Angelica sinensis (Oliv.) Diels [Apiaceae],	Table	N N

s	<i>recens, Cnidii</i>	Rehmannia glutinosa
	<i>rhizoma, Paeoniae</i>	(Gaertn.) DC.
	<i>radix rubra,</i>	[Orobanchaceae](Reh
	<i>Curcumae</i>	manniae Radix
	<i>rhizoma,</i>	Recens),
	<i>Lithospermi</i>	Conioselinum
	<i>radix, Smilax</i>	anthriscoides
	<i>glabrae rhizoma,</i>	'Chuanxiong'
	<i>Mume fructus,</i>	[Apiaceae], Paeonia
	<i>Glycyrrhizae</i>	anomala subsp.
	<i>radix et rhizoma</i>	veitchii (Lynch)
		D.Y.Hong & K.Y.Pan
		[Paeoniaceae],
		Curcuma phaeocaulis
		Valeton
		[Zingiberaceae],
		Arnebia euchroma
		(Royle ex Benth.)
		I.M.Johnst.
		[Boraginaceae],
		Smilax glabra Roxb.
		[Smilacaceae], Prunus
		mume (Siebold)
		Siebold & Zucc.
		[Rosaceae],

		Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]		
Zeng (2009)	Xiaoyin granule	Rehmannia glutinosa (Gaertn.) DC. <i>Rehmanniae radix</i> <i>recens, Moutan</i> <i>radicis cortex,</i> <i>Paeoniae radix</i> <i>rubra, Angelicae</i> <i>sinensis radix,</i> <i>Sophorae radix,</i> <i>Lonicerae flos,</i> <i>Scrophulariae</i> <i>radix, Arctii</i> <i>fructus, Cicadidae</i> <i>periostracum,</i> <i>Dictamni radicis</i> <i>cortex, Isatidis</i> <i>folium, Carthami</i> <i>flos,</i> <i>Saposhnikoviae</i> <i>radix</i>	Granule	N
	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	[Orobanchaceae](<i>Rehmanniae Radix</i> Recens), <i>Paeonia suffruticosa</i> Andrews [Paeoniaceae], <i>Paeonia anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], <i>Angelica sinensis</i> (Oliv.) Diels [Apiaceae], <i>Sophora flavescens</i> Aiton [Fabaceae], <i>Lonicera japonica</i> Thunb. [Caprifoliaceae], <i>Scrophularia ningpoensis</i> Hemsl. [Scrophulariaceae],		N

			Arctium lappa L. [Asteraceae], Cryptotympana dubia (Haupt) [Cicadidae], Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Carthamus tinctorius L. [Asteraceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]				
Cao (2010)	Yangzhen decoction	Prepared by Researcher s	<i>Rehmanniae radix</i> <i>recens, Carthami</i> <i>flos, Paeoniae</i> <i>radix rubra,</i> <i>Sparganii</i> <i>rhizoma,</i> <i>Curcumae</i> <i>rhizoma,</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Carthamus tinctorius L. [Asteraceae], Paeonia anomala subsp.	Decoction	N	N

<i>Lonicerae flos,</i>	veitchii (Lynch)
<i>Smilax glabrae</i>	D.Y.Hong & K.Y.Pan
<i>rhizoma,</i>	[Paeoniaceae],
<i>Schizonepetae</i>	Sparganium
<i>spica,</i>	stoloniferum (Buch.-
<i>Saposhnikoviae</i>	Ham. ex Graebn.)
<i>radix, Tribuli</i>	Buch.-Ham. ex Juz.
<i>fructus</i>	[Typhaceae], Curcuma phaeocaulis Valeton [Zingiberaceae], Lonicera japonica Thunb. [Caprifoliaceae], Smilax glabra Roxb. [Smilacaceae], Nepeta tenuifolia Benth. [Lamiaceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Tribulus terrestris L. [Zygophyllaceae]

He (2010)	Xiaoranquda n feng	Prepared by Researcher s	<i>Isatidis folium,</i> <i>Dryopteridis</i> <i>crassirhizomatis</i> <i>rhizoma, Taraxaci</i> <i>herba, Paeoniae</i> <i>radix rubra,</i> <i>Moutan radicis</i> <i>cortex,</i> <i>Lithospermi</i> <i>radix,</i> <i>Rehmanniae radix</i> <i>recens, Angelicae</i> <i>sinensis radix,</i> <i>Cnidii rhizoma,</i> <i>Schizonepetae</i> <i>spica,</i> <i>Saposhnikoviae</i> <i>radix, Dictamni</i> <i>radicis cortex,</i> <i>Dioscorea</i> <i>hypoglaucia,</i> <i>Smilax glabrae</i> <i>rhizoma,</i> <i>Glycyrrhizae</i> <i>radix et rhizoma</i>	Isatis tinctoria subsp. tinctoria [Brassicaceae], Dryopteris crassirhizoma Nakai [Polypodiaceae], Taraxacum mongolicum Hand.- Mazz. [Asteraceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Paeonia × suffruticosa Andrews [Paeoniaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix	Decoction	N	N
--------------	-----------------------	-----------------------------------	--	--	-----------	---	---

Recens), *Angelica*
sinensis (Oliv.) Diels
[Apiaceae],
Conioselinum
anthriscoides
'Chuanxiong'
[Apiaceae], *Nepeta*
tenuifolia Benth.
[Lamiaceae],
Saposhnikovia
divaricata (Turcz. ex
Ledeb.) Schischk.
[Apiaceae],
Dictamnus
dasycarpus Turcz.
[Rutaceae], *Dioscorea*
collettii var.
hypoglauca (Palib.)
S.J.Pei & C.T.Ting
[Dioscoreaceae],
Smilax glabra Roxb.
[Smilacaceae],
Glycyrrhiza uralensis
Fisch. ex DC.
[Fabaceae]

Hua (2010)	Qingyinjiedu decoction	Prepared by Researcher s	<p><i>Smilax glabra</i> Roxb. [Smilacaceae], <i>Persicaria tinctoria</i></p> <p><i>Smilax glabrae</i> <i>rhizoma, Indigo</i> <i>pulverata levis,</i> <i>Lonicerae flos,</i> <i>Salviae</i> <i>miltiorrhizae</i> <i>radix, Gardenia</i> <i>jasminoides,</i> <i>Smilacis chiniae</i> <i>rhizoma,</i> <i>Euphorbia</i> <i>humifusa,</i> <i>Gypsum</i> <i>fibrosum,</i> <i>Scutellariae radix,</i> <i>Rehmanniae radix</i> <i>recens, Sophorae</i> <i>Radix, Dictamni</i> <i>radicis cortex,</i> <i>Curcumae radix,</i> <i>Hedyotidis herba</i></p> <p>(Aiton) Spach [Polygonaceae], <i>Lonicera japonica</i> Thunb. [Caprifoliaceae], <i>Salvia miltiorrhiza</i> Bunge [Lamiaceae], <i>Gardenia jasminoides</i> J.Ellis [Rubiaceae], <i>Smilax china L.</i> [Smilacaceae], <i>Euphorbia hirta L.</i> [Euphorbiaceae], <i>Gypsum Fibrosum,</i> <i>Scutellaria baicalensis</i> Georgi [Lamiaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), <i>Sophora</i> flavescens Aiton [Fabaceae], <i>Dictamnus</i></p>	Decoction	N	N
---------------	---------------------------	-----------------------------------	--	-----------	---	---

Luo (2010)	Piminxiao capsule	Pharmaceu tical product (specific commercia l supplier informatio n not reported)	<i>Sophorae radix,</i> <i>Atractylodis</i> <i>rhizoma,</i> <i>Saposhnikoviae</i> <i>radix,</i> <i>Schizonepetae</i> <i>spica, Tribuli</i> <i>fructus, Dictamni</i> <i>radicis cortex,</i> <i>Cnidi fructus,</i> <i>Xanthii fructus,</i> <i>Scolopendra,</i> <i>Indigo pulverata</i> <i>levis, Taraxaci</i> <i>herba, Violae</i> <i>herba,</i> <i>Scutellariae radix,</i> <i>Phellodendri</i> <i>cortex, Coptis</i> <i>chinensis,</i>	<i>dasycarpus Turcz.</i> [<i>Rutaceae</i>], <i>Curcuma</i> <i>phaeocaulis</i> Valeton [<i>Zingiberaceae</i>], <i>Scleromitrion</i> <i>diffusum</i> (Willd.) R.J.Wang [<i>Rubiaceae</i>]		
				Capsule	N	N

<i>Cicadidae</i>	[Asteraceae],
<i>periostracum,</i>	Scolopendra
<i>Rehmanniae radix</i>	subspinipes mutilans
<i>recens, Moutan</i>	Linné Koch
<i>radicis cortex,</i>	[Scolopendridae],
<i>Tamarics</i>	Persicaria tinctoria
<i>cacumen,</i>	(Aiton) Spach
<i>Lithospermi</i>	[Polygonaceae],
<i>radix, Lycii</i>	Taraxacum
<i>radicis cortex</i>	mongolicum Hand.- Mazz. [Asteraceae],
	Viola mandshurica
	W.Becker [Violaceae],
	Scutellaria baicalensis
	Georgi [Lamiaceae],
	Phellodendron
	chinense
	C.K.Schneid.
	[Rutaceae], Coptis
	chinensis Franch.
	[Ranunculaceae],
	Cryptotympana
	dubia (Haupt)
	[Cicadidae],
	Rehmannia glutinosa
	(Gaertn.) DC.
	[Orobanchaceae](Reh

Liu (2011)	Fangfengtong sheng powder	Prepared by Researcher s	Conioselinum anthriscoides 'Chuanxiong' [Apiaceae], Angelica <i>Cnidii rhizoma,</i> sinensis (Oliv.) Diels <i>Angelicae</i> [Apiaceae], Paeonia <i>sinensis radix,</i> lactiflora Pall. <i>Paeonia lactiflora,</i> [Paeoniaceae](Paeoni <i>Rhei radix et</i> a lactiflora Alba), <i>rhizoma, Gypsum</i> Rheum officinale <i>fibrosum,</i> Baill. [Polygonaceae], <i>Scutellariae radix,</i> Gypsum Fibrosum, <i>Gardenia</i> Scutellaria baicalensis <i>jasminoides,</i> Georgi [Lamiaceae], <i>Forsythiae</i> Gardenia jasminoides <i>fructus, Natrii</i> J.Ellis [Rubiaceae], <i>sulfas,</i> Forsythia suspensa <i>Saposhnikoviae</i> (Thunb.) Vahl <i>radix, Menthae</i> [Oleaceae], Natrii <i>herba,</i> sulfas, Saposhnikovia <i>Schizonepetae</i> divaricata (Turcz. ex <i>spica, Ephedrae</i> Ledeb.) Schischk. <i>herba</i> [Apiaceae], Mentha canadensis L. [Lamiaceae], Mentha canadensis L. [Lamiaceae], Nepeta	Granule	N	N
---------------	---------------------------------	-----------------------------------	--	---------	---	---

			tenuifolia Benth. [Lamiaceae], Ephedra sinica Stapf [Ephedraceae]				
Lu (2011)	Qingrejiedu decoction	Prepared by Researcher s	Paeonia × suffruticosa Andrews [Paeoniaceae], <i>Moutan radicis</i> <i>cortex, Paeoniae</i> <i>radix rubra,</i> <i>Isatidis radix,</i> <i>Gardenia</i> <i>jasminoides,</i> <i>Smilax glabrae</i> <i>rhizoma,</i> <i>Sophorae flos,</i> <i>Dictamni radicis</i> <i>cortex, Angelicae</i> <i>sinensis radix,</i> <i>Spatholobi caulis,</i> <i>Tripterygium</i> <i>wilfordii,</i> <i>Scolopendra</i>	Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], <i>Isatis</i> <i>tinctoria</i> subsp. <i>tinctoria</i> [Brassicaceae] (<i>Isatidis</i> Radix), <i>Gardenia</i> <i>jasminoides</i> J.Ellis [Rubiaceae], <i>Smilax</i> <i>glabra</i> Roxb. [Smilacaceae], <i>Styphnolobium</i> <i>japonicum</i> (L.) Schott [Fabaceae], <i>Dictamnus</i> <i>dasycarpus</i> Turcz. [Rutaceae], <i>Angelica</i>	Decoction	N	N

			sinensis (Oliv.) Diels [Apiaceae], Spatholobus suberectus Dunn [Fabaceae], Tripterygium wilfordii Hook.f. [Celastraceae], Scolopendra subspinipes mutilans Linné Koch [Scolopendridae]
Tian (2011)	Qingfeiliangx ue decoction	Prepared by Researcher s	<p><i>Bubalus bubalis,</i> Bubalus bubalis</p> <p><i>Rehmanniae radix</i> Linné [Bovidae],</p> <p><i>recens, Paeoniae</i> Rehmannia glutinosa</p> <p><i>radix rubra,</i> (Gaertn.) DC.</p> <p><i>Moutan radicis</i> [Orobanchaceae](Reh</p> <p><i>cortex, Angelicae</i> manniae Radix</p> <p><i>sinensis radix,</i> Recens), Paeonia</p> <p><i>Dictamni radicis</i> anomala subsp.</p> <p><i>cortex, Spatholobi</i> veitchii (Lynch)</p> <p><i>caulis, Smilax</i> D.Y.Hong & K.Y.Pan</p> <p><i>glabrae rhizoma,</i> [Paeoniaceae],</p> <p><i>Lithospermi</i> Paeonia × suffruticosa</p> <p><i>radix, Lonicerae</i> Andrews</p> <p><i>flos, Scutellariae</i> [Paeoniaceae],</p> <p><i>barbatae herba,</i> Angelica sinensis</p>
			Decoction N N

<i>Hedyotidis herba,</i>	(Oliv.) Diels
<i>Zaocys, Salviae</i>	[Apiaceae],
<i>Miltiorrhizae</i>	Dictamnus
<i>radix,</i>	<i>dasycarpus</i> Turcz.
<i>Glycyrrhizae</i>	[Rutaceae],
<i>radix et rhizoma</i>	Spatholobus suberectus Dunn [Fabaceae], Smilax glabra Roxb. [Smilacaceae],
	Arnebia euchroma (Royle ex Benth.) I.M.Johnst.
	[Boraginaceae],
	Lonicera japonica Thunb.
	[Caprifoliaceae],
	Scutellaria barbata D.Don [Lamiaceae],
	Scleromitrion diffusum (Willd.)
	R.J.Wang
	[Rubiaceae], Zaocys dhumnades Cantor
	[Colubridae], Salvia miltiorrhiza Bunge [Lamiaceae],

		Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]		
Xu (2011)	Qingxuanyin	Prepared by Researcher s	Rehmannia glutinosa (Gaertn.) DC. <i>Rehmanniae radix</i> [Orobanchaceae](Reh <i>recens, Lonicerae</i> manniae Radix <i>flos, Forsythiae</i> Recens), Lonicera <i>fructus,</i> japonica Thunb. <i>Anemarrhenae</i> [Caprifoliaceae], <i>rhizoma,</i> <i>Forsythia suspensa</i> <i>Dictamni radicis</i> (Thunb.) Vahl <i>cortex, Sophorae</i> [Oleaceae], <i>radix, Cicadidae</i> Anemarrhena <i>periostracum,</i> asphodeloides Bunge Decoction N <i>Tribuli fructus,</i> [Asparagaceae], <i>Moutan radicis</i> Dictamnus <i>cortex, Paeoniae</i> dasycarpus Turcz. <i>radix rubra,</i> [Rutaceae], Sophora <i>Gypsum</i> flavescent Aiton <i>fibrosum,</i> [Fabaceae], <i>Glycyrrhizae</i> Cryptotympana <i>radix et rhizoma</i> dubia (Haupt) [Cicadidae], <i>Tribulus</i> terrestris L.	

		[Zygophyllaceae], Paeonia × suffruticosa Andrews [Paeoniaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Gypsum Fibrosum, Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]
Yao (2011)	Xiaoyin granule	<p>Rehmanniae radix Rehmannia glutinosa</p> <p>recens, Moutan (Gaertn.) DC.</p> <p>radicis cortex, [Orobanchaceae](Reh</p> <p>Paeoniae radix manniae Radix</p> <p>rubra, Angelicae Recens), Paeonia ×</p> <p>sinensis radix, suffruticosa Andrews</p> <p>Sophorae radix, [Paeoniaceae],</p> <p>Lonicerae flos, Paeonia anomala</p> <p>Scrophulariae subsp. veitchii</p> <p>radix, Arctii (Lynch) D.Y.Hong &</p> <p>fructus, Cicadidae K.Y.Pan</p> <p>periostracum, [Paeoniaceae],</p> <p>Dictamni radicis Angelica sinensis</p> <p>cortex, Isatidis (Oliv.) Diels</p>
		Granule N N

Researcher s	<i>recens</i> , <i>Moutan</i> <i>radicis cortex,</i> <i>Paeoniae radix</i> <i>rubra</i> , <i>Smilax</i> <i>glabrae rhizoma,</i> <i>Sophorae radix,</i> <i>Dictamni radicis</i> <i>cortex, Kochiae</i> <i>fructus,</i> <i>Lithospermi</i> <i>radix, Cicadidae</i> <i>periostracum,</i> <i>Scutellariae radix,</i> <i>Saposhnikoviae</i> <i>radix, Imperatae</i> <i>rhizoma,</i> <i>Atractylodis</i> <i>rhizoma</i>	<i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), <i>Paeonia</i> × <i>suffruticosa</i> Andrews [Paeoniaceae], <i>Paeonia anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae] , <i>Smilax glabra</i> Roxb. [Smilacaceae], <i>Sophora flavescens</i> Aiton [Fabaceae], <i>Dictamnus</i> <i>dasycarpus</i> Turcz. [Rutaceae], <i>Bassia</i> <i>scoparia</i> (L.) A.J.Scott [Amaranthaceae], <i>Arnebia euchroma</i> (Royle ex Benth.) I.M.Johnst. [Boraginaceae], <i>Cryptotympana</i> <i>dubia</i> (Haupt)
-----------------	--	--

			[Cicadidae], Scutellaria baicalensis Georgi [Lamiaceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Imperata cylindrica (L.) Raeusch. [Poaceae], Atractylodes lancea (Thunb.) DC. [Asteraceae](Atractyl odis Rhizoma)
Jiang (2012)	Sendi particles	Prepared by Researcher s	<p><i>Rehmanniae radix</i> Rehmannia glutinosa <i>recens</i>, (Gaertn.) DC.</p> <p><i>Scrophulariae</i> [Orobanchaceae](Reh <i>radix</i>, <i>Moutan</i> <i>radicis cortex</i>, Recens), Scrophularia</p> <p><i>Paeoniae radix</i> ningpoensis Hemsl. <i>rubra</i>, [Scrophulariaceae], <i>Chrysanthmi flos</i>, <i>Paeonia × suffruticosa</i> Granule N</p> <p><i>Taraxaci herba</i>, Andrews</p> <p><i>Isatidis radix</i>, [Paeoniaceae],</p> <p><i>Violae herba</i>, <i>Paeonia anomala</i></p> <p><i>Gardenia jasminoides</i>, subsp. <i>veitchii</i> <i>Smilax glabrae</i>, (Lynch) D.Y.Hong & K.Y.Pan</p>

<i>rhizoma,</i>	[Paeoniaceae],
<i>Fritillariae</i>	Chrysanthemum ×
<i>thunbergii</i>	morifolium (Ramat.)
<i>bulbus,</i>	Hemsl. [Asteraceae],
<i>Trichosanthes</i>	Taraxacum
<i>kirilowii,</i>	mongolicum Hand.-
<i>Platycodonis</i>	Mazz. [Asteraceae],
<i>radix,</i>	Isatis tinctoria subsp.
<i>Glycyrrhizae</i>	tinctoria
<i>radix et rhizoma</i>	[Brassicaceae](Isatidis Radix), Viola mandshurica W.Becker [Violaceae], Gardenia jasminoides J.Ellis [Rubiaceae], Smilax glabra Roxb. [Smilacaceae], Fritillaria thunbergii Miq. [Liliaceae], Trichosanthes kirilowii Maxim. [Cucurbitaceae], Platycodon grandiflorus (Jacq.) A.DC. [Campanulaceae], Glycyrrhiza uralensis

Fisch. ex DC.
[Fabaceae]

Liu (2012)	Runzaozhiya ng capsule	Commercial supplier Guizhou Tongji Tang Pharmaceutical Co., Ltd.	Commercial supplier Guizhou Tongji Tang Pharmaceutical Co., Ltd.	<i>Polygoni multiflori radix,</i> <i>Rehmanniae radix</i> <i>recens, Mori folium, Sophorae radix, Girardiana heterophylla decne</i>	Reynoutria multiflora (Thunb.) Moldenke [Polygonaceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Morus alba L. [Moraceae], Sophora flavescens Aiton [Fabaceae], Girardinia diversifolia subsp. diversifolia [Urticaceae]	Capsule	N	N
Xie (2012)	Runzaozhiya ng capsule	Commercial supplier Guizhou Tongji Tang Pharmaceutical Co., Ltd.	Commercial supplier Guizhou Tongji Tang Pharmaceutical Co., Ltd.	<i>Polygoni multiflori radix,</i> <i>Rehmanniae radix</i> <i>recens, Mori folium, Sophorae radix, Girardiana heterophylla</i>	Reynoutria multiflora (Thunb.) Moldenke [Polygonaceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix	Capsule	N	N

	Ltd.	<i>decne</i>	Recens), <i>Morus alba</i> L. [Moraceae], <i>Sophora flavescens</i> Aiton [Fabaceae], <i>Girardinia</i> <i>diversifolia</i> subsp. <i>diversifolia</i> [Urticaceae]		
Zhang (2012)	Yinxie capsule	Commercial supplier Xinjiang Weiatang Pharmaceutical Co., Ltd.	<i>Smilax glabrae</i> <i>rhizoma, Smilacis</i> <i>chinae rhizoma</i>	Smilax glabra Roxb. [Smilacaceae], Smilax china L. [Smilacaceae]	Capsule N N
Zhou (2012a)	Xiaoyin granule	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	<i>Rehmanniae radix</i> <i>recens, Moutan</i> <i>radicis cortex,</i> <i>Paeoniae radix</i> <i>rubra, Angelicae</i> <i>sinensis radix,</i> <i>Sophorae radix,</i> <i>Lonicerae flos,</i> <i>Scrophulariae</i> <i>radix, Arctii</i> <i>fructus, Cicadidae</i> <i>periostracum,</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), <i>Paeonia ×</i> <i>suffruticosa</i> Andrews [Paeoniaceae], <i>Paeonia anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae],	Granule N N

<i>Dictamni radicis</i>	Angelica sinensis
<i>cortex, Isatidis</i>	(Oliv.) Diels
<i>folium, Carthami</i>	[Apiaceae], Sophora
<i>flos,</i>	flavescens Aiton
<i>Saposhnikoviae</i>	[Fabaceae], Lonicera
<i>radix</i>	japonica Thunb. [Caprifoliaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Arctium lappa L. [Asteraceae], Cryptotympana dubia (Haupt) [Cicadidae], Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Carthamus tinctorius L. [Asteraceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]

Zhou (2012b)	Xiaoyin granule	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	<i>Rehmanniae radix recens, Moutan radicis cortex, Paeoniae radix rubra, Angelicae sinensis radix, Sophorae radix, Lonicerae flos, Scrophulariae radix, Arctii fructus, Cicadidae periostracum, Dictamni radicis cortex, Isatidis folium, Carthami flos, Saposhnikoviae radix</i>	<i>Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Paeonia × suffruticosa Andrews [Paeoniaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Sophora flavescens Aiton [Fabaceae], Lonicera japonica Thunb. [Caprifoliaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Arctium lappa L. [Asteraceae], Cryptotympana dubia (Haupt) [Cicadidae],</i>	Granule	N	N
-----------------	--------------------	---	---	---	---------	---	---

			Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], <i>Carthamus tinctorius</i> L. [Asteraceae], <i>Saposhnikovia</i> divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]
Chen (2013)	Xiaoyin decoction	Prepared by Researcher s	<i>Paeoniae radix</i> <i>rubra</i> , <i>Rehmanniae radix</i> <i>recens</i> , <i>Smilax</i> <i>glabrae rhizoma</i> , <i>Lonicerae flos</i> , <i>Dictamni radicis</i> <i>cortex</i> , <i>Angelicae</i> <i>sinensis radix</i> , <i>Cnidii rhizoma</i> , <i>Lithospermi</i> <i>radix</i> , <i>Salviae</i> <i>miltiorrhizae</i> <i>radix</i> Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), <i>Smilax</i> <i>glabra</i> Roxb. [Smilacaceae], <i>Lonicera japonica</i> Thunb. [Caprifoliaceae],

			Dictamnus dasycarpus Turcz. [Rutaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Conioselinum anthriscoides 'Chuanxiong' [Apiaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Salvia miltorrhiza Bunge [Lamiaceae]	
Ding (2013)	Niupixuan II decoction	Prepared by Researcher s	<i>Lonicerae flos,</i> <i>Lonicera japonica</i> <i>Isatidis radix,</i> Thunb. <i>Lithospermi</i> [Caprifoliaceae], <i>radix, Imperatae</i> <i>Isatis tinctoria</i> subsp. <i>rhizoma,</i> <i>tinctoria</i> <i>Rehmanniae radix</i> [Brassicaceae] (<i>Isatidis</i> <i>recens, Rubiae</i> Radix), <i>Arnebia</i> <i>radix, Moutan</i> <i>euchroma</i> (Royle ex <i>radicis cortex,</i> Benth.) I.M.Johnst. <i>Trichosanthes</i> [Boraginaceae], <i>kirilowii, Smilax</i> <i>Imperata cylindrica</i> <i>glabrae rhizoma,</i> (L.) Raeusch. <i>Persicae semen,</i> [Poaceae],	Decoction N N

<i>Carthami flos,</i>	Rehmannia glutinosa
<i>Mume fructus,</i>	(Gaertn.) DC.
<i>Dictamni radicis</i> cortex,	[Orobanchaceae](Reh manniae Radix
<i>Glycyrrhizae</i> <i>radix et rhizoma</i>	Recens), Rubia tinctorum L. [Rubiaceae], Paeonia × suffruticosa
	Andrews
	[Paeoniaceae],
	Trichosanthes
	kirilowii Maxim.
	[Cucurbitaceae],
	Smilax glabra Roxb.
	[Smilacaceae], Prunus
	persica (L.) Batsch
	[Rosaceae],
	Carthamus tinctorius
	L. [Asteraceae],
	Prunus mume
	(Siebold) Siebold &
	Zucc. [Rosaceae],
	Dictamnus
	dasycarpus Turcz.
	[Rutaceae],
	Glycyrrhiza uralensis
	Fisch. ex DC.

[Fabaceae]

		Commercial supplier				
Mo (2013)	Total Glycosides of Paeoniae Alba capsule	Ningbo Lihua Pharmaceutical Co., Ltd.	<i>Paeonia lactiflora</i>	Paeonia lactiflora Pall. [Paeoniaceae](Paeonia lactiflora Alba)	Capsule	N N
Song (2013)	Xiaoyin granule	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	<i>Rehmanniae radix recens, Moutan radicis cortex, Paeoniae radix rubra, Angelicae sinensis radix, Sophorae radix, Lonicerae flos, Scrophulariae radix, Arctii fructus, Cicadidae periostracum, Dictamni radicis cortex, Isatidis folium, Carthami</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Rehmanniae Radix Recens), Paeonia × suffruticosa Andrews [Paeoniaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Sophora	Granule	N N

<i>flos,</i>	<i>flavescens</i> Aiton
<i>Saposhnikoviae</i>	[Fabaceae], <i>Lonicera</i>
<i>radix</i>	<i>japonica</i> Thunb. [Caprifoliaceae], <i>Scrophularia</i>
	<i>ningpoensis</i> Hemsl. [Scrophulariaceae],
	<i>Arctium lappa</i> L. [Asteraceae],
	<i>Cryptotympana</i>
	<i>dubia</i> (Haupt) [Cicadidae],
	<i>Dictamnus</i>
	<i>dasycarpus</i> Turcz. [Rutaceae], <i>Isatis</i>
	<i>tinctoria</i> subsp. <i>tinctoria</i>
	[Brassicaceae],
	<i>Carthamus tinctorius</i>
	L. [Asteraceae],
	<i>Saposhnikovia</i>
	<i>divaricata</i> (Turcz. ex Ledeb.) Schischk.
	[Apiaceae]

Zhang (2013)	Xiaoyin capsule	Commercial supplier Shaanxi Mormid Pharmaceutical Co., Ltd.	<i>Rehmanniae radix recens, Moutan radicis cortex, Paeoniae radix rubra, Angelicae sinensis radix, Sophorae radix, Lonicerae flos, Scrophulariae radix, Arctii fructus, Cicadidae periostracum, Dictamni radicis cortex, Isatidis folium, Carthami flos, Saposhnikoviae radix</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Paeonia × suffruticosa Andrews [Paeoniaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Sophora flavescens Aiton [Fabaceae], Lonicera japonica Thunb. [Caprifoliaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Arctium lappa L. [Asteraceae], Cryptotympana dubia (Haupt) [Cicadidae],	Capsule	N	N
-----------------	--------------------	---	---	--	---------	---	---

		Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Carthamus tinctorius L. [Asteraceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]				
Cheng (2014)	Yanghe decoction	Prepared by Researcher s	<i>Rehmanniae radix</i> <i>preparata, Cervi</i> <i>cornus colla,</i> <i>Zingiberis</i> <i>rhizoma,</i> <i>Cinnamomi</i> <i>cortex, Ephedrae</i> <i>herba, Sinapis</i> <i>alba semen,</i> <i>Glycyrrhizae</i> <i>radix et rhizoma</i> Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Preparata), Cervi Cornus Colla, Zingiberis Rhizoma, Cinnamomi Cortex, Ephedra sinica Stapf [Ephedraceae], Sinapis alba L. [Brassicaceae], Glycyrrhiza uralensis Fisch. ex DC.	Decoction	N	N

[Fabaceae]

Du (2014)	Xiaoyin granule	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	<i>Rehmanniae radix</i> <i>recens, Moutan</i> <i>radicis cortex,</i> <i>Paeoniae radix</i> <i>rubra, Angelicae</i> <i>sinensis radix,</i> <i>Sophorae radix,</i> <i>Lonicerae flos,</i> <i>Scrophulariae</i> <i>radix, Arctii</i> <i>fructus, Cicadidae</i> <i>periostracum,</i> <i>Dictamni radicis</i> <i>cortex, Isatidis</i> <i>folium, Carthami</i> <i>flos,</i>	Rehmnia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Paeonia × suffruticosa Andrews [Paeoniaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Sophora flavescens Aiton	Granule	N	N
--------------	--------------------	--	--	--	---------	---	---

			<i>Saposhnikoviae radix</i>	[Fabaceae], <i>Lonicera japonica</i> Thunb. [Caprifoliaceae], <i>Scrophularia ningpoensis</i> Hemsl. [Scrophulariaceae], <i>Arctium lappa</i> L. [Asteraceae], <i>Cryptotympana dubia</i> (Haupt) [Cicadidae], <i>Dictamnus dasycarpus</i> Turcz. [Rutaceae], <i>Isatis tinctoria</i> subsp. <i>tinctoria</i> [Brassicaceae], <i>Carthamus tinctorius</i> L. [Asteraceae], <i>Saposhnikovia divaricata</i> (Turcz. ex Ledeb.) Schischk. [Apiaceae]		
Li (2014)	Huanglianjie du decoction	Prepared by Researcher s	<i>Coptis chinensis</i> , <i>Scutellariae radix</i> , <i>Phellodendri cortex</i> , <i>Gardenia</i>	<i>Coptis chinensis</i> Franch. [Ranunculaceae], <i>Scutellaria baicalensis</i>	Decoction	N

			<i>jasminoides</i> , <i>Smilax glabrae</i> <i>rhizoma</i> , <i>Hedyotidis herba</i> , <i>Ligustri fructus</i> , <i>Ecliptae herba</i>	Georgi [Lamiaceae], Phellodendron chinense C.K.Schneid. [Rutaceae], Gardenia jasminoides J.Ellis [Rubiaceae], Smilax glabra Roxb. [Smilacaceae], Scleromitrion diffusum (Willd.) R.J.Wang [Rubiaceae], Ligustrum lucidum W.T.Aiton [Oleaceae], Eclipta prostrata (L.) L. [Asteraceae]		
Liang (2014)	Qinzhuiliangx ue feng	Prepared by Researcher s	<i>Scutellariae radix</i> , <i>Ecliptae herba</i> , <i>Margaritifera</i> <i>concha, Paeoniae</i> <i>radix rubra</i> , <i>Rehmanniae radix</i> <i>recens</i> , <i>Lithospermi</i> <i>radix, Moutan</i> <i>radicis cortex</i> ,	Scutellaria baicalensis Georgi [Lamiaceae], Eclipta prostrata (L.) L. [Asteraceae], Pinctada imbricata Röding [Pteriidae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan	Decoction	N

<i>Lonicerae flos,</i>	[Paeoniaceae],
<i>Cynanchi paniculati radix et rhizoma,</i>	Rehmannia glutinosa (Gaertn.) DC.
<i>Glycyrrhizae radix et rhizoma,</i>	[Orobanchaceae](Rehmanniae Radix
<i>Saposhnikoviae radix,</i>	Recens) , Arnebia euchroma (Royle ex Benth.) I.M.Johnst.
<i>Scrophulariae radix</i>	[Boraginaceae], Paeonia × suffruticosa Andrews [Paeoniaceae], Lonicera japonica Thunb.
	[Caprifoliaceae], Vincetoxicum mukdenense Kitag.
	[Apocynaceae], Glycyrrhiza uralensis Fisch. ex DC.
	[Fabaceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk.
	[Apiaceae], Scrophularia ningpoensis Hemsl.

			[Scrophulariaceae]				
Liu (2014)	Runzaozhiya ng capsule	Commercial supplier Guizhou Tongji Tang Pharmaceuti cal Co., Ltd.	<i>Polygoni multiflori radix,</i> <i>Rehmanniae radix</i> <i>recens, Mori folium, Sophorae radix, Girardiana heterophylla decne</i>	Reynoutria multiflora (Thunb.) Moldenke [Polygonaceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Morus alba L. [Moraceae], Sophora flavescens Aiton [Fabaceae], Girardinia diversifolia subsp. diversifolia [Urticaceae]	Capsule	N	N
Qiu (2014)	Yangxierunfu yin	Prepared by Researcher s	<i>Rehmanniae radix</i> <i>recens,</i> <i>Rehmanniae radix</i> <i>preparata,</i> <i>Scrophulariae radix, Salviae miltiorrhizae radix, Polygoni Multiflori radix,</i> <i>Liriopis seu ophiopogonis</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Preparata), Scrophularia	Decoction	N	N

<i>tuber, Asparagi</i>	ningpoensis Hemsl.
<i>tuber, Cannabis</i>	[Scrophulariaceae],
<i>semen, Mori</i>	Salvia miltiorrhiza
<i>folium, Angelicae</i>	Bunge [Lamiaceae],
<i>sinensis radix,</i>	Reynoutria multiflora
<i>Glycyrrhizae</i>	(Thunb.) Moldenke
<i>radix et rhizoma,</i>	[Polygonaceae],
<i>Cicadidae</i>	Ophiopogon
<i>periostracum</i>	japonicus (Thunb.) Ker Gawl. [Asparagaceae],
	Asparagus cochininchinensis (Lour.) Merr.
	[Asparagaceae],
	Cannabis sativa L.
	[Cannabaceae],
	Morus alba L.
	[Moraceae], Angelica sinensis (Oliv.) Diels
	[Apiaceae],
	Glycyrrhiza uralensis Fisch. ex DC.
	[Fabaceae],
	Cryptotympana dubia (Haupt)
	[Cicadidae]

Qiu (2014)	Duhuojishen g decoction	Prepared by Researcher s	<i>Loranthus parasticus</i> Merr. [Loranthaceae], <i>Loranthi ramulus</i> Angelica biserrata <i>et folium,</i> (R.H.Shan & <i>Angelica</i> C.Q.Yuan) C.Q.Yuan <i>pubescens,</i> & R.H.Shan <i>Angelicae</i> [Apiaceae], <i>Angelica</i> <i>sinensis radix,</i> <i>sinensis</i> (Oliv.) Diels <i>Gentianae</i> [Apiaceae], <i>Gentiana</i> <i>macrophyllae</i> <i>macrophylla</i> Pall. <i>radix,</i> [Gentianaceae], <i>Cinnamomi</i> <i>Neolitsea cassia</i> (L.) <i>ramulus,</i> Kosterm. [Lauraceae], <i>Saposhnikoviae</i> <i>Saposhnikovia</i> Decoction N N <i>radix, Cnidii</i> <i>divaricata</i> (Turcz. ex <i>rhizoma, Paeoniae</i> Ledeb.) Schischk. <i>radix rubra,</i> [Apiaceae], <i>Smilax glabrae</i> <i>Conioselinum</i> <i>rhizoma,</i> <i>anthriscoides</i> <i>Spatholobi caulis,</i> 'Chuanxiong' <i>Clematidis radix,</i> [Apiaceae], <i>Paeonia</i> <i>Achyranthis</i> anomala subsp. <i>radix,</i> <i>veitchii</i> (Lynch) <i>Glycyrrhizae</i> D.Y.Hong & K.Y.Pan <i>radix et rhizoma</i> [Paeoniaceae], <i>Smilax</i> glabra Roxb. [Smilacaceae],
---------------	----------------------------	-----------------------------------	--

			Spatholobus suberectus Dunn [Fabaceae], Clematis chinensis Osbeck [Ranunculaceae], Achyranthes bidentata Blume [Amaranthaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	
Qiu (2014)	Qingying decoction plus Runzaoyingy ang decoction	Prepared by Researcher s	<i>Gypsum fibrosum,</i> <i>Anemarrhenae rhizoma,</i> <i>Scrophulariae radix,</i> <i>Rehmanniae radix recens , Liriopis seu ophiopogonis tuber,</i> <i>Coptis chinensis,</i> <i>Phyllostachys nigra, Forsythiae fructus , Rulvis glycyrrhizae extractionis</i>	Gypsum Fibrosum, Anemarrhena asphodeloides Bunge [Asparagaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Rehmnnia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Ophiopogon japonicus (Thunb.) Ker Gawl. [Asparagaceae],

		<i>sedilis</i> , <i>Glycyrrhizae</i> <i>radix et rhizoma</i>	Coptis chinensis Franch. [Ranunculaceae], Phyllostachys nigra var. henonis (Mitford) Rendle [Poaceae], Forsythia suspensa (Thunb.) Vahl [Oleaceae], Rulvis Glycyrrhizae Extractionis Sedilis, Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]			
Zhang (2014a)	Yinxie capsule	Commercial supplier Xinjiang Viatang Pharmaceutical Co., Ltd.	<i>Smilax glabrae</i> <i>rhizoma, Smilacis</i> <i>chinae rhizoma</i>	Smilax glabra Roxb. [Smilacaceae], Smilax china L. [Smilacaceae]	Capsule	N
Zhang (2014b)	Ziyinyangxue qufeng decoction	Prepared by Researcher s	<i>Angelicae</i> <i>sinensis radix,</i> <i>Paeonia lactiflora,</i> <i>Cnidii rhizoma,</i> <i>Rehmanniae radix</i> <i>recens, Tribuli</i>	Angelica sinensis (Oliv.) Diels [Apiaceae], Paeonia lactiflora Pall. [Paeoniaceae](Paeoni a lactiflora Alba),	Decoction	N

<i>fructus,</i>	Conioselinum
<i>Saposhnikoviae</i>	anthriscoides
<i>radix,</i>	'Chuanxiong'
<i>Schizonepetae</i>	[Apiaceae],
<i>spica, Polygoni</i>	Rehmannia glutinosa
<i>multiflori radix,</i>	(Gaertn.) DC.
<i>Astragali radix,</i>	[Orobanchaceae](Reh
<i>Glycyrrhizae</i>	manniae Radix
<i>radix et rhizoma,</i>	Recens), Tribulus
<i>Scolopendra,</i>	terrestris L.
<i>triptygium</i>	[Zygophyllaceae],
<i>wilfordii</i>	Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Nepeta tenuifolia Benth. [Lamiaceae], Reynoutria multiflora (Thunb.) Moldenke [Polygonaceae], Astragalus mongolicus Bunge [Fabaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae], Scolopendra

Zhang (2014c)	Qingfeiliangx ue decoction	Prepared by Researcher s	subspinipes mutilans Linné Koch [Scolopendridae], Tripterygium wilfordii Hook.f. [Celastraceae]	Bubalus bubalis Linné [Bovidae], Rehmanniae radix recens, Paeoniae radix rubra, Moutan radicis cortex, Angelicae sinensis radix, Dictamni radicis cortex, Spatholobi caulis, Smilax glabrae rhizoma, Lithospermi radix, Lonicerae flos, Scutellariae barbatae herba, Hedyotidis herba, Zaocys, Salviae miltiorrhizae radix	Decoction	N	N
------------------	-------------------------------	-----------------------------------	--	---	-----------	---	---

Cai (2015)	Xiaoyin feng	Prepared by Researcher s	<i>Salviae</i> <i>miltiorrhizae</i> <i>radix,</i> <i>Scrophulariae</i> <i>radix, Sophorae</i> <i>radix, Isatidis</i>	suberectus Dunn [Fabaceae], Smilax glabra Roxb. [Smilacaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Lonicera japonica Thunb. [Caprifoliaceae], Scutellaria barbata D.Don [Lamiaceae], Scleromitrion diffusum (Willd.) R.J.Wang [Rubiaceae], Zaocys dhumnades Cantor [Colubridae], Salvia miltorrhiza Bunge [Lamiaceae]	Decoction	N	N

<i>folium, Paeoniae</i>	Aiton [Fabaceae],
<i>radix rubra,</i>	<i>Isatis tinctoria</i> subsp. tinctoria
<i>Lithospermi</i>	
<i>radix, Moutan</i>	[Brassicaceae],
<i>radicis cortex,</i>	<i>Paeonia anomala</i>
<i>Violae herba,</i>	subsp. <i>veitchii</i>
<i>Taraxaci herba,</i>	(Lynch) D.Y.Hong &
<i>Paris polyphylla,</i>	K.Y.Pan
<i>Gardenia</i>	[Paeoniaceae],
<i>jasminoides,</i>	<i>Arnebia euchroma</i>
<i>Forsythiae</i>	(Royle ex Benth.)
<i>fructus,</i>	I.M.Johnst.
<i>Gentianae scabrae</i>	[Boraginaceae],
<i>radix et rhizoma,</i>	<i>Paeonia × suffruticosa</i>
<i>Zaocys, Cicadidae</i>	Andrews
<i>periostracum,</i>	[Paeoniaceae], <i>Viola</i>
<i>Lonicerae folium</i>	<i>mandshurica</i>
<i>et caulis, Smilax</i>	W.Becker [Violaceae],
<i>glabrae rhizoma,</i>	<i>Taraxacum</i>
<i>Dictamni radicis</i>	<i>mongolicum</i> Hand.-
<i>cortex, Euphorbia</i>	Mazz. [Asteraceae],
<i>humifusa,</i>	<i>Paris polyphylla,</i>
<i>Lonicerae flos,</i>	<i>Gardenia jasminoides</i>
<i>Persicae semen,</i>	J.Ellis [Rubiaceae],
<i>Carthami flos,</i>	<i>Forsythia suspensa</i>
<i>Glycyrrhizae</i>	(Thunb.) Vahl
<i>radix et rhizoma,</i>	[Oleaceae], <i>Gentiana</i>

Chrysanthmi flos scabra Bunge
[Gentianaceae],
Zaocys dhumnades
Cantor [Colubridae],
Cryptotympana
dubia (Haupt)
[Cicadidae], Lonicera
japonica Thunb.
[Caprifoliaceae],
Smilax glabra Roxb.
[Smilacaceae],
Dictamnus
dasycarpus Turcz.
[Rutaceae],
Euphorbia hirta L.
[Euphorbiaceae],
Lonicera japonica
Thunb.
[Caprifoliaceae],
Prunus persica (L.)
Batsch [Rosaceae],
Carthamus tinctorius
L. [Asteraceae],
Glycyrrhiza uralensis
Fisch. ex DC.
[Fabaceae],
Chrysanthemum ×

Jin (2015a)	Matrin tablet	Commercial supplier Guangdong Yishu Pharmaceutical Co., LTD.	<i>Sophorae radix</i>	<i>Sophora flavesrens</i> Aiton [Fabaceae]	Tablet	N
Jin (2015b)	Liangxuequefe ng powder	Prepared by Researcher s	<i>Sophorae radix,</i> <i>Xanthii fructus,</i> <i>Kochiae fructus,</i> <i>Dictamni radicis</i> cortex, <i>Angelicae</i> <i>sinensis radix,</i> <i>Rehmanniae radix</i> <i>recens, Paeoniae</i> <i>radix rubra,</i> <i>Paeonia lactiflora,</i> <i>Zaocys,</i> <i>Scolopendra,</i> <i>Buthus martensii,</i> <i>Cicadidae</i> <i>periostracum,</i> <i>Saposhnikoviae</i> <i>radix, Gentianae</i> <i>scabrae radix et</i>	<i>Sophora flavesrens</i> Aiton [Fabaceae], Xanthium strumarium L. [Asteraceae], Bassia scoparia (L.) A.J.Scott [Amaranthaceae], Dictamni Radicis, Cortex Angelica sinensis (Oliv.) Diels [Apiaceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), <i>Paeonia</i> anomala subsp.	Powder	N

<i>rhizoma, Thlaspi</i>	veitchii (Lynch)
<i>arvense, Violae</i>	D.Y.Hong & K.Y.Pan
<i>herba, Salviae</i>	[Paeoniaceae],
<i>miltiorrhizae</i>	Paeonia lactiflora
<i>radix, Citri</i>	Pall.
<i>unshius</i>	[Paeoniaceae](Paeoni
<i>pericarpium,</i>	a lactiflora Alba),
<i>Bupleuri radix,</i>	Zaocys dhumnades
<i>Glycyrrhizae</i>	Cantor [Colubridae],
<i>radix et rhizoma</i>	Scolopendra subspinipes mutilans Linné Koch [Scolopendridae], Buthus martensii Karsch [Buthidae], Cryptotympana dubia (Haupt) [Cicadidae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Gentiana scabra Bunge [Gentianaceae], Thlaspi arvense L. [Brassicaceae], Viola mandshurica

Lu (2015a)	Qingying decoction	Prepared by Researcher s	<i>Bubalus bubalis,</i> <i>Moutan radicis</i> <i>cortex, Forsythiae</i> <i>fructus, Lonicerae</i> <i>flos, Rehmanniae</i> <i>radix recens,</i> <i>Taraxaci herba,</i> <i>Scrophulariae</i> <i>radix, Spatholobi</i> <i>caulis, Liriopis</i> <i>seu ophiopogonis</i> <i>tuber,</i> <i>Lithospermi radix</i>	W.Becker [Violaceae], <i>Salvia miltiorrhiza</i> Bunge [Lamiaceae], <i>Citrus × aurantium f.</i> <i>deliciosa</i> (Ten.) M.Hiroe [Rutaceae], <i>Bupleurum chinense</i> DC. [Apiaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]	<i>Bubalus bubalis</i> Linné [Bovidae], <i>Paeonia × suffruticosa</i> Andrews [Paeoniaceae], <i>Forsythia suspensa</i> (Thunb.) Vahl [Oleaceae], <i>Lonicera</i> <i>japonica</i> Thunb. [Caprifoliaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Reh</i> <i>manniae Radix</i> <i>Recens</i>), <i>Taraxacum</i> <i>mongolicum</i> Hand.-.	Decoction	N	N
---------------	-----------------------	-----------------------------------	--	--	--	-----------	---	---

			Mazz. [Asteraceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Spatholobus suberectus Dunn [Fabaceae], Ophiopogon japonicus (Thunb.) Ker Gawl. [Asparagaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae]				
Lu (2015b)	Yangxierunfu yin	Prepared by Researcher s	<i>Rehmanniae radix</i> <i>recens,</i> <i>Rehmanniae radix</i> <i>Preparata,</i> <i>Angelicae</i> <i>sinensis radix,</i> <i>Paeoniae radix</i> <i>rubra, Asparagi</i> <i>tuber, Liriopis seu</i> <i>ophiopogonis</i> <i>tuber,</i> <i>Trichosanthes</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Preparata), Angelica sinensis (Oliv.) Diels [Apiaceae], Paeonia	Decoction	N	N

<i>kirilowii</i> , <i>Moutan</i>	anomala subsp.
<i>radicis cortex</i> ,	veitchii (Lynch)
<i>Astragali radix</i> ,	D.Y.Hong & K.Y.Pan
<i>Buthus</i>	[Paeoniaceae],
<i>martensii</i> ,	Asparagus
<i>Spatholobi caulis</i> ,	cochininchinensis
<i>Zaocys</i> ,	(Lour.) Merr.
<i>Batryticatus</i>	[Asparagaceae],
<i>bombyx</i>	Ophiopogon japonicus (Thunb.) Ker Gawl. [Asparagaceae], Trichosanthes kirilowii Maxim. [Cucurbitaceae], Paeonia × suffruticosa Andrews [Paeoniaceae], Astragalus mongholicus Bunge [Fabaceae], <i>Buthus</i> <i>martensii</i> Karsch [Buthidae], Spatholobus suberectus Dunn [Fabaceae], <i>Zaocys</i> <i>dhumnades</i> Cantor

				[Colubridae], Bombyx mori Linné [Bombycidae]			
Ma (2015)	Liangxuerunf u decoction	Prepared by Researcher s	<i>Rehmanniae radix</i> <i>recens</i> , <i>Isatidis</i> <i>folium</i> , <i>Smilax</i> <i>glabrae rhizoma</i> , <i>Imperatae</i> <i>rhizoma</i> , <i>Sophorae flos</i> , <i>Moutan radicis</i> <i>cortex</i> , <i>Solani</i> <i>nigri herba</i> , <i>Glycyrrhizae</i> <i>radix et rhizoma</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), <i>Isatis</i> <i>tinctoria</i> subsp. <i>tinctoria</i> [Brassicaceae], <i>Smilax</i> <i>glabra</i> Roxb. [Smilacaceae], <i>Imperata cylindrica</i> (L.) Raeusch. [Poaceae], <i>Styphnolobium</i> <i>japonicum</i> (L.) Schott [Fabaceae], <i>Paeonia ×</i> <i>suffruticosa</i> Andrews [Paeoniaceae], <i>Solanum nigrum</i> L. [Solanaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]	Decoction	N	N
Peng	Yinxiping pill	Prepared	<i>Rehmanniae radix</i>	Rehmannia glutinosa	Pill `	N	N

(2015)	by Researcher s	<i>recens,</i> <i>Hedyotidis herba,</i> <i>Scutellariae</i> <i>barbatae herba,</i> <i>Isatidis folium,</i> <i>Paeoniae radix</i> <i>rubra , Moutan</i> <i>radicis cortex,</i> <i>Salviae</i> <i>miltiorrhizae</i> <i>radix,</i> <i>Lithospermi adix,</i> <i>Ligustri fructus,</i> <i>Ecliptae herba,</i> <i>Liriopis seu</i> <i>ophiopogonis</i> <i>tuber, Dioscoreae</i> <i>rhizoma,</i> <i>Dictamni radicis</i> <i>cortex,</i> <i>Glycyrrhizae</i> <i>radix et rhizoma</i>	(Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Scleromitrion diffusum (Willd.) R.J.Wang [Rubiaceae], Scutellaria barbata D.Don [Lamiaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae] , Paeonia × suffruticosa Andrews [Paeoniaceae], Salvia miltiorrhiza Bunge [Lamiaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Ligustrum lucidum
--------	-----------------------	---	--

Sun (2015)	Qingrexiaoyi n decoction	Prepared by Researcher s	<i>W.T.Aiton</i> [Oleaceae], <i>Eclipta prostrata</i> (L.) <i>L.</i> [Asteraceae], <i>Ophiopogon</i> <i>japonicus</i> (Thunb.) <i>Ker Gawl.</i> <i>[Asparagaceae]</i> , <i>Dioscorea japonica</i> <i>Thunb.</i> <i>[Dioscoreaceae]</i> , <i>Dictamnus</i> <i>dasycarpus</i> Turcz. <i>[Rutaceae]</i> , <i>Glycyrrhiza uralensis</i> <i>Fisch. ex DC.</i> <i>[Fabaceae]</i>	<i>Lonicerae flos,</i> <i>Smilax glabrae</i> <i>rhizoma,</i> <i>Hedyotidis herba,</i> <i>Scutellariae</i> <i>barbatae herba,</i> <i>Sophorae</i> <i>tonkinensis radix</i> <i>et rhizoma,</i> <i>Lithospermi</i> <i>radix, Rubiae</i>	<i>Lonicera japonica</i> <i>Thunb.</i> <i>[Caprifoliaceae]</i> , <i>Smilax glabra Roxb.</i> <i>[Smilacaceae]</i> , <i>Scleromitrion</i> <i>diffusum</i> (Willd.) <i>R.J.Wang</i> <i>[Rubiaceae]</i> , <i>Scutellaria barbata</i> <i>D.Don</i> [Lamiaceae],	Decoction N N

Wang	Compound	Commerci	<i>Glycyrrhizae</i>	<i>Glycyrrhiza uralensis</i>	Liquid	N	N	
				Sophora tonkinensis Gagnep. [Fabaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Rubia tinctorum L. [Rubiaceae], Eclipta prostrata (L.) L. [Asteraceae], Styphnolobium japonicum (L.) Schott [Fabaceae], Zaocys dhumnades Cantor [Colubridae], Dictamnus dasycarpus Turcz. [Rutaceae], Sophora flavescens Aiton [Fabaceae], Cryptotympana dubia (Haupt) [Cicadidae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]				

(2015a)	glycyrrhizin	al supplier Henan Xin Shuaike Pharmaceu tical Co., LTD.	<i>radix et rhizoma</i>	Fisch. ex DC. [Fabaceae]
Wang (2015b)	Researcher prescription	Prepared by Researcher s	Bubalus bubalis <i>Bubalus bubalis</i> , <i>Lonicerae flos</i> , <i>Paeoniae radix</i> <i>rubra</i> , <i>Dictamni</i> <i>radicis cortex</i> , <i>Moutan radicis</i> <i>cortex</i> , <i>Coptis</i> <i>chinensis</i> , <i>Forsythiae</i> <i>fructus</i> , <i>Sophorae</i> <i>radix</i> , <i>Glycyrrhizae</i> <i>radix et rhizoma</i>	Bubalus bubalis Linné [Bovidae], <i>Lonicera japonica</i> Thunb. [Caprifoliaceae], <i>Paeonia anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], <i>Dictamnus</i> <i>dasycarpus</i> Turcz. [Rutaceae], <i>Paeonia</i> × <i>suffruticosa</i> Andrews [Paeoniaceae], <i>Coptis</i> <i>chinensis</i> Franch. [Ranunculaceae], <i>Forsythia suspensa</i> (Thunb.) Vahl [Oleaceae], <i>Sophora</i> <i>flavescens</i> Aiton
				Decoction N N

		[Fabaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC.	
		[Fabaceae]	
		<i>Angelica sinensis</i> (Oliv.) Diels	
		[Apiaceae], <i>Paeonia lactiflora</i> Pall.	
		<i>Angelicae sinensis radix</i> , <i>Paeonia lactiflora</i> ,	[Paeoniaceae](<i>Paeonia lactiflora Alba</i>),
		<i>Cnidii rhizoma</i> ,	<i>Conioselinum anthriscoides</i>
		<i>Rehmanniae radix recens</i> , <i>Tribuli fructus</i> , <i>Polygoni multiflori radix</i> ,	'Chuanxiong'
		<i>Astragali radix</i> ,	[Apiaceae],
		<i>Saposhnikoviae radix</i> ,	<i>Rehmannia glutinosa</i>
		<i>Schizonepetae spica</i> ,	(Gaertn.) DC.
		<i>Glycyrrhizae radix et rhizoma</i>	Granule
			N
Wang (2015c)	Danggui- yinzi granule		
	Commercial supplier Guangdong Yifang Chinese Herbal Pieces Co., LTD.		

			Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Nepeta tenuifolia Benth. [Lamiaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]				
Yuan (2015)	Qingrexiaoyi n decoction	Prepared by Researcher s	<i>Lonicerae flos,</i> <i>Smilax glabrae</i> <i>rhizoma,</i> <i>Hedyotidis herba,</i> <i>Scutellariae</i> <i>barbatae herba,</i> <i>Sophorae</i> <i>tonkinensis radix</i> <i>et rhizoma,</i> <i>Lithospermi</i> <i>radix, Rubiae</i> <i>radix, Ecliptae</i> <i>herba, Sophorae</i> <i>flos, Zaocys,</i> <i>Dictamni radicis</i> <i>cortex, Sophorae</i> <i>radix, Cicadidae</i> <i>periostracum,</i>	<i>Lonicera japonica</i> Thunb. [Caprifoliaceae], <i>Smilax glabra</i> Roxb. [Smilacaceae], <i>Scleromitrium</i> <i>diffusum</i> (Willd.) R.J.Wang [Rubiaceae], <i>Scutellaria barbata</i> D.Don [Lamiaceae], <i>Sophora tonkinensis</i> Gagnep. [Fabaceae], <i>Arnebia euchroma</i> (Royle ex Benth.) I.M.Johnst. [Boraginaceae], <i>Rubia</i> <i>tinctorum</i> L.	Decoction	N	N

		<i>Glycyrrhizae</i> <i>radix et rhizoma</i>	[Rubiaceae], <i>Eclipta prostrata</i> (L.) L. [Asteraceae], <i>Styphnolobium japonicum</i> (L.) Schott [Fabaceae], <i>Zaocys dhumnades</i> Cantor [Colubridae], <i>Dictamnus dasycarpus</i> Turcz. [Rutaceae], <i>Sophora flavescens</i> Aiton [Fabaceae], <i>Cryptotympana dubia</i> (Haupt) [Cicadidae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]				
Zhang (2015a)	Liangxuerunf u decoction	Prepared by Researcher s	<i>Smilax glabrae</i> <i>rhizoma, Isatidis folium,</i> <i>Rehmanniae radix recens, Salviae miltiorrhizae radix, Imperatae rhizoma, Paeoniae</i>	Smilax glabra Roxb. [Smilacaceae], <i>Isatis tinctoria</i> subsp. <i>tinctoria</i> [Brassicaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](Reh	Decoction	N	N

<i>radix rubra,</i>	manniae Radix
<i>Dictamni radicis</i>	Recens), Salvia
<i>cortex,</i>	miltiorrhiza Bunge
<i>Saposhnikoviae</i>	[Lamiaceae],
<i>radix, Tribuli</i>	Imperata cylindrica
<i>fructus, Sophorae</i>	(L.) Raeusch.
<i>flos, Solani nigri</i>	[Poaceae], Paeonia
<i>herba, Moutan</i>	anomala subsp.
<i>radicis cortex,</i>	veitchii (Lynch)
<i>Glycyrrhizae</i>	D.Y.Hong & K.Y.Pan
<i>radix et rhizoma</i>	[Paeoniaceae], Dictamnus dasycarpus Turcz. [Rutaceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Tribulus terrestris L. [Zygophyllaceae], Styphnolobium japonicum (L.) Schott [Fabaceae], Solanum nigrum L. [Solanaceae], Paeonia × suffruticosa Andrews

			[Paeoniaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]			
Zhang (2015b)	Yinxie capsule	Commercial supplier Xinjiang Weiatang Pharmaceutical Co., LTD.	<i>Smilax glabrae</i> [Smilacaceae], <i>Smilacis china L.</i> [Smilacaceae]	Smilax glabra Roxb. Capsule	N	
Zhang (2015c)	Zinyinqingre xiaofengsan	Prepared by Researcher s	<i>Rehmanniae radix recens, Moutan radicis cortex, Liriopis seu ophiopogonis yuber,</i> <i>Scrophulariae radix, Salviae miltiorrhizae radix, Cannabis semen, Isatidis folium, Sophorae tonkinensis radix et rhizoma, Dictamni radicis cortex</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Paeonia × suffruticosa Andrews [Paeoniaceae], Ophiopogon japonicus (Thunb.) Ker Gawl. [Asparagaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Salvia miltiorrhiza Bunge [Lamiaceae],	Decoction	N

			Cannabis sativa L. [Cannabaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Sophora tonkinensis Gagnep. [Fabaceae], Dictamnus dasycarpus Turcz. [Rutaceae]	
Chen (2016)	Researcher prescription	Prepared by Researcher s	Prunus persica (L.) Batsch [Rosaceae], <i>Persicae semen,</i> <i>Curcumae</i> <i>rhizoma,</i> <i>Sparganii</i> <i>rhizoma,</i> <i>Euonymi ramuli</i> <i>suberalatum ,</i> <i>Spatholobi caulis,</i> <i>Citri nnshius</i> <i>pericarpium,</i> <i>Carthami flos,</i> <i>Prunellae spica,</i> <i>Coicis semen</i>	Decoction N N
			Curcuma phaeocaulis Valeton [Zingiberaceae], Sparganium stoloniferum (Buch.- Ham. ex Graebn.) Buch.-Ham. ex Juz. [Typhaceae], Euonymus alatus (Thunb.) Siebold [Celastraceae], Spatholobus suberectus Dunn [Fabaceae], Citrus × aurantium f. deliciosa	

			(Ten.) M.Hiroe [Rutaceae], <i>Carthamus tinctorius</i> L. [Asteraceae], <i>Prunella vulgaris</i> L. [Lamiaceae], <i>Coix</i> <i>lacryma-jobi</i> var. ma- yuen (Rom.Caill.) Stapf [Poaceae]				
He (2016a)	Liangxuerunf u decoction	Prepared by Researcher s	<i>Smilax glabrae</i> <i>rhizoma, Isatidis</i> <i>folium,</i> <i>Rehmanniae radix</i> <i>recens, Salviae</i> <i>miltiorrhizae</i> <i>radix, Imperatae</i> <i>rhizoma, Paeoniae</i> <i>radix rubra,</i> <i>Dictamni radicis</i> <i>cortex,</i> <i>Saposhnikoviae</i> <i>radix, Tribuli</i> <i>fructus, Sophorae</i> <i>flos, Solani nigri</i> <i>herba, Moutan</i> <i>radicis cortex,</i> <i>Glycyrrhizae</i>	<i>Smilax glabra</i> Roxb. [Smilacaceae], <i>Isatis</i> <i>tinctoria</i> subsp. <i>tinctoria</i> [Brassicaceae], <i>Rehmnania glutinosa</i> (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), <i>Salvia</i> <i>miltiorrhiza</i> Bunge [Lamiaceae], <i>Imperata cylindrica</i> (L.) Raeusch. [Poaceae], <i>Paeonia</i> <i>anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan	Decoction	N	N

			<i>radix et rhizoma</i>	[Paeoniaceae], Dictamnus <i>dasycarpus</i> Turcz. [Rutaceae], Saposhnikovia <i>divaricata</i> (Turcz. ex Ledeb.) Schischk. [Apiaceae], <i>Tribulus</i> <i>terrestris</i> L. [Zygophyllaceae], <i>Styphnolobium</i> <i>japonicum</i> (L.) Schott [Fabaceae], <i>Solanum</i> <i>nigrum</i> L. [Solanaceae], <i>Paeonia</i> <i>× suffruticosa</i> Andrews [Paeoniaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]		
He (2016b)	Compound Qingdai pill	Commercial supplier	Indigo pulverata <i>lewis, Mume</i> Shaanxi Tianning Pharmaceutical Co.,	Persicaria tinctoria (Aiton) Spach [Polygonaceae], Prunus mume [Siebold] Siebold & Zucc. [Rosaceae],	Pill	N N

LTD.	<i>dahuricae radix,</i>	Taraxacum
	<i>Salviae</i>	mongolicum Hand.-
	<i>miltiorrhizae</i>	Mazz. [Asteraceae],
	<i>radix, Dictamni</i>	Arnebia euchroma
	<i>radicis cortex,</i>	(Royle ex Benth.)
	<i>Massa medicata</i>	I.M.Johnst.
	<i>fermentata,</i>	[Boraginaceae],
	<i>Dryopteridis</i>	Angelica dahurica
	<i>crassirhizomatis</i>	(Hoffm.) Benth. &
	<i>rhizoma, Smilax</i>	Hook.f. ex Franch. &
	<i>glabrae rhizoma,</i>	Sav. [Apiaceae],
	<i>Portulacae herba,</i>	Salvia miltiorrhiza
	<i>Dioscorea</i>	Bunge [Lamiaceae],
	<i>hypoglauca,</i>	Dictamnus
	<i>Crataegi fructus,</i>	dasycarpus Turcz.
	<i>Schisandrae</i>	[Rutaceae], Massa
	<i>fructus</i>	Medicata Fermentata,
		Dryopteris
		crassirhizoma Nakai
		[Polypodiaceae],
		Smilax glabra Roxb.
		[Smilacaceae],
		Portulaca oleracea L.
		[Portulacaceae],
		Dioscorea collettii
		var. hypoglauca
		(Palib.) S.J.Pei &

		C.T.Ting [Dioscoreaceae], <i>Crataegus pinnatifida</i> var. <i>pinnatifida</i> [Rosaceae], <i>Schisandra chinensis</i> (Turcz.) Baill. [Schisandraceae]					
Jiang (2016)	Yinxiping pill	Prepared by Researcher s	<i>Rehmanniae radix</i> <i>recens</i> , <i>Hedyotidis herba</i> , <i>Scutellariae</i> <i>barbatae herba</i> , <i>Isatidis folium</i> , <i>Paeoniae radix</i> <i>rubra</i> , <i>Moutan</i> <i>radicis Ccortex</i> , <i>Salviae</i> <i>miltiorrhizae</i> <i>radix</i> , <i>Lithospermi</i> <i>radix</i> , <i>Ligustri</i> <i>fructus</i> , <i>Ecliptae</i> <i>herba</i> , <i>Liriopis</i> <i>seu ophiopogonis</i> <i>tuber</i> , <i>Dioscoreae</i> <i>rhizoma</i> ,	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Scleromitrion diffusum (Willd.) R.J.Wang [Rubiaceae], Scutellaria barbata D.Don [Lamiaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae],	Pill	N	N

Shan (2016)	Compound glycyrrhizin	Commercial supplier	<i>Glycyrrhizae radix et rhizoma</i>	Paeonia × suffruticosa Andrews [Paeoniaceae], Salvia miltiorrhiza Bunge [Lamiaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Ligustrum lucidum W.T.Aiton [Oleaceae], Eclipta prostrata (L.) L. [Asteraceae], Ophiopogon japonicus (Thunb.) Ker Gawl. [Asparagaceae], Dioscorea japonica Thunb. [Dioscoreaceae], Dictamnus dasycarpus Turcz. [Rutaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Glycyrrhiza uralensis Fisch. ex DC.	Liquid	N	N
----------------	--------------------------	---------------------	--	---	--	--------	---	---

	Fujian Mindong Lijixun Pharmaceu tical Co., LTD.	[Fabaceae]
Wang (2016a)	Xiaoyin granule	<p><i>Rehmanniae radix</i> <i>recens, Moutan</i> <i>radicis cortex,</i> <i>Paeoniae radix</i> <i>rubra, Angelicae</i> <i>sinensis radix,</i> <i>Sophorae radix,</i> <i>Lonicerae flos,</i> <i>Scrophulariae</i> <i>radix, Arctii</i> <i>fructus, Cicadidae</i> <i>periostracum,</i> <i>Dictamni radicis</i> <i>cortex, Isatidis</i> <i>folium, Carthami</i> <i>flos,</i> <i>Saposhnikoviae</i> <i>radix</i></p> <p>Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Paeonia × suffruticosa Andrews [Paeoniaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan Granule N N</p>
	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	

		[Scrophulariaceae], Arctium lappa L. [Asteraceae], Cryptotympana dubia (Haupt) [Cicadidae], Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Carthamus tinctorius L. [Asteraceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]						
Wang (2016b)	Piminxiao capsule	<table border="0"> <tr> <td>Commercial supplier</td> <td><i>Sophorae radix,</i> <i>Atractylodis rhizoma,</i> <i>Saposhnikoviae</i></td> <td>Sophora flavescens Aiton [Fabaceae], Atractylodes lancea (Thunb.) DC.</td> </tr> <tr> <td>Pharmaceutical Co., Ltd.</td> <td><i>Aohua radix,</i> <i>Schizonepetae spica, Tribuli fructus, Dictamni radicis cortex,</i></td> <td>[Asteraceae](Atractylodis Rhizoma), Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk.</td> </tr> </table>	Commercial supplier	<i>Sophorae radix,</i> <i>Atractylodis rhizoma,</i> <i>Saposhnikoviae</i>	Sophora flavescens Aiton [Fabaceae], Atractylodes lancea (Thunb.) DC.	Pharmaceutical Co., Ltd.	<i>Aohua radix,</i> <i>Schizonepetae spica, Tribuli fructus, Dictamni radicis cortex,</i>	[Asteraceae](Atractylodis Rhizoma), Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk.
Commercial supplier	<i>Sophorae radix,</i> <i>Atractylodis rhizoma,</i> <i>Saposhnikoviae</i>	Sophora flavescens Aiton [Fabaceae], Atractylodes lancea (Thunb.) DC.						
Pharmaceutical Co., Ltd.	<i>Aohua radix,</i> <i>Schizonepetae spica, Tribuli fructus, Dictamni radicis cortex,</i>	[Asteraceae](Atractylodis Rhizoma), Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk.						

<i>Cnidi fructus,</i>	[Apiaceae], Nepeta
<i>Xanthii fructus,</i>	tenuifolia Benth.
<i>Scolopendra,</i>	[Lamiaceae], Tribulus
<i>Indigo pulverata</i>	terrestris L.
<i>levis, Taraxaci</i>	[Zygophyllaceae],
<i>herba, Violae</i>	Dictamnus
<i>herba,</i>	dasycarpus Turcz.
<i>Scutellariae radix,</i>	[Rutaceae], Cnidium
<i>Phellobendri</i>	monnierii (L.) Cusson
<i>cortex, Coptis</i>	[Apiaceae], Xanthium
<i>chinensis,</i>	strumarium L.
<i>Cicadidae</i>	[Asteraceae],
<i>periostracum,</i>	Scolopendra
<i>Rehmanniae radix</i>	subspinipes mutilans
<i>recens , Moutan</i>	Linné Koch
<i>radicis cortex,</i>	[Scolopendridae],
<i>Chinese tamarisk</i>	Persicaria tinctoria
<i>twing,</i>	(Aiton) Spach
<i>Lithospermi</i>	[Polygonaceae],
<i>radix, Lycii</i>	Taraxacum
<i>radicis cortex</i>	mongolicum Hand.-
	Mazz. [Asteraceae],
	Viola mandshurica
	W.Becker [Violaceae],
	Scutellaria baicalensis
	Georgi [Lamiaceae],
	Phellobendron

Wu (2016)	Xiaoyin granule	Commercial supplier Shaanxi Kanghui	<i>Rehmanniae radix recens, Moutan radicis cortex, Paeoniae radix</i>	chinense C.K.Schneid. [Rutaceae], Coptis chinensis Franch. [Ranunculaceae], Cryptotympana dubia (Haupt) [Cicadidae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens) , Paeonia × suffruticosa Andrews [Paeoniaceae], Tamarix chinensis Lour. [Tamaricaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Lycium barbarum L. [Solanaceae]	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix	Granule	N	N

Pharmaceu	<i>rubra, Angelicae</i>	Recens), <i>Paeonia</i> ×
tical Co.,	<i>sinensis radix,</i>	suffruticosa Andrews
Ltd.	<i>Sophorae radix,</i>	[Paeoniaceae],
	<i>Lonicerae flos,</i>	<i>Paeonia anomala</i>
	<i>Scrophulariae</i>	subsp. <i>veitchii</i>
	<i>radix, Arctii</i>	(Lynch) D.Y.Hong &
	<i>fructus, Cicadidae</i>	K.Y.Pan
	<i>periostracum,</i>	[Paeoniaceae],
	<i>Dictamni radicis</i>	<i>Angelica sinensis</i>
	<i>cortex, Isatidis</i>	(Oliv.) Diels
	<i>folium, Carthami</i>	[Apiaceae], <i>Sophora</i>
	<i>flos,</i>	<i>flavescens Aiton</i>
	<i>Saposhnikoviae</i>	[Fabaceae], <i>Lonicera</i>
	<i>radix</i>	<i>japonica Thunb.</i>
		[Caprifoliaceae],
		<i>Scrophularia</i>
		<i>ningpoensis Hemsl.</i>
		[Scrophulariaceae],
		<i>Arctium lappa L.</i>
		[Asteraceae],
		<i>Cryptotympana</i>
		<i>dubia</i> (Haupt)
		[Cicadidae],
		<i>Dictamnus</i>
		<i>dasycarpus Turcz.</i>
		[Rutaceae], <i>Isatis</i>
		<i>tinctoria</i> subsp.

Xie (2016)	Xiaoyin granule	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	<i>Rehmanniae radix recens, Moutan radicis cortex, Paeoniae radix rubra, Angelicae sinensis radix, Sophorae radix, Lonicerae flos, Scrophulariae radix, Arctii fructus, Cicadidae periostracum, Dictamni radicis cortex, Isatidis folium, Carthami flos, Saposhnikoviae radix</i>	tinctoria [Brassicaceae], <i>Carthamus tinctorius</i> L. [Asteraceae], <i>Saposhnikovia</i> <i>divaricata</i> (Turcz. ex Ledeb.) Schischk. [Apiaceae]	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](<i>Reh manniae Radix Recens</i>), <i>Paeonia</i> × <i>suffruticosa</i> Andrews [Paeoniaceae], <i>Paeonia anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], <i>Angelica sinensis</i> (Oliv.) Diels [Apiaceae], <i>Sophora</i> <i>flavescens</i> Aiton [Fabaceae], <i>Lonicera</i> <i>japonica</i> Thunb. [Caprifoliaceae],	Granule	N	N
---------------	--------------------	---	---	--	--	---------	---	---

				Scrophularia ningpoensis Hemsl. [Scrophulariaceae], <i>Arctium lappa</i> L. [Asteraceae], <i>Cryptotympana</i> <i>dubia</i> (Haupt) [Cicadidae], <i>Dictamnus</i> <i>dasycarpus</i> Turcz. [Rutaceae], <i>Isatis</i> <i>tinctoria</i> subsp. <i>tinctoria</i> [Brassicaceae], <i>Carthamus tinctorius</i> L. [Asteraceae], <i>Saposhnikovia</i> <i>divaricata</i> (Turcz. ex Ledeb.) Schischk. [Apiaceae]			
Xu (2016)	Compound glycyrrhizin	Commercial supplier Fujian Mindong Lijixun Pharmaceutical Co.,	Glycyrrhizae <i>radix et rhizoma</i>	Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Liquid	N	N

LTD.						
Yang (2016a)	Qinmei granule	Prepared by Researcher s	<i>Scutellariae radix,</i> <i>Indigo pulverata</i> <i>levis, Angelicae</i> <i>sinensis radix,</i> <i>Astragali radix,</i> <i>Mume fructus</i>	Scutellaria baicalensis Georgi [Lamiaceae], Persicaria tinctoria (Aiton) Spach [Polygonaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Astragalus mongholicus Bunge [Fabaceae], Prunus mume (Siebold) Siebold & Zucc. [Rosaceae]	Granule	N N
Yang (2016b)	Qingreliangx ue decoction	Prepared by Researcher s	<i>Bubalus bubalis,</i> <i>Rehmanniae radix</i> <i>recens,</i> <i>Lithospermi</i> <i>radix, Moutan</i> <i>radicis cortex,</i> <i>Sophorae flos,</i> <i>Isatidis folium,</i> <i>Smilax glabrae</i> <i>rhizoma,</i> <i>Scutellariae radix,</i> <i>Rhei radix et</i>	Bubalus bubalis Linné [Bovidae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Paeonia × suffruticosa Andrews	Decoction	N N

			<i>rhizoma,</i>	[Paeoniaceae],			
			<i>Curcumae radix,</i>	Styphnolobium			
			<i>Vespae nidus</i>	japonicum (L.) Schott			
				[Fabaceae], Isatis			
				tinctoria subsp.			
				tinctoria			
				[Brassicaceae], Smilax			
				glabra Roxb.			
				[Smilacaceae],			
				Scutellaria baicalensis			
				Georgi [Lamiaceae],			
				Rheum officinale			
				Baill. [Polygonaceae],			
				Curcuma phaeocaulis			
				Valeton			
				[Zingiberaceae],			
				Vespa Nidus			
Yu (2016)	Qingreliangx ue decoction	Prepared by Researcher	<i>Bubalus bubalis,</i>	Bubalus bubalis			
			<i>Rehmanniae radix</i>	Linné [Bovidae],			
			<i>recens,</i>	Rehmannia glutinosa			
			<i>Lithospermi</i>	(Gaertn.) DC.			
			<i>radix, Moutan</i>	[Orobanchaceae](Reh	Decoction	N	N
			<i>radicis cortex,</i>	manniae Radix			
			<i>Sophorae flos,</i>	Recens), Arnebia			
			<i>Isatidis folium,</i>	euchroma (Royle ex			
			<i>Smilax glabrae</i>	Benth.) I.M.Johnst.			
			<i>rhizoma,</i>	[Boraginaceae],			

			<i>Scutellariae adixm, Rhei radix et rhizoma, Curcumae radix, Vespaes nidus</i>	Paeonia × suffruticosa Andrews [Paeoniaceae], Styphnolobium japonicum (L.) Schott [Fabaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Smilax glabra Roxb. [Smilacaceae], Scutellaria baicalensis Georgi [Lamiaceae], Rheum officinale Baill. [Polygonaceae], Curcuma phaeocaulis Valeton [Zingiberaceae], Vespaes Nidus		
Cao (2017)	Compound glycyrrhizin	Commercial supplier Henan Xin Shuaike Pharmaceutical Co., LTD.	<i>Glycyrrhizae radix et rhizoma</i>	Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Tablet	N N
Cheng	Compound	Commercial	<i>Glycyrrhizae</i>	Glycyrrhiza uralensis	Tablet	N

(2017)	glycyrrhizin	al supplier Henan Xin Shuaike Pharmaceu tical Co., LTD.	<i>radix et rhizoma</i>	Fisch. ex DC. [Fabaceae]			
Ding (2017)	Ziyinhuoxuer unzao decoction	Prepared by Researcher s	<i>Testudinis</i> <i>chinemis</i> <i>plastrum et</i> <i>carapax, Ostreae</i> <i>testa,</i> <i>Rehmanniae radix</i> <i>recens,</i> <i>Scrophulariae</i> <i>radix, Asparagi</i> <i>tuber, Liriopis seu</i> <i>ophiopogonis</i> <i>tuber, Polygoni</i> <i>multiflori radix,</i> <i>Spatholobi caulis,</i> <i>Paeoniae radix</i> <i>rubra, Prunellae</i> <i>spica, Hedyotidis</i> <i>herba, Curcumae</i> <i>rhizoma,</i> <i>Trichosanthes</i> <i>kirilowii,</i>	<i>Chinemys reevesii</i> <i>Gray [Emydidae],</i> <i>Ostrea gigas</i> <i>Thunberg</i> <i>[Ostreidae],</i> <i>Rehmannia glutinosa</i> <i>(Gaertn.) DC.</i> <i>[Orobanchaceae](Reh</i> <i>manniae Radix</i> <i>Recens),</i> <i>Scrophularia</i> <i>ningpoensis Hemsl.</i> <i>[Scrophulariaceae],</i> <i>Asparagus</i> <i>cochininchinensis</i> <i>(Lour.) Merr.</i> <i>[Asparagaceae],</i> <i>Ophiopogon</i> <i>japonicus (Thunb.)</i> <i>Ker Gawl.</i> <i>[Asparagaceae],</i>	Decoction	N	N

<i>Forsythiae</i>	Reynoutria multiflora
<i>fructus,</i>	(Thunb.) Moldenke
<i>Glycyrrhizae</i>	[Polygonaceae],
<i>radix et rhizoma</i>	Spatholobus suberectus Dunn [Fabaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae] , Prunella vulgaris L. [Lamiaceae], Scleromitrion diffusum (Willd.) R.J.Wang [Rubiaceae], Curcuma phaeocaulis Valeton [Zingiberaceae], Trichosanthes kirilowii Maxim. [Cucurbitaceae], Forsythia suspensa (Thunb.) Vahl [Oleaceae], Glycyrrhiza uralensis Fisch. ex DC.

			[Fabaceae]			
Du (2017)	Total Glycosides of Paeoniae Alba capsule	Commercial supplier Ningbo Lihua Pharmaceutical Co., LTD.	<i>Paeonia lactiflora</i> Pall. [Paeoniaceae](<i>Paeonia lactiflora Alba</i>)	Capsule	N	
Feng (2017)	Yinxiping pill	Prepared by Researcher s	<i>Rehmanniae radix</i> <i>recens,</i> <i>Hedyotidis herba,</i> <i>Scutellariae</i> <i>barbatae herba,</i> <i>Isatidis folium,</i> <i>Paeoniae radix</i> <i>rubra, Moutan</i> <i>radicis cortex,</i> <i>Salviae</i> <i>miltiorrhizae</i> <i>radix,</i> <i>Lithospermi</i> <i>radix, Ligustri</i> <i>fructus, Ecliptae</i> <i>herba, Liriopis</i> <i>seu ophiopogonis</i> <i>tuber, Dioscoreae</i> <i>rhizoma,</i>	<i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Rehmanniae Radix</i> Recens), <i>Scleromitrion</i> <i>diffusum</i> (Willd.) R.J.Wang [Rubiaceae], <i>Scutellaria barbata</i> D.Don [Lamiaceae], <i>Isatis tinctoria</i> subsp. <i>tinctoria</i> [Brassicaceae], <i>Paeonia anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae],	Pill	N

Han (2017a)	Xiaoyin granule	Commercial supplier	<i>Rehmanniae radix recens, Moutan</i>	<i>Dictamni radicis cortex, Glycyrrhizae radix et rhizoma</i>	Paeonia × suffruticosa Andrews [Paeoniaceae], Salvia miltiorrhiza Bunge [Lamiaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Ligustrum lucidum W.T.Aiton [Oleaceae], Eclipta prostrata (L.) L. [Asteraceae], Ophiopogon japonicus (Thunb.) Ker Gawl. [Asparagaceae], Dioscorea japonica Thunb. [Dioscoreaceae], Dictamnus dasycarpus Turcz. [Rutaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Rehmannia glutinosa (Gaertn.) DC.	Granule	N	N
----------------	--------------------	---------------------	--	---	---	--------------------------------------	---------	---	---

Shaanxi	<i>radicis cortex,</i>	[Orobanchaceae](Reh
Kanghui	<i>Paeoniae radix</i>	manniae Radix
Pharmaceu	<i>rubra, Angelicae</i>	Recens), Paeonia ×
tical Co.,	<i>sinensis radix,</i>	suffruticosa Andrews
Ltd.	<i>Sophorae radix,</i>	[Paeoniaceae],
	<i>Lonicerae flos,</i>	Paeonia anomala
	<i>Scrophulariae</i>	subsp. veitchii
	<i>radix, Arctii</i>	(Lynch) D.Y.Hong &
	<i>fructus, Cicadidae</i>	K.Y.Pan
	<i>periostracum,</i>	[Paeoniaceae],
	<i>Dictamni radicis</i>	Angelica sinensis
	<i>cortex, Isatidis</i>	(Oliv.) Diels
	<i>folium, Carthami</i>	[Apiaceae], Sophora
	<i>flos,</i>	flavescens Aiton
	<i>Saposhnikoviae</i>	[Fabaceae], Lonicera
	<i>radix</i>	japonica Thunb.
		[Caprifoliaceae],
		Scrophularia
		ningpoensis Hemsl.
		[Scrophulariaceae],
		Arctium lappa L.
		[Asteraceae],
		Cryptotympana
		dubia (Haupt)
		[Cicadidae],
		Dictamnus
		dasycarpus Turcz.

			[Rutaceae], <i>Isatis tinctoria</i> subsp. <i>tinctoria</i> [Brassicaceae], <i>Carthamus tinctorius</i> L. [Asteraceae], <i>Saposhnikovia divaricata</i> (Turcz. ex Ledeb.) Schischk. [Apiaceae]				
Han (2017b)	Compound Qingdai capsule	Shaanxi Tianning Pharmaceuti- cal Co., Ltd.	<i>Indigo pulverata</i> <i>levis, Mume</i> <i>fructus, Taraxaci</i> <i>herba,</i> <i>Lithospermi</i> <i>Commercialis</i> <i>radix, Angelicae</i> <i>dahuricae radix,</i> <i>Salviae</i> <i>miltiorrhizae</i> <i>Radix, Dictamni</i> <i>radicis cortex,</i> <i>Massa medicata</i> <i>fermentata,</i> <i>Dryopteridis</i> <i>crassirhizomatis</i> <i>rhizoma, Smilax</i> <i>glabrae rhizoma,</i>	Persicaria tinctoria (Aiton) Spach [Polygonaceae], Prunus mume (Siebold) Siebold & Zucc. [Rosaceae], Taraxacum mongolicum Hand.- Mazz. [Asteraceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Angelica dahurica (Hoffm.) Benth. & Hook.f. ex Franch. & Sav. [Apiaceae],	Capsule	N	N

			<i>Portulaca herba,</i>	Salvia miltiorrhiza
			<i>Dioscorea</i>	Bunge [Lamiaceae],
			<i>hypoglaucā,</i>	Dictamnus
			<i>Crataegi fructus,</i>	dasycarpus Turcz.
			<i>Schisandrae</i>	[Rutaceae], Massa
			<i>fructus</i>	Medicata Fermentata, Dryopteris crassirhizoma Nakai [Polypodiaceae], Smilax glabra Roxb. [Smilacaceae], Portulaca oleracea L. [Portulacaceae], Dioscorea collettii var. <i>hypoglaucā</i> (Palib.) S.J.Pei & C.T.Ting [Dioscoreaceae], Crataegus pinnatifida var. <i>pinnatifida</i> [Rosaceae], Schisandra chinensis (Turcz.) Baill. [Schisandraceae]
Li (2017)	Qingrejiedu decoction	Prepared by Researcher	<i>Smilax glabrae</i> <i>rhizoma,</i> <i>Rehmanniae radix</i>	Smilax glabra Roxb. [Smilacaceae], Rehmannia glutinosa
				Decoction N N

S	<i>recens</i> ,	(Gaertn.) DC.
	<i>Scrophulariae</i>	[Orobanchaceae](Reh
	<i>radix, Isatidis</i>	manniae Radix
	<i>folium, Isatidis</i>	Recens), Scrophularia
	<i>radix, Scutellariae</i>	ningpoensis Hemsl.
	<i>radix, Lonicerae</i>	[Scrophulariaceae],
	<i>flos, Forsythiae</i>	<i>Isatis tinctoria</i> subsp.
	<i>fructus,</i>	<i>tinctoria</i>
	<i>Carthami flos,</i>	[Brassicaceae], <i>Isatis</i>
	<i>Sophorae flos,</i>	<i>tinctoria</i> subsp.
	<i>Moutan radicis</i>	<i>tinctoria</i>
	<i>cortex, Angelicae</i>	[Brassicaceae](<i>Isatidis</i>
	<i>sinensis radix,</i>	<i>Radix), Scutellaria</i>
	<i>Liriopis seu</i>	<i>baicalensis</i> Georgi
	<i>ophiopogonis</i>	[Lamiaceae], <i>Lonicera</i>
	<i>tuber,</i>	<i>japonica</i> Thunb.
	<i>Glycyrrhizae</i>	[Caprifoliaceae],
	<i>radix et rhizoma</i>	<i>Forsythia suspensa</i>
		(Thunb.) Vahl
		[Oleaceae],
		<i>Carthamus tinctorius</i>
		L. [Asteraceae],
		<i>Styphnolobium</i>
		<i>japonicum</i> (L.) Schott
		[Fabaceae], <i>Paeonia ×</i>
		<i>suffruticosa</i> Andrews
		[Paeoniaceae],

				Angelica sinensis (Oliv.) Diels [Apiaceae], Ophiopogon japonicus (Thunb.) Ker Gawl. [Asparagaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]		
Liu (2017)	Yinxie capsule	Commercial supplier Xinjiang Wei-A-Tang Pharmaceutical Co., Ltd.	Smilax glabrae <i>rhizoma, Smilacis chiniae rhizoma</i>	Smilax glabra Roxb. [Smilacaceae], Smilax china L. [Smilacaceae]	Capsule	N N
Luo (2017)	Compound glycyrrhizin	Commercial supplier Henan Xin Shuaike Pharmaceutical Co., LTD.	Glycyrrhizae <i>radix et rhizoma</i>	Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Tablet	N N
Pang (2017)	Compound Qingdai	Commercial supplier	<i>Indigo pulverata levis, Mume</i>	Persicaria tinctoria (Aiton) Spach	Capsule	N N

capsule	Shaanxi Pharmaceu tical Holdings Group Tianning Pharmaceu tical LTD.	<i>fructus, Taraxaci</i> <i>herba,</i> <i>Lithospermi</i> <i>radix, Angelicae</i> <i>dahuricae radix,</i> <i>Salviae</i> <i>miltorrhizae</i> <i>radix, Dictamni</i> <i>radicis cortex,</i> <i>Massa medicata</i> <i>fermentata,</i> <i>Dryopteridis</i> <i>crassirhizomatis</i> <i>rhizoma, Smilax</i> <i>glabrae rhizoma,</i> <i>Portulacae herba,</i> <i>Dioscorea</i> <i>hypoglauca,</i> <i>Crataegi fructus,</i> <i>Schisandrae</i> <i>fructus</i>	[Polygonaceae], Prunus mume (Siebold) Siebold & Zucc. [Rosaceae], Taraxacum mongolicum Hand.- Mazz. [Asteraceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Angelica dahurica (Hoffm.) Benth. & Hook.f. ex Franch. & Sav. [Apiaceae], Salvia miltorrhiza Bunge [Lamiaceae], Dictamnus dasycarpus Turcz. [Rutaceae], Massa Medicata Fermentata, Dryopteris crassirhizoma Nakai [Polypodiaceae], Smilax glabra Roxb. [Smilacaceae], Portulaca oleracea L.
---------	--	--	--

			[Portulacaceae], Dioscorea collettii var. hypoglauca (Palib.) S.J.Pei & C.T.Ting [Dioscoreaceae], Crataegus pinnatifida var. pinnatifida [Rosaceae], Schisandra chinensis (Turcz.) Baill. [Schisandraceae]
Shi (2017)	Liangxueiao feng decoction	Prepared by Researcher s	<p><i>Rehmanniae radix</i> Rehmannia glutinosa <i>recens, Paeonia</i> (Gaertn.) DC. <i>lactiflora,</i> [Orobanchaceae](Reh <i>Scrophulariae</i> manniae Radix <i>radix,</i> Recens), <i>Paeonia</i> <i>Anemarrhenae</i> lactiflora Pall. <i>rhizoma, Gypsum</i> [Paeoniaceae](Paeoni <i>fibrosum,</i> a lactiflora Alba), Decoction N <i>Imperatae</i> Scrophularia <i>rhizoma,</i> ningpoensis Hemsl. <i>Saposhnikoviae</i> [Scrophulariaceae], <i>radix,</i> Anemarrhena <i>Schizonepetae</i> asphodeloides Bunge <i>spica, Cimicifugae</i> [Asparagaceae], <i>rhizoma,</i> Gypsum Fibrosum,</p>

			<i>Glycyrrhizae</i> <i>radix et rhizoma ,</i>	Imperata cylindrica (L.) Raeusch.
			<i>Arctii fructus,</i>	[Poaceae],
			<i>Lonicerae flos</i>	Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk.
				[Apiaceae], Nepeta tenuifolia Benth.
				[Lamiaceae], Actaea heracleifolia (Kom.) J.Compton
				[Ranunculaceae], Glycyrrhiza uralensis Fisch. ex DC.
				[Fabaceae] . Arctium lappa L. [Asteraceae],
				Lonicera japonica Thunb. [Caprifoliaceae]
			<i>Smilax glabrae</i> <i>rhizoma,</i>	Smilax glabra Roxb. [Smilacaceae],
		Prepared	<i>Sophorae flos,</i>	Styphnolobium
Song (2017)	Yangxuetongl uo decoction	by Researcher	<i>Angelicae</i> <i>sinensis radix,</i>	japonicum (L.) Schott [Fabaceae], Angelica
		s	<i>Spatholobi caulis,</i>	sinensis (Oliv.) Diels
			<i>Saposhnikoviae</i> <i>radix,</i>	[Apiaceae], Spatholobus
				Decoction N N

			<i>Rehmanniae radix</i> <i>recens, Liriopis</i> <i>seu ophiopogonis</i> <i>tuber</i>	suberectus Dunn [Fabaceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Ophiopogon japonicus (Thunb.) Ker Gawl. [Asparagaceae]		
Wang (2017)	Yinxie capsule	Commercial supplier Xinjiang Wei-A- Tang Pharmaceu tical Co., Ltd.	<i>Smilax glabrae</i> <i>rhizoma, Smilacis</i> <i>chinae rhizoma</i>	Smilax glabra Roxb. [Smilacaceae], Smilax china L. [Smilacaceae]	Capsule	N
Wu (2017)	Shentongzhu yu decoction	Prepared by Researcher s	<i>Persicae semen,</i> <i>Carthami flos ,</i> <i>Cnidii rhizoma,</i> <i>Gentianae</i> <i>macrophyllae</i>	Prunus persica (L.) Batsch [Rosaceae], Carthamus tinctorius L. [Asteraceae], Conioselinum	Decoction	N

<i>radix, Osterici</i>	anthriscoides
<i>seu notopterygii</i>	'Chuanxiong'
<i>radix et rhizoma,</i>	[Apiaceae], Gentiana
<i>Achyranthis</i>	macrophylla Pall.
<i>radix, Lumbricus,</i>	[Gentianaceae],
<i>Angelicae</i>	Hansenia
<i>sinensis radix,</i>	weberbaueriana
<i>Commiphora</i>	(Fedde ex H.Wolff)
<i>myrrha,</i>	Pimenov & Kljuykov
<i>Trogopteronorum</i>	[Apiaceae],
<i>faeces, Cyperi</i>	Achyranthes
<i>rhizoma,</i>	bidentata Blume
<i>Glycyrrhizae</i>	[Amaranthaceae],
<i>radix et rhizoma</i>	Pericaeta
	communisma Gate et
	Hatai [Lumbricidae],
	Angelica sinensis
	(Oliv.) Diels
	[Apiaceae],
	Commiphora myrrha
	(T.Nees) Engl.
	[Burseraceae],
	Trogopteronorum
	Faeces, Cyperus
	rotundus L.
	[Cyperaceae],
	Glycyrrhiza uralensis

		Fisch. ex DC. [Fabaceae]			
Yang (2017)	Xiaoyin granule	<p><i>Rehmanniae radix</i> <i>recens</i>, <i>Moutan</i> <i>radicis cortex</i>, <i>Paeoniae radix</i> <i>rubra</i>, <i>Angelicae</i> <i>sinensis radix</i>, <i>Sophorae radix</i>, <i>Lonicerae flos</i>, <i>Scrophulariae</i> <i>radix</i>, <i>Arctii</i> <i>fructus</i>, <i>Cicadidae</i> <i>periostracum</i>, <i>Dictamni radicis</i> <i>cortex</i>, <i>Isatidis</i> <i>folium</i>, <i>Carthami</i> <i>flos</i>, <i>Saposhnikoviae</i> <i>radix</i></p>	<p><i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Reh</i> <i>manniae Radix</i> <i>Recens</i>), <i>Paeonia</i> × <i>suffruticosa</i> Andrews [Paeoniaceae], <i>Paeonia anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], <i>Angelica sinensis</i> Granule N N (Oliv.) Diels [Apiaceae], <i>Sophora</i> <i>flavescens</i> Aiton [Fabaceae], <i>Lonicera</i> <i>japonica</i> Thunb. [Caprifoliaceae], <i>Scrophularia</i> <i>ningpoensis</i> Hemsl. [Scrophulariaceae], <i>Arctium lappa</i> L. [Asteraceae], <i>Cryptotympana</i></p>		

			dubia (Haupt) [Cicadidae], Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Carthamus tinctorius L. [Asteraceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]
Zeng (2017)	Compound glycyrrhizin	Commercial supplier Beijing Kain Technology Co., Ltd.	Glycyrrhiza radix et rhizoma Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]
Zhang (2017a)	Taohongersh ao decoction	Prepared by Researcher s	Persicae semen, Carthami flos, Paeoniae radix rubra, Paeonia lactiflora, Sparganii rhizoma, Prunus persica (L.) Batsch [Rosaceae], Carthamus tinctorius L. [Asteraceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong &

<i>Curcumae</i>	K.Y.Pan
<i>rhizoma, Salviae</i>	[Paeoniaceae],
<i>miltiorrhizae</i>	Paeonia lactiflora
<i>radix, Cnidii</i>	Pall.
<i>rhizoma,</i>	[Paeoniaceae](Paeoni
<i>Euonymi ramuli</i>	a lactiflora Alba),
<i>suberalatum, Rhei</i>	Sparganium
<i>radix et rhizoma,</i>	stoloniferum (Buch.-
<i>Spatholobi caulis,</i>	Ham. ex Graebn.)
<i>Rehmanniae radix</i>	Buch.-Ham. ex Juz.
<i>recens, Sophorae</i>	[Typhaceae],
<i>flos, Glycyrrhizae</i>	Curcuma phaeocaulis
<i>radix et rhizoma</i>	Valeton
	[Zingiberaceae],
	Salvia miltiorrhiza
	Bunge [Lamiaceae],
	Conioselinum
	anthriscoides
	'Chuanxiong'
	[Apiaceae],
	Euonymus alatus
	(Thunb.) Siebold
	[Celastraceae],
	Rheum officinale
	Baill. [Polygonaceae],
	Spatholobus
	suberectus Dunn

			[Fabaceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Styphnolobium japonicum (L.) Schott [Fabaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]
Zhang (2017b)	Taohongersh ao decoction	Prepared by Researcher s	<i>Persicae semen,</i> Prunus persica (L.) <i>Carthami flos,</i> Batsch [Rosaceae], <i>Paeoniae radix</i> Carthamus tinctorius <i>rubra, Paeonia</i> L. [Asteraceae], <i>lactiflora,</i> Paeonia anomala <i>Sparganii</i> subsp. veitchii <i>rhizoma,</i> (Lynch) D.Y.Hong & <i>Curcumae</i> K.Y.Pan Decoction N N <i>rhizoma, Salviae</i> [Paeoniaceae], <i>miltiorrhizae</i> Paeonia lactiflora <i>radix, Cnidii</i> Pall. <i>rhizoma,</i> [Paeoniaceae](Paeoni <i>Euonymi ramuli</i> a lactiflora Alba), <i>suberalatum, Rhei</i> Sparganium <i>radix et rhizoma,</i> stoloniferum (Buch.-

<i>Spatholobi caulis,</i>	Ham. ex Graebn.)
<i>Rehmanniae radix</i>	Buch.-Ham. ex Juz.
<i>recens, Sophorae</i>	[Typhaceae],
<i>flos, Glycyrrhizae</i>	<i>Curcuma phaeocaulis</i>
<i>radix et rhizoma</i>	Valeton [Zingiberaceae], <i>Salvia miltorrhiza</i> Bunge [Lamiaceae], <i>Conioselinum</i> anthriscoides 'Chuanxiong' [Apiaceae], <i>Euonymus alatus</i> (Thunb.) Siebold [Celastraceae], <i>Rheum officinale</i> Baill. [Polygonaceae], <i>Spatholobus</i> suberectus Dunn [Fabaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), <i>Styphnolobium</i> <i>japonicum</i> (L.) Schott

Zhang (2017c)	Taohongersh ao decoction	Prepared by Researcher s	[Fabaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae] <i>Persicae semen,</i> <i>Carthami flos,</i> <i>Paeoniae radix</i> <i>rubra, Paeonia</i> <i>lactiflora,</i> <i>Sparganii</i> <i>rhizoma,</i> <i>Curcumae</i> <i>rhizoma, Salviae</i> <i>miltorrhizae</i> <i>radix, Cnidii</i> <i>rhizoma,</i> <i>Euonymi ramuli</i> <i>suberalatum, Rhei</i> <i>radix et rhizoma,</i> <i>Spatholobi caulis,</i> <i>Rehmanniae radix</i> <i>recens, Sophorae</i> <i>flos, Glycyrrhizae</i> <i>radix et rhizoma</i>	Prunus persica (L.) Batsch [Rosaceae], <i>Carthamus tinctorius</i> L. [Asteraceae], <i>Paeonia anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], <i>Paeonia lactiflora</i> Pall. [Paeoniaceae](<i>Paeoni</i> a <i>lactiflora Alba</i>), <i>Sparganium</i> <i>stoloniferum</i> (Buch.- Ham. ex Graebn.) Buch.-Ham. ex Juz. [Typhaceae], <i>Curcuma phaeocaulis</i> Valeton [Zingiberaceae], <i>Salvia miltorrhiza</i> Bunge [Lamiaceae],	Decoction	N	N
------------------	-----------------------------	-----------------------------------	--	--	-----------	---	---

				Conioselinum anthriscoides 'Chuanxiong' [Apiaceae], <i>Euonymus alatus</i> (Thunb.) Siebold [Celastraceae], <i>Rheum officinale</i> Baill. [Polygonaceae], <i>Spatholobus</i> <i>suberectus</i> Dunn [Fabaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Reh manniae Radix</i> Recens), <i>Styphnolobium</i> <i>japonicum</i> (L.) Schott [Fabaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]	
Zhang (2017d)	Liangxuexiao feng	Prepared by Researcher s	<i>Rehmanniae radix</i> <i>recens, Gypsum</i> <i>fibrosum,</i> <i>Bubalus bubalis,</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](<i>Reh manniae Radix</i> Granule N N	

<i>Scrophulariae</i>	Recens), Gypsum
<i>radix, Imperatae</i>	Fibrosum, Bubalus
<i>rhizoma, Paeonia</i>	bubalis Linné
<i>lactiflora,</i>	[Bovidae],
<i>Anemarrhenae</i>	Scrophularia
<i>rhizoma,</i>	ningpoensis Hemsl.
<i>Lonicerae flos,</i>	[Scrophulariaceae],
<i>Arctii fructus,</i>	Imperata cylindrica
<i>Schizonepetae</i>	(L.) Raeusch.
<i>spica,</i>	[Poaceae], Paeonia
<i>Saposhnikoviae</i>	lactiflora Pall.
<i>radix</i>	[Paeoniaceae](Paeoni a lactiflora Alba),
	Anemarrhena
	asphodeloides Bunge
	[Asparagaceae],
	Lonicera japonica
	Thunb.
	[Caprifoliaceae],
	Arctium lappa L.
	[Asteraceae], Nepeta
	tenuifolia Benth.
	[Lamiaceae],
	Saposhnikovia
	divaricata (Turcz. ex
	Lebed.) Schischk.
	[Apiaceae]

Zhang (2017e)	Taohongersh ao decoction	Prepared by Researcher s	<i>Persicae semen,</i> <i>Carthami flos,</i> <i>Paeoniae radix</i> <i>rubra, Paeonia</i> <i>lactiflora,</i> <i>Sparganii</i> <i>rhizoma,</i> <i>Curcumae</i> <i>rhizoma, Salviae</i> <i>miltorrhizae</i> <i>radix, Cnidii</i> <i>rhizoma,</i> <i>Euonymi ramuli</i> <i>suberalatum, Rhei</i> <i>radix et rhizoma,</i> <i>Spatholobi caulis,</i> <i>Rehmanniae radix</i> <i>recens, Sophorae</i> <i>flos, Glycyrrhizae</i> <i>radix et rhizoma</i>	Prunus persica (L.) Batsch [Rosaceae], Carthamus tinctorius L. [Asteraceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Paeonia lactiflora Pall. [Paeoniaceae](Paeoni a lactiflora Alba), Sparganium stoloniferum (Buch.- Ham. ex Graebn.) Buch.-Ham. ex Juz. [Typhaceae], Curcuma phaeocaulis Valeton [Zingiberaceae], Salvia miltorrhiza Bunge [Lamiaceae], Conioselinum anthriscoides 'Chuanxiong' [Apiaceae],	Decoction	N	N
------------------	-----------------------------	-----------------------------------	--	--	-----------	---	---

Zhao (2017)	Yinxie capsule	Commercial supplier Xinjiang Wei-A-Tang Pharmaceutical Co., Ltd.	<i>Euonymus alatus</i> (Thunb.) Siebold [Celastraceae], <i>Rheum officinale</i> Baill. [Polygonaceae], <i>Spatholobus suberectus</i> Dunn [Fabaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Rehmanniae Radix Recens</i>), <i>Styphnolobium japonicum</i> (L.) Schott [Fabaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]	<i>Smilax glabra</i> Roxb. [Smilacaceae], <i>Smilax china</i> L. [Smilacaceae]	Capsule	N N

Chai (2018)	Xiaoyin decoction	Prepared by Researcher s	<i>Salvia miltiorrhiza</i> Bunge [Lamiaceae], <i>Spatholobus</i> <i>suberectus Dunn</i> [Fabaceae], <i>Salviae</i> <i>miltiorrhizae</i> <i>japonicum</i> (L.) Schott <i>radix, Spatholobi</i> [Fabaceae], <i>Arnebia</i> <i>caulis, Sophorae</i> <i>euchroma</i> (Royle ex <i>flos, Lithospermi</i> <i>Benth.</i>) I.M.Johnst. <i>radix,</i> [Boraginaceae], <i>Rehmanniae radix</i> <i>Rehmannia glutinosa</i> <i>recens,</i> (Gaertn.) DC. <i>Rehmanniae radix</i> [Orobanchaceae](<i>Reh manniae Radix</i> <i>preparata,</i> <i>Imperatae</i> <i>Recens</i>), <i>Rehmannia</i> <i>rhizoma, Moutan</i> <i>glutinosa</i> (Gaertn.) <i>radicis cortex,</i> DC. <i>Angelicae</i> [Orobanchaceae](<i>Reh sinensis radix,</i> <i>manniae Radix</i> <i>Glycyrrhizae</i> <i>Preparata</i>), <i>Imperata</i> <i>radix et rhizoma</i> <i>cylindrica</i> (L.) Raeusch. [Poaceae], <i>Paeonia × suffruticosa</i> Andrews [Paeoniaceae], <i>Angelica sinensis</i>	Decoction	N	N
----------------	----------------------	-----------------------------------	--	-----------	---	---

			(Oliv.) Diels [Apiaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]
Li (2018)	Yinxie capsule	Commercial supplier Shaanxi Dongtai Manufacturing Pharmaceutical Co., Ltd.	<i>Smilax glabrae</i> [Smilacaceae], <i>Smilacis chiniae rhizoma</i> [Smilacaceae] <i>Scutellariae barbatae herba,</i> D.Don [Lamiaceae], <i>Lithospermii radix, Taraxaci herba,</i> (Royle ex Benth.) I.M.Johnst. <i>Chrysanthmi flos, Violae herba,</i> [Boraginaceae], <i>Dioscorea hypoglauca,</i> Taraxacum mongolicum Hand.-Mazz. [Asteraceae], <i>Schizonepetae spica,</i> <i>Saposhnikoviae radix, Cicadidae</i> <i>Chrysanthemum × morifolium</i> (Ramat.) Hemsl. [Asteraceae], <i>Viola mandshurica</i>
Liu (2018)	Banzhilian decoction	Prepared by Researchers	Capsule N N Decoction N N

			<i>periostracum,</i> <i>Cnidi fructus,</i> <i>Dictamni radicis</i> <i>cortex, Kochiae</i> <i>fructus</i>	W.Becker [Violaceae], Dioscorea collettii var. hypoglauca (Palib.) S.J.Pei & C.T.Ting [Dioscoreaceae], Nepeta tenuifolia Benth. [Lamiaceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Cryptotympana dubia (Haupt) [Cicadidae], Cnidium monnierii (L.) Cusson [Apiaceae], Dictamnus dasycarpus Turcz. [Rutaceae], Bassia scoparia (L.) A.J.Scott [Amaranthaceae]		
Luo (2018)	Zicaohuoxue decoction	Prepared by Researcher s	<i>Lithospermii</i> <i>radix, Pinelliae</i> <i>tuber, Coptis</i> <i>chinensis,</i> <i>Eupolyphaga,</i>	Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Pinellia ternata	Decoction	N N

<i>Cicadidae</i>	(Thunb.) Makino
<i>periostracum,</i>	[Araceae], Coptis
<i>Moutan radicis</i>	chinensis Franch.
<i>cortex, Indigo</i>	[Ranunculaceae],
<i>Pulverata levis</i>	Eupolyphaga sinensis
<i>citri</i>	Walker [Blattidae],
<i>Unshius</i>	Cryptotympana
<i>pericarpium,</i>	dubia (Haupt)
<i>Magnoliae cortex,</i>	[Cicadidae], Paeonia
<i>Kochiae fructus,</i>	× suffruticosa
<i>Dictamni radicis</i>	Andrews
<i>cortex, Angelicae</i>	[Paeoniaceae],
<i>sinensis radix,</i>	Persicaria tinctoria
<i>Lumbricus</i>	(Aiton) Spach
	[Polygonaceae],
	Citrus × aurantium f.
	deliciosa (Ten.)
	M.Hiroe [Rutaceae],
	Magnolia officinalis
	Rehder & E.H.Wilson
	[Magnoliaceae],
	Bassia scoparia (L.)
	A.J.Scott
	[Amaranthaceae],
	Dictamnus
	dasycarpus Turcz.
	[Rutaceae], Angelica

Ma (2018a)	Xiaoyin granule	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	<i>Rehmanniae radix recens, Moutan radicis cortex, Paeoniae radix rubra, Angelicae sinensis radix, Sophorae radix, Lonicerae flos, Scrophulariae radix, Arctii fructus, Cicadidae periostracum, Dictamni radicis cortex, Isatidis folium, Carthami flos, Saposhnikoviae radix</i>	sinensis (Oliv.) Diels [Apiaceae], Pericaeta communisma Gate et Hatai [Lumbricidae] Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Paeonia × suffruticosa Andrews [Paeoniaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Sophora flavescens Aiton [Fabaceae], Lonicera japonica Thunb. [Caprifoliaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Arctium lappa L.	Granule	N	N
---------------	--------------------	---	---	---	---------	---	---

			[Asteraceae], Cryptotympana dubia (Haupt) [Cicadidae], Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Carthamus tinctorius L. [Asteraceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]				
Ma (2018b)	Qingrequshi decoction	Prepared by Researcher s	<i>Sophorae flos,</i> <i>Atractylodis</i> <i>rhizoma lba,</i> <i>Smilax glabrae</i> <i>rhizoma,</i> <i>Angelicae</i> <i>sinensis radix,</i> <i>Stephania</i> <i>tetrandra, Isatidis</i> <i>folium, Gentianae</i> <i>macrophyllae</i>	<i>Styphnolobium</i> <i>japonicum (L.) Schott</i> <i>[Fabaceae],</i> <i>Atractylodes lancea</i> <i>(Thunb.) DC.</i> <i>[Asteraceae], Smilax</i> <i>glabra Roxb.</i> <i>[Smilacaceae],</i> <i>Angelica sinensis</i> <i>(Oliv.) Diels</i> <i>[Apiaceae], Stephania</i>	Decoction	N	N

		<i>radix, Scutellariae</i>	tetrandra S.Moore				
		<i>barbatae herba,</i>	[Menispermaceae],				
		<i>Glycyrrhizae</i>	<i>Isatis tinctoria</i> subsp.				
		<i>radix et rhizoma</i>	<i>tinctoria</i> [Brassicaceae], <i>Gentiana</i> <i>macrophylla</i> Pall. [Gentianaceae], <i>Scutellaria barbata</i> D.Don [Lamiaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]				
Xiao (2018)	Xiaoyin decoction	Prepared by Researcher s	<i>Rehmanniae radix</i> <i>recens, Smilax</i> <i>glabrae rhizoma,</i> <i>Lonicerae flos,</i> <i>Mume fructus,</i> <i>Lithospermi</i> <i>radix, Zaocys,</i> <i>Imperatae</i> <i>rhizoma,</i> <i>Spatholobi caulis,</i> <i>Ecliptae herba,</i> <i>Sophorae</i> <i>tonkinensis radix</i> <i>et rhizoma,</i>	<i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Reh manniae Radix</i> Recens), <i>Smilax</i> <i>glabra</i> Roxb. [Smilacaceae], <i>Lonicera japonica</i> Thunb. [Caprifoliaceae], <i>Prunus mume</i> (Siebold) Siebold & Zucc. [Rosaceae], <i>Arnebia euchroma</i>	Decoction	N	N

				<i>Sophorae flos,</i> <i>Sophorae radix,</i> <i>Glycyrrhizae</i> <i>radix et rhizoma</i>	(Royle ex Benth.) I.M.Johnst. [Boraginaceae], Zaocys dhumnades Cantor [Colubridae], Imperata cylindrica (L.) Raeusch. [Poaceae], Spatholobus suberectus Dunn [Fabaceae], Eclipta prostrata (L.) L. [Asteraceae], Sophora tonkinensis Gagnep. [Fabaceae], Styphnolobium japonicum (L.) Schott [Fabaceae], Sophora flavescens Aiton [Fabaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]			
Xie (2018)	Qingying decoction	Commercial supplier Guangdong Yifang	Commerci al supplier Guangdon g Yifang	<i>Bubalus bubalis,</i> <i>Rehmanniae radix</i> <i>recens, Lonicerae</i> <i>flos, Forsythiae</i>	Bubalus bubalis Linné [Bovidae], Rehmannia glutinosa (Gaertn.) DC.	Granule	N	N

Pharmaceu	<i>fructus,</i>	[Orobanchaceae](Reh
tical	<i>Scrophulariae</i>	manniae Radix
Ltd.	<i>radix, Salviae</i>	Recens), Lonicera
	<i>miltiorrhizae</i>	japonica Thunb.
	<i>radix, Liriopis seu</i>	[Caprifoliaceae],
	<i>ophiopogonis</i>	Forsythia suspensa
	<i>tuber, Moutan</i>	(Thunb.) Vahl
	<i>radicis cortex,</i>	[Oleaceae],
	<i>Dictamni radicis</i>	Scrophularia
	<i>cortex, Astragali</i>	ningpoensis Hemsl.
	<i>radix, Ganoderma</i>	[Scrophulariaceae]m,
	<i>lucidum,</i>	Salvia miltiorrhiza
	<i>Glycyrrhizae</i>	Bunge [Lamiaceae],
	<i>radix et rhizoma</i>	Ophiopogon
		japonicus (Thunb.)
		Ker Gawl.
		[Asparagaceae],
		Paeonia × suffruticosa
		Andrews
		[Paeoniaceae],
		Dictamnus
		dasycarpus Turcz.
		[Rutaceae],
		Astragalus
		mongolicus Bunge
		[Fabaceae],
		Ganoderma lucidum

			Karsten [Polyporaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]			
Zhang (2018a)	Compound glycyrrhizin	Commercial supplier Minophagen Pharmaceutical Co., Ltd.	<i>Glycyrrhizae radix et rhizoma</i>	Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Tablet	N
Zhang (2018b)	Xiaoyin granule	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	<i>Rehmanniae radix recens, Moutan radicis cortex, Paeoniae radix rubra, Angelicae sinensis radix, Sophorae radix, Lonicerae flos, Scrophulariae radix, Arctii fructus, Cicadidae periostracum, Dictamni radicis cortex, Isatidis folium, Carthami</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Rehmanniae Radix Recens), Paeonia × suffruticosa Andrews [Paeoniaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Sophora	Granule	N

			<i>flos,</i> <i>Saposhnikoviae</i> <i>radix</i>	flavescens Aiton [Fabaceae], Lonicera japonica Thunb. [Caprifoliaceae], Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Arctium lappa L. [Asteraceae], Cryptotympana dubia (Haupt) [Cicadidae], Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Carthamus tinctorius L. [Asteraceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]			
Zhou (2018)	Keyin pills	Commercial supplier Jilin	Smilax glabrae <i>rhizoma,</i> <i>Menispermum</i>	Smilax glabra Roxb. [Smilacaceae], Menispermum	Pill	N	N

	Tiantai Pharmaceu tical Co., Ltd.	<i>dauricum,</i> <i>Dictamni radicis</i> <i>cortex,</i> <i>Polygonum</i> <i>bistorta</i>	dauricum DC. [Menispermaceae], Dictamnus dasycarpus Turcz. [Rutaceae], Bistorta officinalis Delarbre [Polygonaceae]			
Chen (2019)	Compound glycyrrhizin	Commercial supplier Lepu Pharmaceutical Co., Ltd.	<i>Glycyrrhizae</i> <i>radix et rhizoma</i>	Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Tablet	N N
Ge (2019)	Compound glycyrrhizin	Commercial supplier Ruiyang Pharmaceutical Co., Ltd.	<i>Glycyrrhizae</i> <i>radix et rhizoma</i>	Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Capsule	N N
Han (2019)	Qinzhuliangx ue feng	Prepared by Researcher s	<i>Scutellariae radix,</i> <i>Ecliptae herba,</i> <i>Rehmanniae radix</i> <i>recens,</i> <i>Scrophulariae</i> <i>radix,</i> <i>Saposhnikoviae</i> <i>radix,</i>	Scutellaria baicalensis Georgi [Lamiaceae], Eclipta prostrata (L.) L. [Asteraceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix	Decoction	N N

<i>Lithospermi</i>	Recens), Scrophularia
<i>radix,</i>	ningpoensis Hemsl.
<i>Glycyrrhizae</i>	[Scrophulariaceae],
<i>radix et rhizoma,</i>	Saposhnikovia
<i>Cynanchi</i>	divaricata (Turcz. ex
<i>paniculati radix</i>	Ledeb.) Schischk.
<i>et rhizoma,</i>	[Apiaceae], Arnebia
<i>Paeoniae radix</i>	euchroma (Royle ex
<i>rubra, Moutan</i>	Benth.) I.M.Johnst.
<i>radicis cortex,</i>	[Boraginaceae],
<i>Lonicerae flos,</i>	Glycyrrhiza uralensis
<i>Margaritifera</i>	Fisch. ex DC.
<i>concha</i>	[Fabaceae], Vincetoxicum mukdenense Kitag. [Apocynaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Paeonia × suffruticosa Andrews [Paeoniaceae], Lonicera japonica Thunb. [Caprifoliaceae],

Hu (2019)	Liangxiao bi decoction	Prepared by Researcher s	Pinctada imbricata Röding [Pteriidae]		
			Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix		
			<i>Rehmanniae radix</i> Recens), Rehmannia <i>recens</i> , glutinosa (Gaertn.)		
			<i>Rehmanniae radix</i> DC. <i>preparata</i> , [Orobanchaceae](Reh <i>Bubalus bubalis</i> , manniae Radix		
			<i>Sophorae flos</i> , Preparata), Bubalus <i>Scrophulariae</i> bubalis Linné		
			<i>radix</i> , <i>Duchesnea</i> [Bovidae], <i>indica</i> , <i>Styphnolobium</i> Decoction N N		
			<i>Scutellariae</i> japonicum (L.) Schott		
			<i>barbatae herba</i> , [Fabaceae],		
			<i>Moutan radicis</i> Scrophularia		
			<i>cortex</i> , <i>Paeoniae</i> ningpoensis Hemsl.		
			<i>radix rubra</i> , [Scrophulariaceae],		
			<i>Imperatae</i> <i>Duchesnea indica</i> ,		
			<i>rhizoma</i> , <i>Scutellaria barbata</i>		
			<i>Hedyotidis herba</i> D.Don [Lamiaceae],		
			Paeonia × suffruticosa		
			Andrews		
			[Paeoniaceae],		
			Paeonia anomala		

				Reynoutria multiflora (Thunb.) Moldenke [Polygonaceae], Tribulus terrestris L. [Zygophyllaceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Nepeta tenuifolia Benth. [Lamiaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	
Xun (2019)	Yinxie capsule	Commercial supplier Xinjiang Wei-A-Tang Pharmaceutical Co., Ltd.	<i>Smilax glabrae</i> <i>rhizoma, Smilacis chiniae rhizoma</i>	Smilax glabra Roxb. [Smilacaceae], Smilax china L. [Smilacaceae]	Capsule N N
Yang (2019)	Compound Qingdai capsule	Commercial supplier Shaanxi Pharmaceutical	<i>Indigo pulverata</i> <i>levis, Mume</i> <i>fructus, Taraxaci</i> <i>herba,</i> <i>Lithospermi</i>	Persicaria tinctoria (Aiton) Spach [Polygonaceae], Prunus mume (Siebold) Siebold &	Capsule N N

Holdings	<i>radix, Angelicae</i>	Zucc. [Rosaceae],
Group	<i>dahuricae radix,</i>	Taraxacum
Tianning	<i>Salviae</i>	<i>mongolicum</i> Hand.-
Pharmaceu	<i>miltiorrhizae</i>	Mazz. [Asteraceae],
tical Co.,	<i>radix, Dictamni</i>	<i>Arnebia euchroma</i>
LTD.	<i>radicis cortex,</i>	(Royle ex Benth.)
	<i>Massa medicata</i>	I.M.Johnst.
	<i>fermentata,</i>	[Boraginaceae],
	<i>Dryopteridis</i>	<i>Angelica dahurica</i>
	<i>crassirhizomatis</i>	(Hoffm.) Benth. &
	<i>rhizoma, Smilax</i>	Hook.f. ex Franch. &
	<i>glabrae rhizoma,</i>	Sav. [Apiaceae],
	<i>Portulacae herba,</i>	<i>Salvia miltiorrhiza</i>
	<i>Dioscorea</i>	Bunge [Lamiaceae],
	<i>hypoglauca,</i>	<i>Dictamnus</i>
	<i>Crataegi fructus,</i>	<i>dasycarpus</i> Turcz.
	<i>Schisandrae</i>	[Rutaceae], <i>Massa</i>
	<i>fructus</i>	<i>Medicata Fermentata,</i>
	<i>Dryopteris</i>	<i>crassirhizoma</i> Nakai
		[Polypodiaceae],
		<i>Smilax glabra</i> Roxb.
		[Smilacaceae],
		<i>Portulaca oleracea</i> L.
		[Portulacaceae],
		<i>Dioscorea collettii</i>
		var. <i>hypoglauca</i>

			(Palib.) S.J.Pei & C.T.Ting [Dioscoreaceae], <i>Crataegus pinnatifida</i> var. <i>pinnatifida</i> [Rosaceae], <i>Schisandra chinensis</i> (Turcz.) Baill. [Schisandraceae]	
			<i>Smilax glabrae</i> <i>rhizoma,</i> <i>Lonicerae folium</i> <i>et caulis, Isatidis</i> <i>radix, Paris</i> <i>polyphylla,</i> <i>Dictamni radicis</i>	<i>Smilax glabra</i> Roxb. [Smilacaceae], <i>Lonicera japonica</i> Thunb. [Caprifoliaceae], <i>Isatis tinctoria</i> subsp. <i>tinctoria</i>
		Prepared by Researcher	<i>cortex,</i> <i>Rehmanniae radix</i> <i>recens, Clematidis</i> <i>radix,</i> <i>Anemarrhenae</i> <i>rhizoma,</i> <i>Sophorae</i> <i>tonkinensis radix</i> <i>et rhizoma,</i> <i>Glycyrrhizae</i> <i>radix et rhizoma</i>	[Brassicaceae](<i>Isatidis</i> Radix), <i>Paris</i> <i>polyphylla,</i> <i>Dictamnus</i> <i>dasycarpus</i> Turcz. [Rutaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Reh</i> <i>manniae</i> Radix <i>Recens</i>), <i>Clematis</i>
Yao (2019)	Liangxuerun zao decoction	s		Decoction N N

			chinensis Osbeck [Ranunculaceae], Anemarrhena asphodeloides Bunge [Asparagaceae], Sophora tonkinensis Gagnep. [Fabaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	
Zhong (2019)	Piminxiao capsule	Commercial supplier	<i>Sophorae radix,</i> <i>Atractylodis rhizoma,</i> <i>Saposhnikoviae radix,</i> <i>Schizonepetae spica, Tribuli fructus, Dictamni radicis cortex,</i> <i>Cnidi fructus, Xanthii fructus, Scolopendra, Indigo pulverata levis, Taraxaci herba, Violae herba, Scutellariae radix,</i>	<i>Sophora flavescens Aiton</i> [Fabaceae], Atractylodes lancea (Thunb.) DC. [Asteraceae](Atractyl odis Rhizoma), Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Nepeta tenuifolia Benth. [Lamiaceae], Tribulus terrestris L. [Zygophyllaceae], Dictamnus dasycarpus Turcz. [Rutaceae], Cnidium
				Capsule N N

<i>Phellodendri</i>	monnierii (L.) Cusson
<i>cortex, Coptis</i>	[Apiaceae], Xanthium
<i>chinensis,</i>	strumarium L.
<i>Cicadidae</i>	[Asteraceae],
<i>periostracum,</i>	Scolopendra
<i>Rehmanniae radix</i>	subspinipes mutilans
<i>recens, Moutan</i>	Linné Koch
<i>radicis cortex,</i>	[Scolopendridae],
<i>Tamaricis</i>	Persicaria tinctoria
<i>cacumen,</i>	(Aiton) Spach
<i>Lithospermi</i>	[Polygonaceae],
<i>radix, Lycii</i>	Taraxacum
<i>radicis cortex</i>	mongolicum Hand.-
	Mazz. [Asteraceae],
	Viola mandshurica
	W.Becker [Violaceae],
	Scutellaria baicalensis
	Georgi [Lamiaceae],
	Phellodendron
	chinense
	C.K.Schneid.
	[Rutaceae], Coptis
	chinensis Franch.
	[Ranunculaceae],
	Cryptotympana
	dubia (Haupt)
	[Cicadidae],

				Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Paeonia × suffruticosa Andrews [Paeoniaceae], Tamarix chinensis Lour. [Tamaricaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Lycium barbarum L. [Solanaceae]	
Chen (2020)	Compound glycyrrhizin	Commercial supplier Ruiyang Pharmaceutical Co., Ltd.	Glycyrrhizae radix et rhizoma	Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Capsule N N
Hao (2020)	Liangxueiao bi Pill	Prepared by Researcher s	Rehmanniae radix <i>recens</i> , <i>Paeoniae</i> <i>radix rubra</i> , <i>Saposhnikoviae</i> <i>radix</i> , <i>Hedyotidis</i> <i>herba</i> ,	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), <i>Paeonia</i> <i>anomala</i> subsp.	Pill N N

				<i>Scutellariae</i> <i>rarbatae herba,</i> <i>Isatidis folium,</i> <i>Salviae</i> <i>miltiorrhizae</i> <i>radix, Astragali</i> <i>radix,</i> <i>Glycyrrhizae</i> <i>radix et rhizoma</i>	veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae], Scleromitrion diffusum (Willd.) R.J.Wang [Rubiaceae], Scutellaria barbata D.Don [Lamiaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Salvia miltiorrhiza Bunge [Lamiaceae], Astragalus mongholicus Bunge [Fabaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]		
Ji (2020)	Compound Qingdai capsule	Commercial supplier Shaanxi	<i>Indigo pulverata</i> <i>levis, Mume</i> <i>fructus, Taraxaci</i>	<i>Persicaria tinctoria</i> (Aiton) Spach [Polygonaceae],	Capsule	N	N

Pharmaceu	<i>herba,</i>	Prunus mume
tical	<i>Lithospermi</i>	(Siebold) Siebold &
Holdings	<i>radix, Angelicae</i>	Zucc. [Rosaceae],
Group	<i>dahuricae radix,</i>	Taraxacum
Tianning	<i>Salviae</i>	mongolicum Hand.-
Pharmaceu	<i>miltorrhizae</i>	Mazz. [Asteraceae],
tical Co.,	<i>radix, Dictamni</i>	Arnebia euchroma
LTD.	<i>radicis cortex,</i>	(Royle ex Benth.)
	<i>Massa medicata</i>	I.M.Johnst.
	<i>fermentata,</i>	[Boraginaceae],
	<i>Dryopteridis</i>	Angelica dahurica
	<i>crassirhizomatis</i>	(Hoffm.) Benth. &
	<i>rhizoma, Smilax</i>	Hook.f. ex Franch. &
	<i>glabrae rhizoma,</i>	Sav. [Apiaceae],
	<i>Portulacae herba,</i>	Salvia miltorrhiza
	<i>Dioscorea</i>	Bunge [Lamiaceae],
	<i>hypoglauca,</i>	Dictamnus
	<i>Crataegi fructus,</i>	dasycarpus Turcz.
	<i>Schisandrae</i>	[Rutaceae], Massa
	<i>fructus</i>	Medicata Fermentata,
	<i>Dryopteris</i>	Dryopteris
	<i>crassirhizoma Nakai</i>	crassirhizoma Nakai
	<i>[Polypodiaceae],</i>	[Polypodiaceae],
	<i>Smilax glabra Roxb.</i>	Smilax glabra Roxb.
	<i>[Smilacaceae],</i>	[Smilacaceae],
	<i>Portulaca oleracea L.</i>	Portulaca oleracea L.
	<i>[Portulacaceae],</i>	[Portulacaceae],

		Dioscorea collettii var. hypoglauca (Palib.) S.J.Pei & C.T.Ting [Dioscoreaceae], Crataegus pinnatifida var. pinnatifida [Rosaceae], Schisandra chinensis (Turcz.) Baill. [Schisandraceae]		
Liu (2020a)	Compound glycyrrhizin	Commercial supplier Eisai Pharmaceutical Co., Ltd.	Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Tablet N N\
Liu (2020b)	Xiaoyin decoction	Prepared by Researcher s	Spatholobi caulis, <i>Salviae</i> <i>miltiorrhizae</i> <i>radix, Sophorae</i> <i>flos, Imperatae</i> <i>rhizoma,</i> <i>Rehmanniae radix</i> <i>recens ,</i> <i>Rehmanniae radix</i> <i>preparata,</i> Spatholobus suberectus Dunn [Fabaceae], Salvia miltiorrhiza Bunge [Lamiaceae], Styphnolobium japonicum (L.) Schott [Fabaceae], Imperata cylindrica (L.) Raeusch. [Poaceae],	Decoction N N

	<i>Angelicae</i> <i>sinensis radix,</i> <i>Moutan radicis</i> <i>cortex,</i> <i>Lithospermi</i> <i>radix,</i> <i>Glycyrrhizae</i> <i>radix et rhizoma</i>	Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Preparata), Angelica sinensis (Oliv.) Diels [Apiaceae], Paeonia × suffruticosa Andrews [Paeoniaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]				
Lu (2020)	Total Glycosides of Paeoniae Alba capsule	Commercial supplier Ningbo Lihua Pharmaceutical Co.,	<i>Paeonia lactiflora</i> Pall. [Paeoniaceae](Paeoni a lactiflora Alba)	Capsule	N	N

		Ltd.				
Qu (2020)	Yinxie capsule	Commercial supplier Shaanxi Dongtai Pharmaceutical Co., Ltd.	<i>Smilax glabrae</i> <i>rhizoma, Smilacis chinae rhizoma</i>	Smilax glabra Roxb. [Smilacaceae], Smilax china L. [Smilacaceae]	Capsule	N
Ren (2020)	Xiaoyin granule	Prepared by Researcher s	<i>Sophorae radix,</i> <i>Angelicae sinensis radix,</i> <i>Rehmanniae radix recens,</i> <i>Scrophulariae radix, Moutan radicis cortex,</i> <i>Paeoniae radix rubra, Isatidis folium, Carthami flos, Gardenia jasminoides</i>	Sophora flavescens Aiton [Fabaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Scrophularia ningpoensis Hemsl. [Scrophulariaceae], Paeonia × suffruticosa Andrews [Paeoniaceae], Paeonia anomala subsp. veitchii (Lynch) D.Y.Hong & K.Y.Pan	Granule	N

			[Paeoniaceae], <i>Isatis tinctoria</i> subsp. <i>tinctoria</i> [Brassicaceae], <i>Carthamus tinctorius</i> L. [Asteraceae], <i>Gardenia jasminoides</i> J.Ellis [Rubiaceae]		
Shen (2020)	Liangxuejied u decoction	Prepared by Researcher s	<i>Smilax glabrae</i> <i>rhizoma, Isatidis</i> <i>folium, Lonicerae</i> <i>flos, Rehmanniae</i> <i>radix recens,</i> <i>Paeoniae radix</i> <i>rubra, Paeonia</i> <i>lactiflora, Cnidii</i> <i>rhizoma,</i> <i>Angelicae</i> <i>sinensis radix,</i> <i>Thujae orientalis</i> <i>folium, Moutan</i> <i>radicis cortex,</i> <i>Lithospermi</i> <i>radix, Sophorae</i> <i>flos, Glycyrrhizae</i> <i>radix et rhizoma</i>	Decoction	N N

				[Paeoniaceae](Paeoni a lactiflora Alba), Conioselinum anthriscoides 'Chuanxiong' [Apiaceae], Angelica sinensis (Oliv.) Diels [Apiaceae], Thujae Orientalis Folium, Paeonia × suffruticosa Andrews [Paeoniaceae], Arnebia euchroma (Royle ex Benth.) I.M.Johnst. [Boraginaceae], Styphnolobium japonicum (L.) Schott [Fabaceae], Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]			
Wu (2020)	Compound glycyrrhizin	Commerci al supplier Lepu Pharmaceu tical Co.,	Glycyrrhizae <i>radix et rhizoma</i>	Glycyrrhiza uralensis Fisch. ex DC. [Fabaceae]	Tablet	N	N

		Ltd.				
Yang (2020)	Xiaoyin granule	Commercial supplier Shaanxi Kanghui Pharmaceutical Co., Ltd.	<p><i>Rehmanniae radix</i> <i>recens</i>, <i>Moutan</i> <i>radicis cortex</i>, <i>Paeoniae radix</i> <i>rubra</i>, <i>Angelicae</i> <i>sinensis radix</i>, <i>Sophorae radix</i>, <i>Lonicerae flos</i>, <i>Scrophulariae</i> <i>radix</i>, <i>Arctii</i> <i>fructus</i>, <i>Cicadidae</i> <i>periostracum</i>, <i>Dictamni radicis</i> <i>cortex</i>, <i>Isatidis</i> <i>folium</i>, <i>Carthami</i> <i>flos</i>, <i>Saposhnikoviae</i> <i>radix</i></p> <p><i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Rehmanniae Radix</i> Recens), <i>Paeonia</i> × <i>suffruticosa</i> Andrews [Paeoniaceae], <i>Paeonia anomala</i> subsp. <i>veitchii</i> (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae], <i>Angelica sinensis</i> (Oliv.) Diels [Apiaceae], <i>Sophora</i> <i>flavescens</i> Aiton [Fabaceae], <i>Lonicera</i> <i>japonica</i> Thunb. [Caprifoliaceae], <i>Scrophularia</i> <i>ningpoensis</i> Hemsl. [Scrophulariaceae], <i>Arctium lappa</i> L. [Asteraceae], <i>Cryptotympana</i> <i>dubia</i> (Haupt)</p>	Granule	N	N

		[Cicadidae], Dictamnus dasycarpus Turcz. [Rutaceae], Isatis tinctoria subsp. tinctoria [Brassicaceae], Carthamus tinctorius L. [Asteraceae], Saposhnikovia divaricata (Turcz. ex Ledeb.) Schischk. [Apiaceae]				
Zheng (2020)	Jueyin granule	Commercial supplier Shenzhen China Resources Sanjiu Modern Chinese Medicine Co., Ltd.	<i>Lonicerae flos,</i> <i>Concha haliotidis,</i> <i>Moutan radicis cortex,</i> <i>Rehmanniae radix recens, Isatidis folium,</i> <i>Hedyotidis herba,</i> <i>Curcumae radix</i> Lonicera japonica Thunb. [Caprifoliaceae], Concha haliotidis, Paeonia × suffruticosa Andrews [Paeoniaceae], Rehmannia glutinosa (Gaertn.) DC. [Orobanchaceae](Reh manniae Radix Recens), Isatis tinctoria subsp. tinctoria	Granule	N	N

Jin (2021)	Xiaoyin decoction	Prepared by Researcher s	[Brassicaceae], <i>Scleromitrion</i> <i>diffusum</i> (Willd.) R.J.Wang [Rubiaceae], <i>Curcuma phaeocaulis</i> Valeton [Zingiberaceae] <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Reh</i> <i>manniae Radix</i> <i>Recens</i>), <i>Arnebia</i> <i>euchroma</i> (Royle ex Benth.) I.M.Johnst. [Boraginaceae], <i>Scutellaria baicalensis</i> <i>Georgi</i> [Lamiaceae], <i>Lonicera japonica</i> Thunb. [Caprifoliaceae], <i>Smilax glabra</i> Roxb. [Smilacaceae], <i>Sanguisorbae Radix</i> , <i>Scleromitrion</i> <i>diffusum</i> (Willd.) R.J.Wang	Decoction	N	N
---------------	----------------------	-----------------------------------	---	-----------	---	---

			[Rubiaceae], <i>Prunus persica</i> (L.) Batsch [Rosaceae], <i>Zaocys dhumnades</i> Cantor [Colubridae], <i>Hirudo nipponica</i> Whitman [Hirudinidae]		
Lan (2021)	Dangguiyinzi	Prepared by Researcher s	<i>Angelicae sinensis radix,</i> <i>Paeonia lactiflora, Lithospermum radix,</i> <i>Rehmanniae radix recens,</i> <i>Saposhnikoviae radix,</i> <i>Schizonepetae spica, Tribulus fructus, Polygoni multiflori radix,</i> <i>Asparagi tuber,</i> <i>Liriopis seu ophiopogonis tuber,</i> <i>Salviae miltiorrhizae radix,</i> <i>Sophorae radix,</i>	Angelica sinensis (Oliv.) Diels [Apiaceae], <i>Paeonia lactiflora</i> Pall. [Paeoniaceae](<i>Paeonia lactiflora Alba</i>), <i>Arnebia euchroma</i> (Royle ex Benth.) I.M.Johnst. [Boraginaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Rehmanniae Radix Recens</i>), <i>Saposhnikovia divaricata</i> (Turcz. ex Ledeb.) Schischk. [Apiaceae], <i>Nepeta tenuifolia</i> Benth.	Decoction N N

			<i>Glycyrrhizae</i> <i>radix et rhizoma</i>	[Lamiaceae], <i>Tribulus terrestris</i> L. [Zygophyllaceae], <i>Reynoutria multiflora</i> (Thunb.) Moldenke [Polygonaceae], <i>Asparagus cochinchinensis</i> (Lour.) Merr. [Asparagaceae], <i>Ophiopogon japonicus</i> (Thunb.) Ker Gawl. [Asparagaceae], <i>Salvia miltiorrhiza</i> Bunge [Lamiaceae], <i>Sophora flavescens</i> Aiton [Fabaceae], <i>Glycyrrhiza uralensis</i> Fisch. ex DC. [Fabaceae]		
Le (2021)	Tianxian decoction	Prepared by Researcher s	<i>Smilacis chiniae</i> <i>rhizoma,</i> <i>Rehmanniae radix</i> <i>recens,</i> <i>Trichosanthes</i> <i>kirilowii,</i>	<i>Smilax china</i> L. [Smilacaceae], <i>Rehmannia glutinosa</i> (Gaertn.) DC. [Orobanchaceae](<i>Rehmanniae Radix</i>	Granule	N N

<i>Anemarrhenae</i>	Recens),
<i>rhizoma,</i>	Trichosanthes
<i>Clerodendrum</i>	kirilowii Maxim.
<i>cyrtophyllum,</i>	[Cucurbitaceae],
<i>Phyllostachys</i>	Anemarrhena
<i>nigra, Paeoniae</i>	asphodeloides Bunge
<i>radix rubra ,</i>	[Asparagaceae],
<i>Dictamni radicis</i>	Clerodendrum
<i>cortex,</i>	cyrtophyllum Turcz.
<i>Saposhnikoviae</i>	[Lamiaceae] ,
<i>radix,</i>	Phyllostachys nigra
<i>Tripterygium</i>	var. henonis
<i>wilfordii,</i>	(Mitford) Rendle
<i>Hedyotidis herba,</i>	[Poaceae], Paeonia
<i>Glycyrrhizae</i>	anomala subsp.
<i>radix et rhizoma</i>	veitchii (Lynch) D.Y.Hong & K.Y.Pan [Paeoniaceae] ,
	Dictamnus
	dasycarpus Turcz.
	[Rutaceae],
	Saposhnikovia
	divaricata (Turcz. ex Ledeb.) Schischk.
	[Apiaceae],
	Tripterygium
	wilfordii Hook.f.

			[Celastraceae], Scleromitrion diffusum (Willd.)		
			R.J.Wang		
			[Rubiaceae], Glycyrrhiza uralensis		
			Fisch. ex DC.		
			[Fabaceae]		
				Rehmannia glutinosa	
			<i>Rehmanniae radix</i>	(Gaertn.) DC.	
			<i>recens,</i>	[Orobanchaceae](<i>Reh</i>	
			<i>Trichosanthes</i>	<i>manniae Radix</i>	
			<i>kirilowii,</i>	<i>Recens),</i>	
			<i>Angelicae</i>	Trichosanthes	
			<i>sinensis radix,</i>	<i>kirilowii Maxim.</i>	
			<i>Salviae</i>	[Cucurbitaceae],	
			<i>miltiorrhizae</i>	<i>Angelica sinensis</i>	
			<i>radix, Paeonia</i>	(Oliv.) Diels	Decoction
			<i>lactiflora,</i>	[<i>Apiaceae</i>], <i>Salvia</i>	N
			<i>Paeoniae radix</i>	<i>miltiorrhiza Bunge</i>	
			<i>rubra, Spatholobi</i>	[<i>Lamiaceae</i>], <i>Paeonia</i>	
			<i>caulis, Dictamni</i>	<i>lactiflora Pall.</i>	
			<i>radicis cortex,</i>	[<i>Paeoniaceae</i>](<i>Paeoni</i>	
			<i>Smilax glabrae</i>	<i>a lactiflora Alba</i>),	
			<i>rhizoma, Lycii</i>	<i>Paeonia anomala</i>	
			<i>radicis cortex</i>	<i>subsp. veitchii</i>	
				(Lynch) D.Y.Hong &	
Tang (2021)	Qingreyangx uejedu decoction	Prepared by Researcher s			

		K.Y.Pan		
		[Paeoniaceae],		
		Spatholobus		
		suberectus Dunn		
		[Fabaceae],		
		Dictamnus		
		dasycarpus Turcz.		
		[Rutaceae], Smilax		
		glabra Roxb.		
		[Smilacaceae],		
		Lycium barbarum L.		
		[Solanaceae]		
		<i>Astragali Radix,</i>	Astragalus	
		<i>Poria sclerotium,</i>	mongholicus Bunge	
		<i>Atractylodis</i>	[Fabaceae, Poria	
		<i>rhizoma alba,</i>	cocos Wolf	
		<i>Rehmanniae radix</i>	[Polyporaceae],	
		<i>recens, Moutan</i>	Atractylodes lancea	
		<i>radicis cortex,</i>	(Thunb.) DC.	
		<i>Paeoniae radix</i>	[Asteraceae],	Decoction
		<i>roubra, Kochiae</i>	Rehmnnia glutinosa	N
		<i>fructus, Dictamni</i>	(Gaertn.) DC.	
		<i>radicis cortex,</i>	[Orobanchaceae](Reh	
		<i>Isatidis radix,</i>	manniae Radix	
		<i>Isatidis folium,</i>	Recens), Paeonia ×	
		<i>Rubiae radix,</i>	suffruticosa Andrews	
		<i>Prunellae spica,</i>	[Paeoniaceae],	

<i>Curcumae radix,</i>	Paeonia anomala
<i>Polygoni</i>	subsp. veitchii
<i>multiflori radix,</i>	(Lynch) D.Y.Hong &
<i>Ecliptae herba</i>	K.Y.Pan
	[Paeoniaceae], Bassia
	scoparia (L.) A.J.Scott
	[Amaranthaceae],
	Dictamnus
	dasycarpus Turcz.
	[Rutaceae], Isatis
	tinctoria subsp.
	tinctoria
	[Brassicaceae](Isatidis
	Radix), Isatis tinctoria
	subsp. tinctoria
	[Brassicaceae], Rubia
	tinctorum L.
	[Rubiaceae], Prunella
	vulgaris L.
	[Lamiaceae],
	Curcuma phaeocaulis
	Valeton
	[Zingiberaceae],
	Reynoutria multiflora
	(Thunb.) Moldenke
	[Polygonaceae],
	Eclipta prostrata (L.)

L. [Asteraceae]

Latin names of herbs are based on the standard nomenclature of the Korean Pharmacopoeia (<https://nifds.go.kr/nhmi/main.do>); scientific names of herbs are based on the Medicinal Plant Names Services (MPNS, https://mpns.science.kew.org/mpns-portal/?_ga=1.111763972.1427522246.1459077346) provided by the Royal Botanic Gardens, Kew.