

Table S1. Quantitative description of mean FibroScan® values in men vs. women patients throughout the follow-up period.

Mean FibroScan® value (kPa)		
Measurements	Men	Women
1 st	13.645	12.359
2 nd	9.465	8.484
3 rd	9.124	7.667
4 th	9.009	8.036
5 th	8.582	7.524

Table S2. Quantitative description of mean FibroScan® values in patients with high active alcohol use, mild liver steatosis and metabolic syndrome throughout the follow-up period.

Mean FibroScan® value (kPa)			
Measurements	High active alcohol use	Mild liver steatosis	Metabolic syndrome
1 st	14.075	14.542	17.171
2 nd	10.712	10.564	12.808
3 rd	9.162	9.306	10.662
4 th	9.546	9.467	10.883
5 th	8.979	9.067	10.429

Table S3. Quantitative description of mean FibroScan® values in each GT throughout the follow-up period.

Mean FibroScan® value (kPa)					
Measurements	GT 1A	GT 1B	GT 2	GT 3	GT 4
1 st	14.953	12.106	14.733	13.668	11.957
2 nd	9.941	8.867	7.933	10.321	8.552
3 rd	9.141	8.026	7.8	10.068	8.243
4 th	9.112	8.137	7.5	10.232	7.957
5 th	8.525	7.728	7.367	9.982	7.461

Table S4. Quantitative description of mean FibroScan® values in each therapeutic regimen throughout the follow-up period.

Mean FibroScan® value (kPa)						
Measurements	NAïVE	PTP IFN	PRP DAA	PRP IFN	NRP DAA	NRP IFN
1 st	12.82	12.338	14.509	11.336	18.733	15.583
2 nd	8.975	9.337	12.127	7.696	15.1	10.1
3 rd	8.352	8.525	10.382	7.796	14.15	9.442
4 th	8.342	8.788	11.355	7.211	13.767	9.864
5 th	7.952	7.987	11	6.925	13.85	8.961

Table S5. Quantitative description of mean FibroScan® values in patients with at least one HCV complication vs. patients without HCV complications throughout the follow-up period (left side). Quantitative description of mean FibroScan® values in patients who died from HCV complications vs. patients who died from other causes throughout the follow-up period (right side).

Measurements	Mean FibroScan® value (kPa)			
	At least one HCV complication	No HCV complications	Death from HCV complications	Death from other causes
1 st	23.095	11.364	24.52	13.333
2 nd	15.535	8.094	16.3	10.133
3 rd	14.312	7.6	14.66	10.278
4 th	14.82	7.54	16.34	9.111
5 th	13.828	7.191	16.52	9.078

Table S6. Quantitative description of mean FibroScan® values in each complication throughout the follow-up period.

Measurements	Mean FibroScan® value (kPa)					
	Hepatocellular carcinoma	Liver transplantation requirement	Ascites	Encephalopathy	Varicose veins	Kidney failure
1 st	27.582	40.333	20.486	25.98	29.021	17.464
2 nd	19.1	31.417	14.214	19.08	19.947	12.245
3 rd	17.527	28.983	12.836	15.14	18.568	11.5
4 th	18.845	30.7	13.95	16.6	19.026	11.364
5 th	18.6	29.65	13.743	15.76	17.132	10.564