Figure S1: English version of the questionnaire relevant to this manuscript.

YOUR PREGNANCY

1. How many weeks pregnant are you right now? (open answer)

2. Was the pregnancy planned?
   a. Yes
   b. No
   c. No, but it was not unexpected

3. Have you been pregnant before?
   a. Yes
   b. No

4. If yes: How many children do you already have (not including the current pregnancy) (write your answer down in numbers)?

CORONAVIRUS SYMPTOMS

5. Did you receive a test to determine coronavirus infection?
   a. Yes
   b. No

6. If yes: What was the result? If you received multiple tests, please indicate 'positive' if at least one of the test results was positive
   a. Positive (infected with the coronavirus)
   b. Negative (not infected with the coronavirus)
   c. I don't know (yet)

CORONAVIRUS AND PERINATAL EXPERIENCES

Please indicate to which extent you agree with the following statement:

7. Due to the coronavirus, I am more likely to take medication during pregnancy.
   a. Strongly agree
   b. Agree
   c. Disagree
   d. Strongly disagree

CORONAVIRUS AND YOUR WELLBEING

We would like to know how you are feeling.

Please indicate the answer which comes closest to how you have felt in the past 7 days, not just how you feel today.

In the past 7 days:

8. I have been able to laugh and see the funny side of things
   a. As much as I always could
   b. Not quite so much now
   c. Definitely not so much now
   d. Not at all

9. I have looked forward with enjoyment to things.
   a. As much as I ever did
   b. Rather less than I used to
   c. Definitely less than I used to
   d. Hardly at all

10. I have blamed myself unnecessarily when things went wrong.
    a. Yes, most of the time
    b. Yes, some of the time
    c. Not very often
    d. No, never

11. I have been anxious or worried for no good reason.
    a. No, not at all
    b. Hardly ever
    c. Yes, sometimes
    d. Yes, very often

12. I have felt scared or panicky for no very good reason.
    a. Yes, quite a lot
    b. Yes, sometimes
    c. No, not much
    d. No, not at all

13. Things have been getting on top of me.
    a. Yes, most of the time I haven't been able to cope at all
    b. Yes, sometimes I haven't been coping as well as usual
    c. No, most of the time I have coped quite well
    d. No, I have been coping as well as ever

14. I have been so unhappy that I have had difficulty sleeping.
    a. Yes, most of the time
    b. Yes, sometimes
    c. Not very often
    d. No, not at all

15. I have felt sad or miserable.
    a. Yes, most of the time
    b. Yes, quite often
    c. Not very often
    d. No, not at all

16. I have been so unhappy that I have been crying.
    a. Yes, most of the time
    b. Yes, quite often
    c. Only occasionally
    d. No, never

17. The thought of harming myself has occurred to me.
    a. Yes, quite often
    b. Sometimes
    c. Hardly ever
    d. Never

USE OF MEDICINES

18. Did you use any medication(s) in the past 3 months?

    Please include all prescription and non-prescription medicines, folic acid, and herbal medicines.

    a. Yes
    b. No

19. If yes: Please write down the name(s) of the medication(s) you are currently using on a daily basis. Please write down the symbol ";" in between every medication (E.g.: cetirizine;ranitidine;…). You may choose to write down the brand name or the generic name.

20. If yes, please write down the name(s) of the medication(s) you have used occasionally. Please write down the symbol ";" in between every medication. (E.g.: paracetamol; salbutamol inhaler;…). You may choose to write down the brand name or the generic name.

21. Did you start to use any medication(s) during your pregnancy on own initiative without advice of a healthcare professional?

    a. Yes
    b. No

PERSONAL BACKGROUND

22. Year of birth?

23. Do you currently have a partner?

    a. Yes
    b. No

24. Have you smoked in the past 4 weeks?
   a. Yes
   b. No

25. Do you have any chronic illnesses (these are conditions that already existed before your pregnancy)?
   a. Yes
   b. No

26. If yes: which chronic illness(es) do you have?
   a. Asthma
   b. Allergy
   c. Cardiovascular disease (including high blood pressure, high cholesterol, heart disease,..)
   d. Depression
   e. Diabetes
   f. Epilepsy
   g. Hypothyroidism (underactive thyroid)
   h. Rheumatic diseases (including rheumatoid arthritis, psoriatic arthritis,…)
   i. Other: ……..

27. What is your highest degree?
   a. Primary education
   b. Professional secondary education
   c. Technical secondary education
   d. Artistic secondary education
   e. General secondary education

f. Professional bachelor
g. Academic bachelor
h. Master
i. PhD
j. Other: …….

28. What is your current professional status? (if you are currently not working because of pregnancy complications or pregnancy leave, please fill in the professional status you had before)
    a. Employee
        a. Are/were you working in healthcare?
    b. Self-employed
        a. Are/were you working in healthcare?
    c. Civil service employee
        a. Are/were you working in healthcare?
    d. Student
        a. Are you following an education in healthcare?
    e. Housewife
    f. Jobseeker/unemployed
    g. Incapacitated/disabled
    h. Other: ……

CLOSING AND THANKS

29. The coronavirus affected many people in many different ways, both negatively and/or positively.

    Please share any of your personal experiences or anything that has changed in your life due to the coronavirus. (Optional, open field)

CORONAVIRUS AND BREASTFEEDING

1. Are you currently breastfeeding?
    a. Yes
    b. No

2. Please indicate the age of the baby that is currently breastfed / that was breastfed in the last 3 months.
    a. ≤ 6 weeks
    b. Between 6 weeks and 6 months
    c. > 6 months

3. Did you ever breastfeed before the coronavirus outbreak?
    a. Yes
    b. No

CORONAVIRUS SYMPTOMS

4. Did you receive a test to determine coronavirus infection?
    a. Yes
    b. No

5. If yes: What was the result of the test? If you received multiple tests, please indicate 'positive' if at least one of the test results was positive
    a. Positive (infected with the coronavirus)
    b. Negative (not infected with the coronavirus)
    c. I don't know (yet)

CORONAVIRUS AND PERINATAL EXPERIENCES

Please indicate to which extent you agree with the following statement:

6. Due to the coronavirus, I am more likely to take medication during breastfeeding.
   a. Strongly agree
   b. Agree
   c. Disagree
   d. Strongly disagree

CORONAVIRUS AND YOUR WELLBEING

We would like to know how you are feeling.

Please indicate the answer which comes closest to how you have felt in the past 7 days, not just how you feel today.

In the past 7 days:

7. I have been able to laugh and see the funny side of things
   a. As much as I always could
   b. Not quite so much now
   c. Definitely not so much now
   d. Not at all

8. I have looked forward with enjoyment to things.
   a. As much as I ever did
   b. Rather less than I used to
   c. Definitely less than I used to
   d. Hardly at all

9. I have blamed myself unnecessarily when things went wrong.
    a. Yes, most of the time
    b. Yes, some of the time
    c. Not very often
    d. No, never

10. I have been anxious or worried for no good reason.
    a. No, not at all
    b. Hardly ever
    c. Yes, sometimes
    d. Yes, very often

11. I have felt scared or panicky for no very good reason.
    a. Yes, quite a lot
    b. Yes, sometimes
    c. No, not much
    d. No, not at all

12. Things have been getting on top of me.
    a. Yes, most of the time I haven't been able to cope at all
    b. Yes, sometimes I haven't been coping as well as usual
    c. No, most of the time I have coped quite well
    d. No, I have been coping as well as ever

13. I have been so unhappy that I have had difficulty sleeping.
    a. Yes, most of the time
    b. Yes, sometimes
    c. Not very often
    d. No, not at all

14. I have felt sad or miserable.
    a. Yes, most of the time
    b. Yes, quite often
    c. Not very often
    d. No, not at all

15. I have been so unhappy that I have been crying.
    a. Yes, most of the time
    b. Yes, quite often
    c. Only occasionally
    d. No, never

16. The thought of harming myself has occurred to me.
    a. Yes, quite often
    b. Sometimes
    c. Hardly ever
    d. Never

USE OF MEDICINES

17. Did you use any medication(s) in the past 3 months? *Please include all prescription, non-prescription, and herbal medicines.*
    a. Yes
    b. No

18. If yes: Please write down the name(s) of the medication(s) you are currently using on a daily basis. Please write down the symbol ";" in between every medication (E.g.: cetirizine;ranitidine;…). You may choose to write down the brand name or the generic name.

19. If yes, please write down the name(s) of the medication(s) you have used occasionally. Please write down the symbol ";" in between every medication. (E.g.: paracetamol;salbutamol inhaler;…). You may choose to write down the brand name or the generic name.

20. Did you start to use any medication(s) during breastfeeding on own initiative without advice of a healthcare professional?
    a. Yes
    b. No

PERSONAL BACKGROUND

21. Year of birth?

22. Do you currently have a partner?
    a. Yes
    b. No

23. Have you smoked in the past 4 weeks?

c. Yes

d. No

24. Do you have any chronic illnesses? (these are conditions that already existed before your pregnancy)?

a. Yes

b. No

25. If yes: what chronic illness do you have?

a. Asthma

b. Allergy

c. Cardiovascular disease (including high blood pressure, high cholesterol, heart disease)

d. Depression

e. Diabetes

f. Epilepsy

g. Hypothyroidism (underactive thyroid)

h. Rheumatic diseases (including rheumatoid arthritis, psoriatic arthritis)

i. Other: ……..

26. What is your highest degree?

a. Primary education

b. Professional secondary education

c. Technical secondary education

d. Artistic secondary education

e. General secondary education

f. Professional bachelor
g. Academic bachelor
h. Master
i. PhD
j. Other: …….

27. What is your current professional status? (if you are currently not working because of maternity or parental leave, please fill in the professional status you had before)
    a. Employee
        1. Are/were you working in healthcare?
    b. Self-employed
        1. Are/were you working in healthcare?
    c. Civil service employee
        1. Are/were you working in healthcare?
    d. Student
        1. Are you following an education in healthcare?
    e. Housewife
    f. Jobseeker/unemployed
    g. Incapacitated/disabled
    h. Other: ……

CLOSING AND THANKS

28. The coronavirus affected many people in many different ways, both negatively and/or positively.

    Please share any of your personal experiences or anything that has changed in your life due to the coronavirus. (Optional, open field)

Table S1: Prevalence of the use of other health products during pregnancy & breastfeeding according to country.

	Pregnant women						Breastfeeding women					
	Overall	**Ireland**	**Norway**	**Switzerland**	**Netherlands**	**UK**	**Overall**	**Ireland**	**Norway**	**Switzerland**	**Netherlands**	**UK**
	(N=3339)	(N=564)	(N=1344)	(N=438)	(N=886)	(N=107)	(N=4278)	(N=724)	(N=1485)	(N=882)	(N=1115)	(N=72)
	N (%)	*N (%)*	*N (%)*	*N (%)*	*N (%)*	*N (%)*	*N (%)*	*N (%)*	*N (%)*	*N (%)*	*N (%)*	*N (%)*
Multivitamins	1420 (42.5)	296 (52.5)	546 (40.6)	234 (53.4)	296 (33.4)	48 (44.9)	582 (13.6)	64 (8.8)	342 (23.0)	136 (15.4)	37 (3.3)	3 (4.2)
Folic acid	983 (29.4)	160 (28.4)	414 (30.8)	95 (21.7)	277 (31.3)	37 (34.6)	55 (1.3)	8 (1.1)	31 (2.1)	8 (0.9)	6 (0.5)	2 (2.8)
Iron-containing preparations	665 (19.6)	113 (20.0)	364 (27.1)	97 (22.1)	65 (7.3)	16 (15.0)	379 (8.9)	73 (10.1)	203 (13.7)	48 (5.4)	53 (4.8)	2 (2.8)
Omega-3 containing products	422 (12.6)	36 (6.4)	335 (24.9)	30 (6.8)	17 (1.9)	4 (3.7)	269 (6.3)	3 (0.4)	251 (16.9)	11 (1.2)	4 (0.4)	0 (0.0)
Other products[1]	788 (23.6)	86 (15.2)	327 (24.3)	179 (40.9)	166 (18.7)	30 (28.0)	494 (11.5)	50 (6.9)	237 (16.0)	121 (13.7)	82 (7.4)	4 (5.6)

Results are expressed as absolute numbers (%). [1] The group 'other products' consists of all types of health products that could not be classified elsewhere, including but not limited to pre- and probiotics, herbal remedies and homeopathic products.

Table S2: Medication use during pregnancy on 1st ATC level according to country.

Medication category (ATC 1st level)	**Any use (N=3339)** *N (%)*	**Ireland (N=564)** *N (%)*	**Norway (N=1344)** *N (%)*	**Switzerland (N=438)** *N (%)*	**Netherlands (N=886)** *N (%)*	**UK (N=107)** *N (%)*
Nervous system (N)	996 (29.8)	244 (43.3)	292 (21.7)	113 (25.8)	289 (32.6)	58 (54.2)
Respiratory system (R)	671 (20.1)	82 (14.5)	368 (27.4)	46 (10.5)	151 (17.0)	24 (22.4)
Alimentary tract and metabolism (A)	547 (16.4)	102 (18.1)	179 (13.3)	64 (14.6)	172 (19.4)	30 (28.0)
Blood and blood-forming organs (B)	208 (6.2)	63 (11.2)	58 (4.3)	21 (4.8)	53 (6.0)	13 (12.1)
Systemic hormonal preparations (H)	163 (4.9)	43 (7.6)	64 (4.8)	33 (7.5)	21 (2.4)	<3 (<2.8)
Anti-infectives for systemic use (J)	103 (3.1)	24 (4.3)	34 (2.5)	12 (2.7)	28 (3.2)	5 (4.7)
Genito urinary system and sex hormones (G)	91 (2.7)	16 (2.8)	40 (3.0)	17 (3.9)	13 (1.5)	5 (4.7)
Cardiovascular system (C)	85 (2.5)	25 (4.4)	24 (1.8)	11 (2.5)	19 (2.1)	6 (5.6)
Musculoskeletal system (M)	27 (0.8)	<3 (<0.5)	7 (0.5)	8 (1.8)	7 (0.8)	4 (3.7)

Results are expressed as absolute numbers (%).

Table S3: Medication use during breastfeeding on 1st ATC level according to country.

Medication category (ATC 1st level)	**Any use (N=4278)** *N (%)*	**Ireland (N=724)** *N (%)*	**Norway (N=1485)** *N (%)*	**Switzerland (N=882)** *N (%)*	**the Netherlands (N=1115)** *N (%)*	**UK (N=72)** *N (%)*
Nervous system (N)	1565 (36.6)	328 (45.3)	481 (32.4)	332 (37.6)	394 (35.3)	30 (41.7)
Respiratory system (R)	642 (15.0)	86 (11.9)	342 (23.0)	66 (7.5)	135 (12.1)	13 (18.1)
Musculoskeletal system (M)	613 (14.3)	158 (21.8)	221 (14.9)	143 (16.2)	79 (7.1)	12 (16.7)
Genito urinary system and sex hormones (G)	282 (6.6)	46 (6.4)	123 (8.3)	48 (5.4)	59 (5.3)	6 (8.3)
Alimentary tract and metabolism (A)	271 (6.3)	61 (8.4)	93 (6.3)	31 (3.5)	79 (7.1)	7 (9.7)
Anti-infectives for systemic use (J)	241 (5.6)	68 (9.4)	82 (5.5)	25 (2.8)	58 (5.2)	8 (11.1)
Systemic hormonal preparations (H)	220 (5.1)	45 (6.2)	80 (5.4)	41 (4.6)	49 (4.4)	5 (6.9)
Cardiovascular system (C)	114 (2.7)	20 (2.8)	51 (3.4)	16 (1.8)	23 (2.1)	4 (5.6)
Blood and blood-forming organs (B)	62 (1.4)	13 (1.8)	25 (1.7)	9 (1.0)	14 (1.3)	<3 (<4.2)

Results are expressed as absolute numbers (%).

Table S4: Daily, occasional, and total medication use on 1st and 2nd ATC level in the last three months among pregnant and breastfeeding women.

Anatomical Therapeutic Chemical (ATC) classification index 1st and 2nd levels*		Pregnant women N = 3339			Breastfeeding women N = 4278		
		Daily use N (%)	Occasional use N (%)	Total N (%)	Daily use N (%)	Occasional use N (%)	Total N (%)
A	**Alimentary tract and metabolism**	**313 (9.4)**	**286 (8.6)**	**547 (16.4)**	**161 (3.8)**	**126 (2.9)**	**271 (6.3)**
A01	Stomatological preparations	<3 (0.1)	0 (0.0)	<3 (0.1)	<3 (0.1)	<3 (0.1)	3 (0.1)
A02	*Drugs for acid related disorders*	184 (5.5)	202 (6.0)	367 (11.0)	70 (1.6)	67 (1.6)	127 (3.0)
A03	Drugs for functional gastrointestinal disorders	29 (0.9)	39 (1.2)	64 (1.9)	16 (0.4)	19 (0.4)	34 (0.8)
A04	Antiemetics and antinauseants	11 (0.3)	16 (0.5)	27 (0.8)	<3 (0.1)	4 (0.1)	4 (0.1)
A05	Bile and liver therapy	<3 (0.1)	0 (0.0)	<3 (0.1)	3 (0.1)	<3 (0.1)	4 (0.1)
A06	Laxatives	36 (1.1)	39 (1.2)	73 (2.2)	36 (0.8)	34 (0.8)	69 (1.6)
A07	Antidiarrheals	16 (0.5)	4 (0.1)	20 (0.6)	21 (0.5)	8 (0.2)	28 (0.7)
A08	Antiobesity preparations, excl. diet products	0 (0.0)	0 (0.0)	0 (0.0)	<3 (0.1)	0 (0.0)	<3 (0.1)
A09	Digestives, incl. enzymes	<3 (0.1)	0 (0.0)	<3 (0.1)	0 (0.0)	0 (0.0)	0 (0.0)
A10	Drugs used in diabetes	56 (1.7)	8 (0.2)	58 (1.7)	20 (0.5)	0 (0.0)	20 (0.5)
B	**Blood and blood-forming organs**	**206 (6.2)**	**4 (0.1)**	**208 (6.2)**	**51 (1.2)**	**12 (0.3)**	**62 (1.4)**
B01	*Antithrombotic agents*	205 (6.1)	4 (0.1)	207 (6.2)	49 (1.1)	11 (0.3)	59 (1.4)
B02	Antihemorrhagics	0 (0.0)	0 (0.0)	0 (0.0)	<3 (0.1)	<3 (0.1)	3 (0.1)
C	**Cardiovascular system**	**60 (1.8)**	**27 (0.8)**	**85 (2.5)**	**77 (1.8)**	**43 (1.0)**	**114 (2.7)**
C01	Cardiac therapy	3 (0.1)	0 (0.0)	3 (0.1)	0 (0.0)	0 (0.0)	0 (0.0)
C02	Antihypertensives	12 (0.4)	0 (0.0)	12 (0.4)	13 (0.3)	7 (0.2)	20 (0.5)
C03	Diuretics	<3 (0.1)	0 (0.0)	<3 (0.1)	<3 (0.1)	0 (0.0)	<3 (0.1)
C05	Vasoprotectives	<3 (0.1)	19 (0.6)	20 (0.6)	10 (0.2)	24 (0.6)	31 (0.7)
C07	*Beta blocking agents*	40 (1.2)	5 (0.1)	44 (1.3)	45 (1.1)	8 (0.2)	53 (1.2)
C08	Calcium channel blockers	6 (0.2)	<3 (0.1)	8 (0.2)	14 (0.3)	5 (0.1)	19 (0.4)

Anatomical Therapeutic Chemical (ATC) classification index 1st and 2nd levels*		Pregnant women N = 3339			Breastfeeding women N = 4278		
		Daily use N (%)	Occasional use N (%)	Total N (%)	Daily use N (%)	Occasional use N (%)	Total N (%)
C09	Agents acting on the renin-angiotensin system	0 (0.0)	0 (0.0)	0 (0.0)	<3 (0.1)	0 (0.0)	<3 (0.1)
C10	Lipid modifying agents	<3 (0.1)	<3 (0.1)	<3 (0.1)	<3 (0.1)	0 (0.0)	<3 (0.1)
D	**Dermatologicals**	**11 (0.3)**	**51 (1.5)**	**60 (1.8)**	**30 (0.7)**	**68 (1.6)**	**95 (2.2)**
D01	*Antifungals for dermatological use*	4 (0.1)	19 (0.6)	23 (0.7)	11 (0.3)	30 (0.7)	40 (0.9)
D02	Emollients and protectives	0 (0.0)	5 (0.1)	5 (0.1)	<3 (0.1)	<3 (0.1)	3 (0.1)
D03	Preparations for treatment of wounds & ulcers	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<3 (0.1)	<3 (0.1)
D04	Antipruritics, incl. antihistamines, anesthetics.	<3 (0.1)	<3 (0.1)	3 (0.1)	<3 (0.1)	4 (0.1)	5 (0.1)
D05	Antipsoriatics	0 (0.0)	<3 (0.1)	<3 (0.1)	<3 (0.1)	<3 (0.1)	<3 (0.1)
D06	Antibiotics and chemotherapeutics for dermatological use	<3 (0.1)	4 (0.1)	6 (0.2)	7 (0.2)	9 (0.2)	16 (0.4)
D07	Corticosteroids, dermatological preparations	3 (0.1)	24 (0.7)	25 (0.7)	10 (0.2)	25 (0.6)	35 (0.8)
D08	Antiseptics and disinfectants	0 (0.0)	<3 (0.1)	<3 (0.1)	0 (0.0)	<3 (0.1)	<3 (0.1)
D10	Anti-acne preparations	<3 (0.1)	<3 (0.1)	<3 (0.1)	3 (0.1)	0 (0.0)	3 (0.1)
D11	Other dermatological preparations	0 (0.0)	<3 (0.1)	<3 (0.1)	0 (0.0)	0 (0.0)	0 (0.0)
G	**Genito urinary system and sex hormones**	**53 (1.6)**	**41 (1.2)**	**91 (2.7)**	**242 (5.7)**	**47 (1.1)**	**282 (6.6)**
G01	Gynecological anti-infectives and antiseptics	4 (0.1)	31 (0.9)	35 (1.0)	11 (0.3)	22 (0.5)	33 (0.8)
G02	Other gynecologicals	<3 (0.1)	0 (0.0)	<3 (0.1)	16 (0.4)	4 (0.1)	20 (0.5)
G03	*Sex hormones & modulators of genital system*	47 (1.4)	9 (0.3)	53 (1.6)	216 (5.0)	22 (0.5)	233 (5.4)
G04	Urologicals	<3 (0.1)	<3 (0.1)	<3 (0.1)	0 (0.0)	0 (0.0)	0 (0.0)
H	**Systemic hormonal preparations**	**156 (4.7)**	**9 (0.3)**	**163 (4.9)**	**186 (4.3)**	**37 (0.9)**	**220 (5.1)**
H01	Pituitary and hypothalamic hormones	<3 (0.1)	<3 (0.1)	<3 (0.1)	8 (0.2)	18 (0.4)	25 (0.6)
H02	Corticosteroids for systemic use	5 (0.1)	9 (0.3)	13 (0.4)	10 (0.2)	11 (0.3)	21 (0.5)
H03	*Thyroid therapy*	150 (4.5)	0 (0.0)	150 (4.5)	170 (4.0)	8 (0.2)	178 (4.2)
J	**Anti-infectives for systemic use**	**39 (1.2)**	**70 (2.1)**	**103 (3.1)**	**62 (1.4)**	**187 (4.4)**	**241 (5.6)**
J01	*Antibacterials for systemic use*	31 (0.9)	62 (1.9)	88 (2.6)	57 (1.3)	177 (4.1)	227 (5.3)
J02	Antimycotics for systemic use	<3 (0.1)	<3 (0.1)	<3 (0.1)	<3 (0.1)	8 (0.2)	9 (0.2)

Anatomical Therapeutic Chemical (ATC) classification index 1st and 2nd levels*		Pregnant women N = 3339			Breastfeeding women N = 4278		
		Daily use N (%)	Occasional use N (%)	Total N (%)	Daily use N (%)	Occasional use N (%)	Total N (%)
J05	Antivirals for systemic use	4 (0.1)	2 (0.1)	6 (0.2)	3 (0.1)	4 (0.1)	7 (0.2)
J06	Immune sera and immunoglobulins	0 (0.0)	<3 (0.1)	<3 (0.1)	0 (0.0)	0 (0.0)	0 (0.0)
J07	Vaccines**	3 (0.1)	7 (0.2)	10 (0.3)	0 (0.0)	<3 (0.1)	<3 (0.1)
L	**Antineoplastic and immunomodulating agents**	**11 (0.3)**	**7 (0.2)**	**18 (0.5)**	**19 (0.4)**	**3 (0.1)**	**22 (0.5)**
L01	Antineoplastic agents	0 (0.0)	0 (0.0)	0 (0.0)	<3 (0.1)	0 (0.0)	<3 (0.1)
L02	Endocrine therapy	0 (0.0)	<3 (0.1)	<3 (0.1)	<3 (0.1)	0 (0.0)	<3 (0.1)
L03	Immunostimulants	0 (0.0)	0 (0.0)	0 (0.0)	<3 (0.1)	0 (0.0)	<3 (0.1)
L04	*Immunosuppressants*	11 (0.3)	6 (0.2)	17 (0.5)	16 (0.4)	3 (0.1)	19 (0.4)
M	**Musculoskeletal system**	**4 (0.1)**	**24 (0.7)**	**27 (0.8)**	**56 (1.3)**	**563 (13.2)**	**613 (14.3)**
M01	*Antiinflammatory and antirheumatic products*	4 (0.1)	23 (0.7)	26 (0.8)	56 (1.3)	560 (13.1)	610 (14.3)
M02	Topical products for joint and muscular pain	0 (0.0)	<3 (0.1)	<3 (0.1)	0 (0.0)	5 (0.1)	5 (0.1)
N	**Nervous system**	**138 (4.1)**	**909 (27.2)**	**996 (29.8)**	**241 (5.6)**	**1384 (32.4)**	**1565 (36.6)**
N01	Anesthetics	<3 (0.1)	0 (0.0)	<3 (0.1)	0 (0.0)	5 (0.1)	5 (0.1)
N02	*Analgesics*	47 (1.4)	895 (26.8)	939 (28.1)	130 (3.0)	1371 (32.0)	1487 (34.8)
N03	Antiepileptics	15 (0.4)	0 (0.0)	15 (0.4)	12 (0.3)	<3 (0.1)	12 (0.3)
N05	Psycholeptics	15 (0.4)	20 (0.6)	35 (1.0)	14 (0.3)	26 (0.6)	40 (0.9)
N06	Psychoanaleptics	70 (2.1)	9 (0.3)	74 (2.2)	88 (2.1)	6 (0.1)	93 (2.2)
N07	Other nervous system drugs	<3 (0.1)	<3 (0.1)	<3 (0.1)	<3 (0.1)	0 (0.0)	<3 (0.1)
P	**Antiparasitic products, insecticides, and repellents**	**9 (0.3)**	**0 (0.0)**	**9 (0.3)**	**3 (0.1)**	**4 (0.1)**	**7 (0.2)**
P01	*Antiprotozoals*	9 (0.3)	0 (0.0)	9 (0.3)	3 (0.1)	<3 (0.1)	4 (0.1)
P02	Anthelmintics	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (0.1)	3 (0.1)
R	**Respiratory system**	**417 (12.5)**	**324 (9.7)**	**671 (20.1)**	**392 (9.2)**	**324 (7.6)**	**642 (15.0)**
R01	Nasal preparations	82 (2.5)	66 (2.0)	144 (4.3)	99 (2.3)	69 (1.6)	161 (3.8)
R02	Throat preparations	0 (0.0)	8 (0.2)	8 (0.2)	0 (0.0)	7 (0.2)	7 (0.2)

Anatomical Therapeutic Chemical (ATC) classification index 1st and 2nd levels*		Pregnant women N = 3339			Breastfeeding women N = 4278		
		Daily use N (%)	Occasional use N (%)	Total N (%)	Daily use N (%)	Occasional use N (%)	Total N (%)
R03	Drugs for obstructive airway diseases	112 (3.4)	52 (1.6)	147 (4.4)	93 (2.2)	68 (1.6)	137 (3.2)
R05	Cough and cold preparations	<3 (0.1)	10 (0.3)	12 (0.4)	3 (0.1)	7 (0.2)	10 (0.2)
R06	*Antihistamines for systemic use*	301 (9.0)	211 (6.3)	498 (14.9)	288 (6.7)	205 (4.8)	481 (11.2)
S	**Sensory organs**	**26 (0.8)**	**25 (0.7)**	**50 (1.5)**	**29 (0.7)**	**22 (0.5)**	**49 (1.1)**
S01	*Ophthalmologicals*	23 (0.7)	22 (0.7)	44 (1.3)	28 (0.7)	15 (0.4)	42 (1.0)
S02	Otologicals	3 (0.1)	<3 (0.1)	4 (0.1)	<3 (0.1)	3 (0.1)	4 (0.1)
S03	Ophthalmological and otological preparations	0 (0.0)	<3 (0.1)	<3 (0.1)	0 (0.0)	4 (0.1)	4 (0.1)
V	**Various**	**4 (0.1)**	**0 (0.0)**	**4 (0.1)**	**4 (0.1)**	**0 (0.0)**	**4 (0.1)**

*The most commonly used medication groups within each ATC class (level 2) are in italics. **COVID-19 vaccines were not yet available at the time of the survey.