

Water-Soluble Copper Ink for the Inkjet Fabrication of Flexible Electronic Components

Nabi S. Shabanov ^{1,2}, Kamil Sh. Rabadanov ¹, Sagim I. Suleymanov ¹, Akhmed M. Amirov ¹, Abdulgalim B. Isaev ², Dinara S. Sobola ^{2,3,4,*}, Eldar K. Murliev ¹ and Gulnara A. Asvarova ¹

¹ Analytical Center for Collective Use, Dagestan Federal Research Centre of the Russian Academy of Sciences, 367001 Makhachkala, Russia; shabanov.nabi@yandex.ru (N.S.S.); rksh@mail.ru (K.S.R.); s.sagim.i@yandex.ru (S.I.S.); aamirov@mail.ru (A.M.A.); murliev@mail.ru (E.K.M.); konfetka080467@mail.ru (G.A.A.)



















² Department of Inorganic Chemistry and Chemical Ecology, Dagestan State University, St. M. Gadjieva 43-a, Dagestan Republic, 367015 Makhachkala, Russia; abdul-77@yandex.ru

³ Department of Ceramics and Polymers, Faculty of Mechanical Engineering, Brno University of Technology, Technická 2, 616 69 Brno, Czech Republic

⁴ Department of Physics, Faculty of Electrical Engineering and Communication, Brno University of Technology, Technická 2848/8, 616 00 Brno, Czech Republic

* Correspondence: sobola@vutbr.cz

Table S1. Images of scanning electron microscopy for the samples tested using the EDX analysis. .

		Sample					
T, °C		Cu(OOCH) ₂		[Cu(NH ₃) ₂](OOCH) ₂		[Cu(C ₂ H ₆ NH) ₂](OOCH) ₂	
150							
130							
110							
25		