

Supplementary Materials for

Modeling the Impact of Vaccination on COVID-19 and its Delta Variant

Jianbo Wang^{1,2}, Yin-Chi Chan^{1,3}, Ruiwu Niu³, Eric W. M. Wong^{1,*}, and
Michaël Antonie van Wyk^{1,5}

¹Department of Electrical Engineering, City University of Hong Kong, Hong Kong, China

²School of Computer Science, Southwest Petroleum University, Chengdu, China

³Institute for Manufacturing, University of Cambridge, Cambridge, United Kingdom

⁴College of Mathematics and Statistics, Shenzhen University, Shenzhen 518060, China

⁵School of Electrical and Information Engineering, University of the Witwatersrand at
Johannesburg, Johannesburg 2000, South Africa

Supplementary Figures




Figure S1: Cumulative hospitalizations $H_c(\infty)$ with respect to R_0 and the vaccine efficacy v_e , for a simulated Delta outbreak in Hong Kong and NPIs ($c = 0.2$).




Figure S2: Cumulative hospitalizations $H_c(\infty)$ with respect to R_0 and the vaccine efficacy v_e , for a simulated Delta outbreak in Hong Kong and NPIs ($c = 0.5$).




Figure S3: Minimum vaccination threshold required such that the cumulative number of hospitalizations is less than $10^{-4}N$, for different vaccine efficacies v_e and vaccination rates k , and no NPIs ($c = 0$). The theoretical herd immunity threshold ρ_{\min} is also shown.




Figure S4: Minimum vaccination threshold required such that the cumulative number of hospitalizations is less than $10^{-3}N$, for different vaccine efficacies v_e and vaccination rates k , and no NPIs ($c = 0$). The theoretical herd immunity threshold ρ_{min} is also shown.