

Supplementary information

Table S1. Soil sieving analysis of the sampling sites. (There are three replicas per site, which were sieved separately and then the mean value of the three replicas is reported here).

Sampling Site	>45µm	63µm	125µm	250µm	500µm	1mm	2mm	4mm	>4mm
S1	4%	9%	17%	29%	46%	62%	78%	90%	10%
S2	3%	8%	17%	31%	46%	60%	72%	81%	19%
S3	3%	7%	13%	23%	34%	45%	56%	71%	29%
S4	0%	0%	3%	7%	27%	39%	48%	73%	27%
S5	4%	14%	25%	44%	60%	69%	78%	88%	12%
S6	4%	8%	14%	25%	40%	54%	68%	80%	20%
S7	6%	13%	24%	43%	64%	75%	84%	89%	11%
S8	4%	8%	17%	41%	63%	78%	83%	90%	10%
S9	0%	3%	11%	29%	51%	68%	77%	84%	16%
S10	2%	6%	12%	23%	54%	79%	86%	93%	7%
S11	1%	7%	17%	36%	57%	74%	81%	89%	11%
S12	2%	5%	12%	22%	37%	56%	74%	89%	11%
S13	1%	3%	11%	18%	32%	47%	62%	80%	20%
S14	3%	9%	21%	40%	61%	76%	85%	91%	9%
S15	1%	8%	20%	35%	53%	70%	89%	82%	18%
S16	3%	7%	14%	26%	45%	61%	76%	76%	24%