

Supplementary Materials

We reviewed 158 references and selected 67 GSI planning articles for review analysis (which are listed below in the file), 25 of which were cited in the reference of the paper while the remaining 42 articles were not.

References

- Koc, K.; Ekmekcioglu, O.; Ozger, M. An integrated framework for the comprehensive evaluation of low impact development strategies. *J. ENVIRON. MANAGE.* **2021**, *294*, 113023. <https://doi.org/10.1016/j.jenvman.2021.113023>
- Hua, P.; Yang, W.Y.; Qi, X.C.; Jiang, S.S.; Xie, J.Q.; Gu, X.Y.; Li, H.H.; Zhang, J.; Krebs, P. Evaluating the effect of urban flooding reduction strategies in response to design rainfall and low impact development. *J. CLEAN. PROD.* **2020**, *242*, 118515. <https://doi.org/10.1016/j.jclepro.2019.118515>
- Liang, C.M.; Zhang, X.; Xu, J.; Pan, G.Y.; Wang, Y. An integrated framework to select resilient and sustainable sponge city design schemes for robust decision making. *ECOL. INDIC.* **2020**, *119*, 106810. <https://doi.org/10.1016/j.ecolind.2020.106810>
- Dagenais, D.; Thomas, I.; Paquette, S. Siting green stormwater infrastructure in a neighbourhood to maximise secondary benefits: lessons learned from a pilot project. *LANDSCAPE RES.* **2017**, *42*, 195–210. <https://doi.org/10.1080/01426397.2016.1228861>
- Song, J.Y.; Chung, E.S. A Multi-Criteria Decision Analysis System for Prioritizing Sites and Types of Low Impact Development Practices: Case of Korea. *WATER* **2017**, *9*, 291. <https://doi.org/10.3390/w9040291>
- Martin-Mikle, C.J.; de Beurs, K.M.; Julian, J.P.; Mayer, P.M. Identifying priority sites for low impact development (LID) in a mixed-use watershed. *LANDSCAPE URBAN PLAN.* **2015**, *140*, 29–41. <https://doi.org/10.1016/j.landurbplan.2015.04.002>
- Zhang, X.Y.; Chen, L.; Zhang, M.; Shen, Z.Y. Prioritizing sponge city sites in rapidly urbanizing watersheds using multi-criteria decision model. *ENVIRON. SCI. POLLUT. R.* **2021**. <https://doi.org/10.1007/s11356-021-14952-w>
- Barbaro, G.; Miguez, M.G.; de Sousa, M.M.; Franco, A.B.R.D.; de Magalhaes, P.M.C.; Foti, G.; Valadao, M.R.; Occhiuto, I. Innovations in Best Practices: Approaches to Managing Urban Areas and Reducing Flood Risk in Reggio Calabria (Italy). *SUSTAINABILITY* **2021**, *13*, 3463. <https://doi.org/10.3390/su13063463>
- Foomani, M.S.; Malekmohammadi, B. Site selection of sustainable urban drainage systems using fuzzy logic and multi-criteria decision-making. *WATER ENVIRON. J.* **2020**, *34*, 584–599. <https://doi.org/10.1111/wej.12487>
- Kim, J.; Ryu, J.H. Decision-Making of LID-BMPs for Adaptive Water Management at the Boise River Watershed in a Changing Global Environment. *WATER* **2020**, *12*, 2436. <https://doi.org/10.3390/w12092436>
- Li, Y.; Huang, J.J.; Hu, M.C.; Yang, H.; Tanaka, K. Design of low impact development in the urban context considering hydrological performance and life-cycle cost. *J. FLOOD RISK MANAG.* **2020**, *13*, e12625. <https://doi.org/10.1111/jfr3.12625>
- Men, H.; Lu, H. Jiang, W.J.; Xu, D. Mathematical Optimization Method of Low-Impact Development Layout in the Sponge City. *MATH. PROBL. ENG.* **2020**, *2020*, 6734081. <https://doi.org/10.1155/2020/6734081>
- Guerrero, J.; Alam, T.; Mahmoud, A.; Jones, K.D.; Ernest, A. Decision-Support System for LID Footprint Planning and Urban Runoff Mitigation in the Lower Rio Grande Valley of South Texas. *SUSTAINABILITY* **2020**, *12*, 3152. <https://doi.org/10.3390/su12083152>
- Raei, E.; Alizadeh, M.R.; Nikko, M.R.; Adamowski, J. Multi-objective decision-making for green infrastructure planning (LID-BMPs) in urban storm water management under uncertainty. *J. HYDROL.* **2019**, *579*, 124091. <https://doi.org/10.1016/j.jhydrol.2019.124091>
- Kaykhosravi, S.; Abogadil, K.; Khan, U.T.; Jadidi, M.A. The Low-Impact Development Demand Index: A New Approach to Identifying Locations for LID. *WATER* **2019**, *11*, 2341. <https://doi.org/10.3390/w11112341>
- Leimgruber, J.; Krebs, G.; Camhy, A.; Muschalla, D. Model-Based Selection of Cost-Effective Low Impact Development Strategies to Control Water Balance. *SUSTAINABILITY* **2019**, *11*, 2440. <https://doi.org/10.3390/su11082440>
- Li, N.; Qin, C.X.; Du, P.F. Optimization of China Sponge City Design: The Case of Lincang Technology Innovation Park. *WATER* **2018**, *10*, 1189. <https://doi.org/10.3390/w10091189>
- Song, J.Y.; Chung, E.S.; Kim, S.H. Decision Support System for the Design and Planning of Low-Impact Development Practices: The Case of Seoul. *WATER* **2018**, *10*, 146. <https://doi.org/10.3390/w10020146>
- Hoeben, A.D.; Posch, A. Green roof ecosystem services in various urban development types: A case study in Graz, Austria. *URBAN FOR. URBAN GREE.* **2021**, *62*, 127167. <https://doi.org/10.1016/j.ufug.2021.127167>
- Shao, H.M.; Song, P.H.; Mu, B.; Tian, G.H.; Chen, Q.; He, R.Z.; Kim, G. Assessing city-scale green roof development potential using Unmanned Aerial Vehicle (UAV) imagery. *URBAN FOR. URBAN GREE.* **2021**, *57*, 126954. <https://doi.org/10.1016/j.ufug.2020.126954>
- Hong, W.Y.; Guo, R.Z.; Tang, H. Potential assessment and implementation strategy for roof greening in highly urbanized areas: A case study in Shenzhen, China. *CITIES* **2019**, *95*, 102468. <https://doi.org/10.1016/j.cities.2019.102468>
- Bautista, D.; Pena-Guzman, C. Simulating the Hydrological Impact of Green Roof Use and an Increase in Green Areas in an Urban Catchment with i-Tree: A Case Study with the Town of Fontibon in Bogota, Colombia. *RESOURCES-BASEL* **2019**, *8*, 68. <https://doi.org/10.3390/resources8020068>

23. Venter, Z.S.; Barton, D.N.; Martinez-Izquierdo, L.; Langemeyer, J.; Baro, F.; McPhearson, T. Interactive spatial planning of urban green infrastructure - Retrofitting green roofs where ecosystem services are most needed in Oslo. *ECOSYST. SERV.* **2021**, *50*, 101314. <https://doi.org/10.1016/j.ecoser.2021.101314>
24. Song, X.L.; Ren, H.Y.; Jiao, X.M.; Shang, F.F. Effect of Greenbelt Water of Green Roof Index Defined and Planning Measures. In International Conference on Air Pollution and Environmental Engineering (APEE), Hong Kong, China, OCT 26-28, 2018; Publisher: Hong Kong, China, 2018. <https://doi.org/10.1088/1755-1315/208/1/012030>
25. Spahr, K.M.; Smith, J.M.; McCray, J.E.; Hogue, T.S. Reading the Green Landscape: Public Attitudes toward Green Stormwater Infrastructure and the Perceived Nonmonetary Value of Its Co-Benefits in Three US Cities. *J. SUSTAIN. WATER BUIL.* **2021**, *7*, 04021017. <https://doi.org/10.1061/JSWBAY.0000963>
26. Gallo, E.M.; Bell, C.D.; Panos, C.L.; Smith, S.M.; Hogue, T.S. Investigating Tradeoffs of Green to Grey Stormwater Infrastructure Using a Planning-Level Decision Support Tool. *WATER* **2020**, *12*, 2005. <https://doi.org/10.3390/w12072005>
27. Hung, F.; Hobbs, B.F. How can learning-by-doing improve decisions in stormwater management? A Bayesian-based optimization model for planning urban green infrastructure investments. *ENVIRON. MODELL. SOFTW.* **2019**, *113*, 59–72. <https://doi.org/10.1016/j.envsoft.2018.12.005>
28. Xu, X.F.; Schreiber, D.S.P.; Lu, Q.; Zhang, Q. A GIS-Based Framework Creating Green Stormwater Infrastructure Inventory Relevant to Surface Transportation Planning. *SUSTAINABILITY* **2018**, *10*, 4710. <https://doi.org/10.3390/su10124710>
29. Xu, H.S.; Chen, L.; Zhao, B.; Zhang, Q.Z.; Cai, Y.L. Green stormwater infrastructure eco-planning and development on the regional scale: a case study of Shanghai Lingang New City, East China. *FRONT. EARTH SCI-PRC.* **2016**, *10*, 366–377. <https://doi.org/10.1007/s11707-015-0516-5>
30. Zhang, L.; Lu, Q.; Ding, Y.F.; Wu, J.S. A procedure to design road bioretention soil media based on runoff reduction and pollutant removal performance. *J. CLEAN. PROD.* **2021**, *287*, 125524. <https://doi.org/10.1016/j.jclepro.2020.125524>
31. Teotonio, I.; Cabral, M.; Cruz, C.O.; Silva, C.M. Decision support system for green roofs investments in residential buildings. *J. CLEAN. PROD.* **2020**, *249*, 119365. <https://doi.org/10.1016/j.jclepro.2019.119365>
32. Sanchez, L.; Reames, T.G. Cooling Detroit: A socio-spatial analysis of equity in green roofs as an urban heat island mitigation strategy. *URBAN FOR. URBAN GREE.* **2019**, *44*, 126331. <https://doi.org/10.1016/j.ufug.2019.04.014>
33. Bach, P.M.; Kuller, M.; Deletic, A. A spatial planning-support system for generating decentralised urban stormwater management schemes. *SCI. TOTAL ENVIRON.* **2020**, *726*, 138282. <https://doi.org/10.1016/j.scitotenv.2020.138282>
34. Niec, J.; Blazejewski, R.; Zawadzki, P.; Kozlowski, M. Comparison of Seepage Models Applied to Design of Trapezoidal Infiltration Trenches and Basins. *J. IRRIG. DRAIN. ENG.* **2021**, *147*, 05021001. [https://doi.org/10.1061/\(ASCE\)IR.1943-4774.0001538](https://doi.org/10.1061/(ASCE)IR.1943-4774.0001538)
35. Wang, J.; Guo, Y.P. Proper Sizing of Infiltration Trenches Using Closed-Form Analytical Equations. *WATER RESOUR. MANAG.* **2020**, *34*, 3809–3821. <https://doi.org/10.1007/s11269-020-02645-x>
36. Naghedifar, S.M.; Ziae, A.N.; Naghedifar, S.A. Optimization of Quadrilateral Infiltration Trench Using Numerical Modeling and Taguchi Approach. *J. HYDROL. ENG.* **2019**, *24*, 04018069. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0001761](https://doi.org/10.1061/(ASCE)HE.1943-5584.0001761)
37. Sochacka, B.A.; Bos, J.J.; Dobbie, M.F. Contextualising landscape perceptions: the role of urban landscape, ecosystem and water system in formation of mental models of a stormwater wetland in Brisbane. *LANDSCAPE ECOL.* **2021**, *36*, 2599–2617. <https://doi.org/10.1007/s10980-021-01250-6>
38. Tuttolomondo, T.; Virga, G.; Licata, M.; Leto, C.; La Bella, S. Constructed Wetlands as Sustainable Technology for the Treatment and Reuse of the First-Flush Stormwater in Agriculture-A Case Study in Sicily (Italy). *WATER* **2020**, *12*, 2542. <https://doi.org/10.3390/w12092542>
39. Hale, R.; Swearer, S.E.; Sievers, M.; Coleman, R. Balancing biodiversity outcomes and pollution management in urban stormwater treatment wetlands. *J. ENVIRON. MANAGE.* **2019**, *233*, 302–307. <https://doi.org/10.1016/j.jenvman.2018.12.064>
40. Kabenge, I.; Ouma, G.; Aboagye, D.; Banadda, N. Performance of a constructed wetland as an upstream intervention for stormwater runoff quality management. *ENVIRON. SCI. POLLUT. R.* **2018**, *25*, 36765–36774. <https://doi.org/10.1007/s11356-018-3580-z>
41. Krompart, J.; Cockburn, J.M.H.; Villard, P.V. Pocket wetlands as additions to stormwater treatment train systems: a case study from a restored stream in Brampton, ON, Canada. *CAN. WATER RESOUR. J.* **2018**, *43*, 321–334. <https://doi.org/10.1080/07011784.2018.1459863>
42. McAndrew, B.; Ahn, C. Developing an ecosystem model of a floating wetland for water quality improvement on a stormwater pond. *J. ENVIRON. MANAGE.* **2017**, *202*, 198–207. <https://doi.org/10.1016/j.jenvman.2017.07.035>
43. Greenway, M. Stormwater wetlands for the enhancement of environmental ecosystem services: case studies for two retrofit wetlands in Brisbane, Australia. *J. CLEAN. PROD.* **2017**, *163*, S91–S100. <https://doi.org/10.1016/j.jclepro.2015.12.081>
44. Natarajan, S.K.; Hagare, D.; Maheshwari, B. Constructed wetlands for improving stormwater quality and health of urban lakes. *WATER SCI. TECH-W. SUP.* **2018**, *18*, 956–967. <https://doi.org/10.2166/ws.2017.169>
45. Bledsoe, R.B.; Bean, E.Z.; Austin, S.S.; Peralta, A.L. A microbial perspective on balancing trade-offs in ecosystem functions in a constructed stormwater wetland. *ECOL. ENG.* **2020**, *158*, 106000. <https://doi.org/10.1016/j.ecoleng.2020.106000>
46. Robertson, J.J.; Fletcher, T.D.; Danger, A.; Szota, C. Identifying critical inundation thresholds to maintain vegetation cover in stormwater treatment wetlands. *ECOL. ENG.* **2018**, *116*, 80–86. <https://doi.org/10.1016/j.ecoleng.2018.02.031>
47. Ki, S.J.; Ray, C. Using fuzzy logic analysis for siting decisions of infiltration trenches for highway runoff control. *SCI. TOTAL ENVIRON.* **2014**, *493*, 44–53. <https://doi.org/10.1016/j.scitotenv.2014.05.121>

48. Pille, L.; Saeumel, I. The water-sensitive city meets biodiversity: habitat services of rain water management measures in highly urbanized landscapes. *ECOL. SOC.* **2021**, *26*, 23. <https://doi.org/10.5751/ES-12386-260223>
49. Jessup, K.; Parker, S.S.; Randall, J.M.; Cohen, B.S.; Roderick-Jones, R.; Ganguly, S.; Sourial, J. Planting Stormwater Solutions: A methodology for siting nature-based solutions for pollution capture, habitat enhancement, and multiple health benefits. *URBAN FOR. URBAN GREE.* **2021**, *64*, 127300. <https://doi.org/10.1016/j.ufug.2021.127300>
50. Li, S.Y.; Liu, Y.Z.; Her, Y.G.; Chen, J.Q.; Guo, T.; Shao, G. Improvement of simulating sub-daily hydrological impacts of rain-water harvesting for landscape irrigation with rain barrels/cisterns in the SWAT model. *SCI. TOTAL ENVIRON.* **2021**, *798*, 149336. <https://doi.org/10.1016/j.scitotenv.2021.149336>
51. Ghodsi, S.H.; Zhu, Z.D.; Gheith, H.; Rabideau, A.J.; Torres, M.N.; Meindl, K. Modeling the Effectiveness of Rain Barrels, Cisterns, and Downspout Disconnections for Reducing Combined Sewer Overflows in a City-Scale Watershed. *WATER RESOUR. MANAG.* **2021**, *35*, 2895–2908. [https://doi.org/10.1061/\(10.1007/s11269-021-02875-7](https://doi.org/10.1061/(10.1007/s11269-021-02875-7)
52. Litofsky, A.L.E.; Jennings, A.A. Evaluating Rain Barrel Storm Water Management Effectiveness across Climatology Zones of the United States. *J. ENVIRON. ENG.* **2014**, *140*, 04014009. [https://doi.org/10.1061/\(ASCE\)EE.1943-7870.0000815](https://doi.org/10.1061/(ASCE)EE.1943-7870.0000815)
53. Logan, J. Using a Spreadsheet to Model Rain Barrel Efficiency and Cost Benefit for Homeowners. *HORTTECHNOLOGY* **2014**, *24*, 156–158. <https://doi.org/10.21273/HORTTECH.24.1.156>
54. Shuster, W.D.; Lye, D.; De La Cruz, A.; Rhea, L.K.; O'Connell, K.; Kelty, A. ASSESSMENT OF RESIDENTIAL RAIN BARREL WATER QUALITY AND USE IN CINCINNATI, OHIO. *J. AM. WATER RESOUR. AS.* **2013**, *49*, 753–765. <https://doi.org/10.1111/jawr.12036>
55. Darnthamrongkul, W.; Mozingo, L.A. Toward sustainable stormwater management: Understanding public appreciation and recognition of urban Low Impact Development (LID) in the San Francisco Bay Area. *J. ENVIRON. MANAGE.* **2021**, *300*, 113716. <https://doi.org/10.1016/j.jenvman.2021.113716>
56. Neupane, B.; Vu, T.M.; Mishra, A.K. Evaluation of land-use, climate change, and low-impact development practices on urban flooding. *HYDROLOG. SCI. J.* **2021**, *66*, 1729–1742. <https://doi.org/10.1080/02626667.2021.1954650>
57. Oliazadeh, A.; Bozorg-Haddad, O.; Mani, M.; Chu, X.F. Developing an urban runoff management model by using satellite precipitation datasets to allocate low impact development systems under climate change conditions. *THEOR. APPL. CLIMATOL.* **2021**, *146*, 675–687. <https://doi.org/10.1007/s00704-021-03744-4>
58. Qi, W.C.; Ma, C.; Xu, H.S.; Chen, Z.F.; Zhao, K.; Han, H. Low Impact Development Measures Spatial Arrangement for Urban Flood Mitigation: An Exploratory Optimal Framework based on Source Tracking. *WATER RESOUR. MANAG.* **2021**, *35*, 3755–3770. <https://doi.org/10.1007/s11269-021-02915-2>
59. dos Santos, M.F.N.; Barbassa, A.P.; Vasconcelos, A.F.; Ometto, A.R. Stormwater management for highly urbanized areas in the tropics: Life cycle assessment of low impact development practices. *J. HYDROL.* **2021**, *598*, 126409. <https://doi.org/10.1016/j.jhydrol.2021.126409>
60. Abdelkebir, B.; Maoui, A.; Mokhtari, E.; Engel, B.; Chen, J.Q.; Aboelnour, M. Evaluating Low-Impact Development practice performance to reduce runoff volume in an urban watershed in Algeria. *ARAB. J. GEOSCI.* **2021**, *14*, 814. <https://doi.org/10.1007/s12517-021-07178-0>
61. Rong, G.W.; Hu, L.Y.; Wang, X.; Jiang, H.L.; Gan, D.N.; Li, S.S. Simulation and evaluation of low-impact development practices in university construction: A case study of Anhui University of Science and Technology. *J. CLEAN. PROD.* **2021**, *294*, 126232. <https://doi.org/10.1016/j.jclepro.2021.126232>
62. Rezaei, A.R.; Ismail, Z.; Niksokhan, M.H.; Dayarian, M.A.; Rami, A.H.; Yusoff, S. Optimal implementation of low impact development for urban stormwater quantity and quality control using multi-objective optimization. *ENVIRON. MONIT. ASSESS.* **2021**, *193*, 241. <https://doi.org/10.1007/s10661-021-09010-4>
63. dos Santos, M.F.N.; Barbassa, A.P.; Vasconcelos, A.F. Low impact development strategies for a low-income settlement: Balancing flood protection and life cycle costs in Brazil. *SUSTAIN. CITIES SOC.* **2021**, *65*, 102650. <https://doi.org/10.1016/j.scs.2020.102650>
64. Hernes, R.R.; Gragne, A.S.; Abdalla, E.M.H.; Braskerud, B.B.; Alfredsen, K.; Muthanna, T.M. Assessing the effects of four SUDS scenarios on combined sewer overflows in Oslo, Norway: evaluating the low-impact development module of the Mike Urban model. *Hydrology Research* **2020**, *51*, 1437–1454. <https://doi.org/10.2166/nh.2020.070>
65. Oberascher, M.; Kinzel, C.; Kastlunger, U.; Kleidorfer, M.; Zingerle, C.; Rauch, W.; Sitzenfrei, R. Integrated urban water management with micro storages developed as an IoT-based solution - The smart rain barrel. *ENVIRON. MODELL. SOFTW.* **2021**, *139*, 105028. <https://doi.org/10.1016/j.envsoft.2021.105028>
66. Onderka, M.; Pecho, J.; Nejedlik, P. On how rainfall characteristics affect the sizing of rain barrels in Slovakia. *J. HYDROL-REG. STUD.* **2020**, *32*, 100747. <https://doi.org/10.1016/j.ejrh.2020.100747>
67. Saniei, K.; Yazdi, J.; MajdzadehTabatabaei, M.R. Optimal size, type and location of low impact developments (LIDs) for urban stormwater control. *URBAN WATER J.* **2021**, *18*, 585–597. <https://doi.org/10.1080/1573062X.2021.1918181>