sustainability

Supplementary Material

Effect of Zeolite on the Methane Production from Chicken Manure Leachate

A. Spyridonidis, I.A. Vasiliadou and K. Stamatelatou *

Department of Environmental Engineering, Democritus University of Thrace, Xanthi, Greece; astamat@env.duth.gr; Tel.: +302541079315

Citation: Spyridonidis, A.; Vasiliadou, I.A.; Stamatelatou, K. Effect of Zeolite on the Methane Production from Chicken Manure Leachate. *Sustainability* **2022**, *14*, 2207. https://doi.org/10.3390/su14042207

Academic Editor: Agostina Chiavola

Received: 27 December 2021
Accepted: 11 February 2022
Published: 15 February 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Copyright: © 2022 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).



Figure S1. % COD extracted per day into leachate during (**a**) R1.1, R2.1, R3.1 for CM Batch 1, (**b**) R1.2, R2.2, R3.3 for CM Batch 2 and (**c**) R4.1, R5.1, R6.1 for CM Batch 1.



Figure S2. % NH_3 extracted per day into leachate during (**a**) R1.1, R2.1, R3.1 for CM Batch 1, (**b**) R1.2, R2.2, R3.3 for CM Batch 2 and (**c**) R4.1, R5.1, R6.1 for CM Batch 1