

Figure S1. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Sierra Loma



Figure S2. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Choptank



Figure S3. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Dahra



Figure S4. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Grillenburg



Figure S5. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Harvard



Figure S6. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Hyltemossa



Figure S7. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Klingenberg



Figure S8. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Majadas



Figure S9. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Selhausen



Figure S10. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Taous



Figure S11. Model scatterplot of predicted vs. EC observed using sharpened  $T_{rad}$  with Decision Trees for Kendall Grassland