

Supporting Information

Atom Transfer Radical Addition via Dual Photoredox/Manganese Catalytic System

Vladislav S. Kostromitin,^{1,2} Vitalij, V. Levin,¹ Alexander D. Dilman^{1,*}

¹ *N. D. Zelinsky Institute of Organic Chemistry, Leninsky Prosp. 47, 119991 Moscow, Russia*


² *Department of Chemistry, Lomonosov Moscow State University, Leninskie Gory 1-3, 119991
Moscow, Russia*


E-mail: dilman@ioc.ac.ru

Stern-Volmer study


Fluorescence quenching of 4CzIPN photocatalyst.


Experiments were performed in a screw-capped quartz vial (10×10 mm). The solvent was degassed, and the vial was filled with argon. The concentration of 4CzIPN was 0.1 mmol/L. Excitation wavelength 435 nm, fluorescence wavelength 541 nm. Measurements were performed at room temperature. For the experiment with $\text{MnBr}_2/\text{TBABr}$ mixture, concentration on the abscissa axis matches MnBr_2 concentration, and $[\text{TBABr}] = 2 \times [\text{MnBr}_2]$ in each point.







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)





^1H NMR (300 MHz, CDCl_3)





157.70
157.14
156.58
156.02

137.75

131.97

129.06

128.92

126.66

120.41

119.46

116.62


112.83


109.04

79.78


40.51


$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







¹⁹F NMR (282 MHz, CDCl₃)







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







¹H NMR (300 MHz, CDCl₃)










^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







$^1\text{H NMR}$ (300 MHz, CDCl_3)










^{19}F NMR (282 MHz, CDCl_3)





$^1\text{H NMR}$ (300 MHz, CDCl_3)





— 121.51
— 117.38
— 116.49
— 113.25


— 48.26


39.02
38.74
38.46
35.75
34.06

— 13.96


-1.71
-2.05


$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^{19}F NMR (282 MHz, CDCl_3)





^1H NMR (300 MHz, CDCl_3)







121.93
120.32
117.80
117.27
113.66
113.51

35.15
34.86
34.56
26.87
26.83
25.95


13.76
10.99


$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^{19}F NMR (282 MHz, CDCl_3)







^1H NMR (300 MHz, CDCl_3)













^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^{19}F NMR (282 MHz, CDCl_3)





¹H NMR (300 MHz, CDCl₃)





121.56
120.02
117.43
116.62
113.30

66.85



42.92
42.89
35.87
35.59
35.30


25.86

18.36


-5.24
-5.31


¹³C{¹H} NMR (75 MHz, CDCl₃)







^{19}F NMR (282 MHz, CDCl_3)







$^1\text{H NMR}$ (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)







^{19}F NMR (282 MHz, CDCl_3)





¹H NMR (300 MHz, CDCl₃)





129.71
125.92
121.50
119.85
117.37
116.44
113.24

71.38
71.22

52.31
51.55


40.39
40.12
39.84


28.05
27.11

21.51
20.48


1.01
0.85
0.28
0.19


¹³C{¹H} NMR (75 MHz, CDCl₃)







^{19}F NMR (282 MHz, CDCl_3)







¹H NMR (300 MHz, CDCl₃)










¹⁹F NMR (282 MHz, CDCl₃)





^1H NMR (300 MHz, CDCl_3)








$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)


121.45
119.83
117.32
116.43
113.19
112.67


45.11
39.93
39.65
39.37
39.21
39.19
31.73
28.56
27.27
22.69
14.17







^{19}F NMR (282 MHz, CDCl_3)






^1H NMR (300 MHz, CDCl_3)







^{19}F NMR (282 MHz, CDCl_3)


-66.64
-66.66
-66.69
-67.03


-105.16
-105.22
-109.99
-110.03

3.85
1.06


1.00


3.77







^1H NMR (300 MHz, CDCl_3)






$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)






^{19}F NMR (282 MHz, CDCl_3)


-113.44
-113.54
-114.35
-114.38
-114.48
-115.19
-115.22
-115.26
-115.32
-115.35
-116.16
-116.19
-116.22
-116.26
-116.29
-116.33
-116.36




10 0 -10 -20 -30 -40 -50 -60 -70 -80 -90 -100 -110 -120 -130 -140 -150 -160 -170 -180 -190 -200
ppm



^1H NMR (300 MHz, CDCl_3)







$^{13}\text{C}\{^1\text{H}\}$ NMR (75 MHz, CDCl_3)


121.45
118.20
114.94
113.82
110.52
107.22


31.92
30.26
29.96
29.66
29.41
29.34
29.20
22.74
20.50
20.45
20.40
14.13





^{19}F NMR (282 MHz, CDCl_3)





^1H NMR (300 MHz, CDCl_3)

