

Supplementary Materials

Effect of the Heterovalent Sc^{3+} and Nb^{5+} Doping on Photoelectrochemical Behavior of Anatase TiO_2 .

Elena S. Silyavka ¹, Aida V. Rudakova ¹, Tair V. Bakiev ¹, Anna A. Murashkina ¹, Petr D. Murzin ¹, Galina V. Kataeva ², Alexei V. Emeline ¹ and Detlef W. Bahnemann ^{1,*}

¹ Laboratory "Photoactive Nanocomposite Materials", Saint-Petersburg State University, Saint-Petersburg, Russia

² Department of General and Applied Physics, Moscow State University of Civil Engineering, Moscow, Russia

* Corresponding author: Detlef W. Bahnemann, e-mail: bahnemann@iftc.uni-hannover.de





Figure S1. SEM images of surface (a) and cross-section (b) for 1.0-Sc-TiO₂ with 1.0 at.% Sc.



a




Figure S2. X-ray patterns for x -Sc-TiO₂ (a) and x -Nb-TiO₂ (b) with different dopant concentrations: (1) 0 at.%, (2) 0.2 at.%, (3) 0.4 at.%, (4) 0.6 at.%, (5) 0.8 at.%, (6) 1.0 at.%.




Figure S3. Spectral dependencies of the modified Tauc plots for Nb (a) and Sc (b) doped TiO₂ electrodes.