

Cell uptake and biocompatibility of nanoparticles prepared from poly(benzyl malate) (co)polymers obtained through chemical and enzymatic polymerization in human HepaRG cells and primary macrophages

Hubert Casajus^{1,*}, Saad Saba^{2,*}, Manuel Vlach², Elise Vène², Catherine Ribault², Sylvain Tranchimand¹, Caroline Nugier-Chauvin¹, Eric Dubreucq³, Pascal Loyer^{2,§}, Sandrine Cammas-Marion^{1,2,§}, Nicolas Lepareur^{2,4,§}.

¹ Univ Rennes, Ecole Nationale Supérieure de Chimie de Rennes, CNRS, ISCR, UMR 6226, F-35000 Rennes, France.

² Univ Rennes, INSERM, INRA, Institut NUMECAN (Nutrition Metabolisms and Cancer) UMR_A 1341, UMR_S 1241, F-35000 Rennes, France.

³ Montpellier SupAgro, Département des Sciences pour les Agro-Bioprocédés, UMR IATE (INRA - CIRAD - Montpellier SupAgro - Université Montpellier II), Axe Biotechnologie microbienne et enzymatique des lipides et des Agropolymères, 2 place Viala - 34060 Montpellier cedex 2 – France.

⁴ Comprehensive Cancer Center Eugène Marquis, F-35000 Rennes, France.

* These authors contributed equally to the work.

§ Correspondence: pascal.loyer@univ-rennes1.fr (+33-223-233-873), sandrine.marion.1@ensc-rennes.fr (+33-223-238-109), n.lepareur@rennes.unicancer.fr (+33-299-253-144)

Figure SI 1.1. FT-IR spectrum of RS-MLABe




Figure SI 1.2. FT-IR spectrum of S-MLABe




Figure SI 1.3. FT-IR spectrum of R-MLABe




Figure SI 2.1. ^1H NMR spectrum of RS-MLABe




Figure SI 2.2. ^1H NMR spectrum of S-MLABe




Figure SI 2.3. ^1H NMR spectrum of R-MLABe




Figure SI 3.1. ^1H NMR spectrum of RS-PMLABe P1




Figure SI 3.2. ^1H NMR spectrum of S-PMLABe P2




Figure SI 3.3. ^1H NMR spectrum of chemical $\text{PEG}_{45}-b\text{-RS-PMLABe}_{73}$ P3




Figure SI 3.4. ^1H NMR spectrum of enzymatic RS-PMLABe P4




Figure SI 3.5. ^1H NMR spectrum of enzymatic RS-PMLABe P5




Figure SI 3.6. ^1H NMR spectrum of enzymatic S-PMLABe P6




Figure SI 3.7. ^1H NMR spectrum of enzymatic R-PMLABe P7




Figure SI 3.8. ^1H NMR spectrum of enzymatic PEG₁₇-*b*-PMLABe₄₅ P8




Figure SI 4. Calibration curve giving the DiR concentration in a DMF/water (80/20) mixture as a function of the Optical Density (DO).

