

Supplementary Materials: Characterization of Hydrophilic Polymers as a Syringe Extrusion 3D Printing Material for Orodispersible Film

Pattaraporn Panraksa ¹, Sheng Qi ², Suruk Udomsom ³, Pratchaya Tipduangta ¹, Pornchai Rachtanapun ^{4,5}, Kittisak Jantanasakulwong ^{4,5} and Pensak Jantrawut ^{1,5,*}

¹ Department of Pharmaceutical Sciences, Faculty of Pharmacy, Chiang Mai University, Chiang Mai 50200, Thailand; pattaraporn.prs@gmail.com (P.P.); ptipduangta@gmail.com (P.T.)

² School of Pharmacy, University of East Anglia, Norwich, Norfolk NR4 7TJ, UK; sheng.qi@uea.ac.uk

³ Biomedical Engineering Institute, Chiang Mai University, Chiang Mai 50200, Thailand; suruk_u@cmu.ac.th

⁴ Division of Packaging Technology, School of Agro-Industry, Faculty of Agro-Industry, Chiang Mai University, Chiang Mai 50100, Thailand; pornchai.r@cmu.ac.th (P.R.); jantanasakulwong.k@gmail.com (K.J.)

⁵ Cluster of Agro Bio-Circular-Green Industry (Agro BCG), Chiang Mai University, Chiang Mai 50100, Thailand

* Correspondence: pensak.amuamu@gmail.com or pensak.j@cmu.ac.th; Tel.: +6653944309




Figure S1. Printing filaments of (a) E15-20, (b) E50-15, (c) HMP-15, (d) SCMC-5, and (e) HEC-4.