

Supplementary Data

Printable Alginic Hydrogels with Embedded Network of Halloysite Nanotubes: Effect of Polymer Cross-Linking on Rheological Properties and Microstructure

Svetlana A. Glukhova ¹, Vyacheslav S. Molchanov ^{1,*}, Boris V. Lokshin ², Andrei V. Rogachev ³, Alexey A. Tsarenko ³, Timofey D. Patsaev ⁴, Roman A. Kamyshinsky ^{3,4} and Olga E. Philippova ^{1,*}

¹ Physics Department, Moscow State University, Moscow 119991, Russia; glukhova@polly.phys.msu.ru

² A.N. Nesmeyanov Institute of Organoelement Compounds, Russian Academy of Sciences, Moscow 119991, Russia; bloksh@ineos.ac.ru

³ Moscow Institute of Physics and Technology, Dolgoprudny 141701, Russia; rogachev.av@phystech.edu (A.V.R.); aleksey.spitsin@phystech.edu (A.A.T.); kamyshinsky.roman@gmail.com (R.A.K.)

⁴ Kurchatov Complex of NBICS-Technologies, National Research Center Kurchatov Institute, Moscow 123182, Russia; timpatsaev@mail.ru

* Correspondence: molchan@polly.phys.msu.ru (V.S.M.); phil@polly.phys.msu.ru (O.E.P.)




Figure S1. ATR-FTIR-spectra of alginic/halloysite hydrogel (green curve) containing 2.7 wt% sodium alginate cross-linked with 25 mM calcium chloride in water and 5.4 vol% halloysite, of alginic hydrogel (black curve) containing 2.7 wt% sodium alginate cross-linked with 25 mM calcium chloride in water and of halloysite powder (blue curve).