

Supplementary material to:

Additive manufactured poly(ϵ -caprolactone)-graphene scaffolds: lamellar crystal orientation, mechanical properties and biological performance

Sara Biscaia¹, João C. Silva^{1,2,3}, Carla Moura¹, Tânia Viana¹, Ana Tojeira¹, Geoffrey R. Mitchell¹, Paula Pascoal-Faria¹, Frederico Castelo Ferreira^{2,3} and Nuno Alves^{1*}

¹ Centre for Rapid and Sustainable Product Development, Polytechnic Institute of Leiria, Portugal; sara.biscaia@ipleiria.pt (S.B.); carla.moura@ipleiria.pt (C.M.); taniaviana@gmail.com (T.V.); anatojeira88@gmail.com (A.T.); geoffrey.mitchell@ipleiria.pt (G.R.M.); paula.faria@ipleiria.pt (P.P.F.); nuno.alves@ipleiria.pt (N.A.)

² Department of Bioengineering and iBB - Institute for Bioengineering and Biosciences, Instituto Superior Técnico, Universidade de Lisboa, Av. Rovisco Pais, Lisboa 1049-001, Portugal; joao.f.da.silva@tecnico.ulisboa.pt (J.C.S.); frederico.ferreira@tecnico.ulisboa.pt (F.C.F.)

³ Associate Laboratory i4HB-Institute for Health and Bioeconomy, Instituto Superior Técnico, Universidade de Lisboa, Av. Rovisco Pais, Lisboa 1049-001, Portugal

*Correspondence: nuno.alves@ipleiria.pt




Figure S1 Bone-marrow MSCs proliferation assay – SEM analysis (Day 21), magnification:150x.