

Supplementary Figures

Unlocking the Potential of Human-Induced Pluripotent Stem Cells: Cellular Responses and Secretome Profiles in Peptide Hydrogel 3D Culture

Muyun Cui¹, Wei Wu^{2,†}, Quan Li^{3,†}, Guangyan Qi¹, Xuming Liu⁴, Jianfa Bai⁵, Mingshun Chen⁴,
Ping Li², Xiuzhi (Susan) Sun^{1,3,*}

Author affiliations:

1 Department of Grain Science and Industry, Kansas State University, Manhattan, KS 66506, USA

2 Department of Chemistry, Kansas State University, Manhattan, KS 66506, USA

3 Carl and Melinda Helwig Department of Biological and Agricultural Engineering, Kansas State University, Manhattan, KS 66506, USA

4 Department of Entomology, Kansas State University, KS, 66506, USA

5 Department of Diagnostic Medicine/Pathobiology, College of Veterinary Medicine, Kansas State University, Manhattan, KS 66506, USA

† Authors with equal contributions as the second author.

***Corresponding authors: xss@ksu.edu**

Supplemental Figure S2. Different visualization method for GO analysis based on the mass spectrometry results of medium collected from hiPSC-P and hiPSC-F cultured in E8 based system, showing the target gene categories and count.

