atmosphere

MDPI

Supplementary Material for

Pseudo-Invariant Feature-Based Linear Regression Model (PIF-LRM): An Effective Normalization Method to Evaluate Urbanization Impacts on Land Surface Temperature Changes

Zhengwu Cai [1], Chao Fan [2], Falin Chen [1] and Xiaoma Li [3,*]

[1] Hunan Provincial Key Laboratory of Rural Ecosystem Health in Dongting Lake Area, College of Resources and Environment, Hunan Agriculture University, Changsha 410128, China; caizhengwu@stu.hunau.edu.cn (Z.C.), chenfalin@hunau.edu.cn(F.C.)
[2] Department of Computer Sciences, University of Idaho, Moscow 83844, Russia; cfan@uidaho.edu
[3] Hunan Provincial Key Laboratory of Landscape Ecology and Planning & Design in Regular Higher Educational Institutions, College of Landscape Architecture and Art Design, Hunan Agriculture University, Changsha 410128, China
* Correspondence: lixiaoma@hunau.edu.cn

Table S1. Properties of the used Landsat images (Collection 2 Level-2).

Sensor	Scene ID	Acquisition Date	Time(GMT)
Landsat 5 TM	LT05_L2SP_123040_20000913_20200907_02_T1	2000-09-13	02:34:55
	LT05_L2SP_123040_20040924_20200903_02_T1	2004-09-24	02:40:44
	LT05_L2SP_123040_20090821_20200827_02_T1	2009-08-21	02:46:06
Landsat 8 OLI/TIRS	LC08_L2SP_123040_20130731_20200912_02_T1	2013-07-31	02:58:42
	LC08_L2SP_123040_20180729_20200831_02_T1	2018-07-29	02:55:58



Figure S1. Urban area in different years.