

Analysis of variance. One-way ANOVA.

Investigated experimental factor: Ni Concentration
Factors name: Control; 0.5 mg/L; 1.0 mg/L; 1.5 mg/L;
Investigated experimental response: Total protein

* - The components of observed variance:

	df	type I SS	mean square	F value	p>F
treatments	3	2482044	827347.851	160.853	<0.001
Residuals	24	123444	5143.502	-	-

* - Distribution of variables in variance classes:

	treatment	mean	sd	sem	tukey	snk	duncan	NA.	scott_knott
1	Control	773.8639	87.9719	27.1069	a	a	a	a	a
2	0.5 mg/L	604.8639	95.8620	27.1069	b	b	b	b	b
3	1.0 mg/L	126.6586	48.2602	27.1069	c	c	c	c	c
4	1.5 mg/L	86.7361	36.2820	27.1069	c	c	c	c	c

* - The raw multiple comparisons test:

	pair contrast	p(tukey)	p(snk)	p(duncan)	NA
1	Control - 0.5 mg/L	169.0000	0.0010	0.0002	0.0002 0.0004
2	Control - 1.0 mg/L	647.2053	0.0000	0.0000	0.0000 0.0000
3	Control - 1.5 mg/L	687.1278	0.0000	0.0000	0.0000 0.0000
4	0.5 mg/L - 1.0 mg/L	478.2053	0.0000	0.0000	0.0000 0.0000
5	0.5 mg/L - 1.5 mg/L	518.1278	0.0000	0.0000	0.0000 0.0000
6	1.0 mg/L - 1.5 mg/L	39.9225	0.7272	0.3081	0.3081 0.3081

* - Normality (Shapiro-Wilk) and homogeneity (Bartlett) tests applied to residuals:

	values
p.value Shapiro-Wilk test	0.4567
p.value Bartlett test	0.0880
coefficient of variation (%)	18.0200
first value most discrepant	10.0000
second value most discrepant	3.0000
third value most discrepant	11.0000

* - The estimated marginal means (EMMs) of factors values:

Concentration	emmean	SE	df	lower.CL	upper.CL
Control	773.9	27.1	24	717.9	830
0.5 mg/L	604.9	27.1	24	548.9	661
1.0 mg/L	126.7	27.1	24	70.7	183
1.5 mg/L	86.7	27.1	24	30.8	143

Confidence level used: 0.95

* - The contrasts between factors in terms of estimated marginal mMeans (EMMs):

contrast	estimate	SE	df	t.ratio	p.value
Control - (0.5 mg/L)	169.0	38.3	24	4.409	0.0002
Control - (1.0 mg/L)	647.2	38.3	24	16.883	<.0001
Control - (1.5 mg/L)	687.1	38.3	24	17.924	<.0001
(0.5 mg/L) - (1.0 mg/L)	478.2	38.3	24	12.474	<.0001
(0.5 mg/L) - (1.5 mg/L)	518.1	38.3	24	13.516	<.0001
(1.0 mg/L) - (1.5 mg/L)	39.9	38.3	24	1.041	0.3081

P value adjustment: fdr method for 6 tests

* - Calculated p values of pair factor contrasts:

	contrasts.vals	p.vals
Control - (0.5 mg/L)	169.00000	2.243085e-04
Control - (1.0 mg/L)	647.20529	2.415956e-14
Control - (1.5 mg/L)	687.12771	1.271571e-14
(0.5 mg/L) - (1.0 mg/L)	478.20529	8.367040e-12
(0.5 mg/L) - (1.5 mg/L)	518.12771	2.051241e-12
(1.0 mg/L) - (1.5 mg/L)	39.92243	3.080633e-01

```

*   - Benjamini-Krieger-Yekutieli multiple-stages comparison procedure
*   and the decision to reject the null hypothesis of equal means.

```

	contrasts.vals	p.vals	BYK.pvals	BYK.rejection
Control - (0.5 mg/L)	169.00000	2.243085e-04	8.974355e-05	TRUE
Control - (1.0 mg/L)	647.20529	2.415956e-14	7.629423e-14	TRUE
Control - (1.5 mg/L)	687.12771	1.271571e-14	7.629423e-14	TRUE
(0.5 mg/L) - (1.0 mg/L)	478.20529	8.367040e-12	6.275280e-12	TRUE
(0.5 mg/L) - (1.5 mg/L)	518.12771	2.051241e-12	2.734987e-12	TRUE
(1.0 mg/L) - (1.5 mg/L)	39.92243	3.080633e-01	7.420315e-02	FALSE