

Analysis of variance. One-way ANOVA.

Investigated experimental factor: Cd Concentration
Factors name: Control; 0.5 mg/L; 1.0 mg/L; 1.5 mg/L;
Investigated experimental response: Dry biomass

* - The components of observed variance:

	df	type I SS	mean square	F value	p>F
treatments	3	445.5286	148.5095	214.8827	<0.001
Residuals	24	16.5869	0.6911	-	-

* - Distribution of variables in variance classes:

	treatment	mean	sd	sem	tukey	snk	duncan	NA.	scott_knott
1	Control	22.8857	1.3656	0.3142	a	a	a	a	a
2	0.5 mg/L	16.6600	0.6997	0.3142	b	b	b	b	b
3	1.0 mg/L	13.8086	0.3587	0.3142	c	c	c	c	c
4	1.5 mg/L	12.5500	0.5305	0.3142	d	d	d	d	d

* - The raw multiple comparisons test:

	pair	contrast	p(tukey)	p(snk)	p(duncan)	NA
1	Control	- 0.5 mg/L	6.2257	0.0000	0.0000	0.0000
2	Control	- 1.0 mg/L	9.0771	0.0000	0.0000	0.0000
3	Control	- 1.5 mg/L	10.3357	0.0000	0.0000	0.0000
4	0.5 mg/L	- 1.0 mg/L	2.8514	0.0000	0.0000	0.0000
5	0.5 mg/L	- 1.5 mg/L	4.1100	0.0000	0.0000	0.0000
6	1.0 mg/L	- 1.5 mg/L	1.2586	0.0427	0.0092	0.0092

* - Normality (Shapiro-Wilk) and homogeneity (Bartlett) tests applied to residuals:
values

p.value Shapiro-Wilk test 0.4367
p.value Bartlett test 0.0126
coefficient of variation (%) 5.0500
first value most discrepant 7.0000
second value most discrepant 1.0000
third value most discrepant 4.0000

* - The estimated marginal means (EMMs) of factors values:

	Concentration	emmmean	SE	df	lower.CL	upper.CL
Control		22.9	0.314	24	22.2	23.5
0.5 mg/L		16.7	0.314	24	16.0	17.3
1.0 mg/L		13.8	0.314	24	13.2	14.5
1.5 mg/L		12.6	0.314	24	11.9	13.2

Confidence level used: 0.95

* - The contrasts between factors in terms of estimated marginal mMeans (EMMs):

contrast	estimate	SE	df	t.ratio	p.value
Control - (0.5 mg/L)	6.23	0.444	24	14.010	<.0001
Control - (1.0 mg/L)	9.08	0.444	24	20.427	<.0001
Control - (1.5 mg/L)	10.34	0.444	24	23.259	<.0001
(0.5 mg/L) - (1.0 mg/L)	2.85	0.444	24	6.417	<.0001
(0.5 mg/L) - (1.5 mg/L)	4.11	0.444	24	9.249	<.0001
(1.0 mg/L) - (1.5 mg/L)	1.26	0.444	24	2.832	0.0092

P value adjustment: fdr method for 6 tests

* - Calculated p values of pair factor contrasts:

	contrasts.vals	p.vals
Control - (0.5 mg/L)	6.225714	9.506409e-13
Control - (1.0 mg/L)	9.077143	3.324637e-16
Control - (1.5 mg/L)	10.335714	3.404996e-17
(0.5 mg/L) - (1.0 mg/L)	2.851429	1.480639e-06
(0.5 mg/L) - (1.5 mg/L)	4.110000	3.310632e-09
(1.0 mg/L) - (1.5 mg/L)	1.258571	9.210695e-03

* - Benjamini-Krieger-Yekutieli multiple-stages comparison procedure
* and the decision to reject the null hypothesis of equal means.

	contrasts.vals	p.vals	BYK.pvals	BYK.rejection
Control - (0.5 mg/L)	6.225714	9.506409e-13	1.267521e-12	TRUE
Control - (1.0 mg/L)	9.077143	3.324637e-16	8.311593e-16	TRUE
Control - (1.5 mg/L)	10.335714	3.404996e-17	2.042998e-16	TRUE
(0.5 mg/L) - (1.0 mg/L)	2.851429	1.480639e-06	5.922566e-07	TRUE
(0.5 mg/L) - (1.5 mg/L)	4.110000	3.310632e-09	2.482974e-09	TRUE
(1.0 mg/L) - (1.5 mg/L)	1.258571	9.210695e-03	1.549387e-03	TRUE