

Analysis of variance. One-way ANOVA.

Investigated experimental factor: Pb Concentration
 Factors name: Control; 0.5 mg/L; 1.0 mg/L; 1.5 mg/L;
 Investigated experimental response: Total protein

* - The components of observed variance:

	df	type I SS	mean square	F value	p>F
treatments	3	1354108.7	451369.553	58.639	<0.001
Residuals	24	184738.3	7697.428	-	-

* - Distribution of variables in variance classes:

	treatment	mean	sd	sem	tukey	snk	duncan	NA.	scott_knott
1	Control	773.8639	87.9719	33.1607	a	a	a	a	a
2	0.5 mg/L	476.7273	107.9100	33.1607	b	b	b	b	b
3	1.0 mg/L	255.8789	50.7239	33.1607	c	c	c	c	c
4	1.5 mg/L	223.3021	93.9850	33.1607	c	c	c	c	c

* - The raw multiple comparisons test:

	pair contrast	p(tukey)	p(snk)	p(duncan)	NA
1	Control - 0.5 mg/L	297.1366	0.0000	0.0000	0.0000
2	Control - 1.0 mg/L	517.9850	0.0000	0.0000	0.0000
3	Control - 1.5 mg/L	550.5618	0.0000	0.0000	0.0000
4	0.5 mg/L - 1.0 mg/L	220.8484	0.0005	0.0001	0.0001
5	0.5 mg/L - 1.5 mg/L	253.4252	0.0001	0.0000	0.0000
6	1.0 mg/L - 1.5 mg/L	32.5768	0.8981	0.4939	0.4939

* - Normality (Shapiro-Wilk) and homogeneity (Bartlett) tests applied to residuals:

	values
p.value Shapiro-Wilk test	0.0457
p.value Bartlett test	0.3881
coefficient of variation (%)	20.2900
first value most discrepant	11.0000
second value most discrepant	27.0000
third value most discrepant	3.0000

* - The estimated marginal means (EMMs) of factors values:

Concentration	emmean	SE	df	lower.CL	upper.CL
Control	774	33.2	24	705	842
0.5 mg/L	477	33.2	24	408	545
1.0 mg/L	256	33.2	24	187	324
1.5 mg/L	223	33.2	24	155	292

Confidence level used: 0.95

* - The contrasts between factors in terms of estimated marginal mMeans (EMMs):

contrast	estimate	SE	df	t.ratio	p.value
Control - (0.5 mg/L)	297.1	46.9	24	6.336	<.0001
Control - (1.0 mg/L)	518.0	46.9	24	11.045	<.0001
Control - (1.5 mg/L)	550.6	46.9	24	11.740	<.0001
(0.5 mg/L) - (1.0 mg/L)	220.8	46.9	24	4.709	0.0001
(0.5 mg/L) - (1.5 mg/L)	253.4	46.9	24	5.404	<.0001
(1.0 mg/L) - (1.5 mg/L)	32.6	46.9	24	0.695	0.4939

P value adjustment: fdr method for 6 tests

* - Calculated p values of pair factor contrasts:

	contrasts.vals	p.vals
Control - (0.5 mg/L)	297.13657	3.000257e-06
Control - (1.0 mg/L)	517.98500	2.044233e-10
Control - (1.5 mg/L)	550.56171	1.178632e-10
(0.5 mg/L) - (1.0 mg/L)	220.84843	1.043589e-04
(0.5 mg/L) - (1.5 mg/L)	253.42514	2.249828e-05
(1.0 mg/L) - (1.5 mg/L)	32.57671	4.939428e-01

```

*   - Benjamini-Krieger-Yekutieli multiple-stages comparison procedure
*   and the decision to reject the null hypothesis of equal means.

```

	contrasts.vals	p.vals	BYK.pvals	BYK.rejection
Control - (0.5 mg/L)	297.13657	3.000257e-06	4.000355e-06	TRUE
Control - (1.0 mg/L)	517.98500	2.044233e-10	7.071792e-10	TRUE
Control - (1.5 mg/L)	550.56171	1.178632e-10	7.071792e-10	TRUE
(0.5 mg/L) - (1.0 mg/L)	220.84843	1.043589e-04	4.174793e-05	TRUE
(0.5 mg/L) - (1.5 mg/L)	253.42514	2.249828e-05	1.687409e-05	TRUE
(1.0 mg/L) - (1.5 mg/L)	32.57671	4.939428e-01	1.626769e-01	FALSE