

Supplementary Table S1: Recurrence Rates (Historical Controls)			
	No. of Cases	Recurrence	Recurrence Percentage
Embo Only			
<i>Hashimoto et al</i>	4	0	0.00%
<i>Hirai et al</i>	2	0	0.00%
<i>Link et al</i>	6	0	0.00%
<i>Mino et al</i>	2	0	0.00%
<i>Tiwari et al</i>	13	0	0.00%
Total	27	0	0.00%
Burr Hole Drainage with and without Irrigation			
<i>Mori et al</i>	499	48	9.62%
<i>Torihashi et al</i>	337	61	18.10%
<i>Santarius et al</i>	215	36	16.74%
Total	1051	145	13.80%
Craniotomy			
<i>Lee et al</i>	134	25	18.66%
<i>Robinson et al</i>	10	2	20.00%
Total	144	27	18.75%
Medical Management			
<i>Delgado-Lopez et al</i>	101	28	27.72%
<i>Pichert et al</i>	56	8	14.29%
<i>Poulsen et al</i>	47	0	0.00%
Total	204	36	17.65%
Observation Only			
<i>Kim et al</i>	16	3	18.75%
<i>Sun et al</i>	4	2	50.00%
<i>Parlato et al</i>	5	0	0.00%

<i>Lusins et al</i>	9	1	11.11%
Total	34	6	17.65%

Supplementary Table S2: Volumetric Resolution (Historical Controls)						
Embolization	Number of Cases	Complete Reduction	Partial Reduction	No Change	Increase in Volume	Average Follow-Up Period (months)
<i>Hashimoto et al</i>	2	1	1	0	0	3.50
<i>Hirai et al</i>	2	1	0	1	0	8.00
<i>Link et al</i>	6	2	4	0	0	2.33
<i>Mino et al</i>	2	0	2	0	0	6.00
<i>Tiwari et al</i>	13	4	8	1	0	5.70
Total	25	8	15	2	0	4.92
Surgical						
<i>Xu et al</i>	63	35	16	12	0	3.00
Total	63	35	16	12	0	3.00
Medical Management						
<i>Wang et al</i>	23	17	5	0	1	3.00
<i>Poulsen et al</i>	47	0	47	0	0	1.50
<i>Kageyama et al</i>	21	8	12	0	1	1.93
Total	91	25	64	0	2	1.98
Observation						
<i>Kim et al</i>	16	13	0	0	3	4.25
<i>Parlato et al</i>	24	5	NR	NR	NR	1.50
<i>Lusins et al</i>	9	0	9	0	0	1.50
<i>Lee et al</i>	40	2	NR	NR	NR	1.50

<i>Naganuma</i>	4	4	NR	NR	NR	6.74
Total	93	24	9	0	3	2.20

Supplementary Table S3: Patient Demographics and Clinical Characteristics	
	N = 10
Average Age	71.40 ± 16.58
Gender (M:F)	7:3
Trauma	5
Antiplatelet or Anticoagulant Use	6
Prior Surgical Hematoma Removal	5
Symptomatic	10
Bilateral Hematomas	3
Unilateral Hematomas	7

Supplementary Table S4: Wilcoxon Score Index based Recurrence Rates		
	95% Confidence	99% Confidence
Embolization	0%-12.5%	0%-19.73%
Traditional Method	11.8%-16.0%	11.3%-16.8%