

Supplementary Material

Table S1. The minimum inhibitory concentration

Drugs	MIC (µg/mL)	
	<i>S. aureus</i>	<i>C. albicans</i>
Methicillin	1	/
Vancomycin	0.5	/
Fluconazole	/	0.5
Amphotericin B	/	2

Table S2. Specific primers used for RT-qPCR

Primers	Sequences
16s rRNA	Forward: 5'-GTAGGTGGCAAGCGTTAT-3'
	Reverse: 5'-GGTG TTCCTCCATATCTCTG-3'
18s rRNA	Forward: 5'-GAGCCAGCGAGTATAAGC-3'
	Reverse: 5'-GCCTCACTAAGCCATTCAA-3'
SAOUHSC_01121	Forward: 5'-GCAGCAGATAACTTCCTTG-3'
	Reverse: 5'- TGGTAGTCATCACGAACTC-3'
SAOUHSC_02708	Forward: 5'-TGGCTCATTCAACTACTCTA-3'

	Reverse: 5'-GCAGATACTTGACCATTTCG-3'
SAOUHSC_00192	Forward: 5'-TGGTACAGGTATCCGTGAA-3'
	Reverse: 5'-TTCGCTTGGCTTCTTGTAT-3'
SAOUHSC_00069	Forward: 5'-CGTAACGGCTTCATCCAA-3'
	Reverse: 5'-CCAGGCTTGTTGTTGTCT-3'
SAOUHSC_01705	Forward: 5'-AAGGTGGCGACATTGTTA-3'
	Reverse: 5'-CCTCACGACCATACTCAC3'
<i>glmU</i>	Forward: 5'-TTGCGGAACGATTACAGT-3'
	Reverse: 5'-TGCCACCAATACATCATCA-3'
SAOUHSC_01467	Forward: 5'-TCTCACCAACACAATTAGCA-3'
	Reverse: 5'-TCACCATCACGAGTAACTAC-3'
<i>murC</i>	Forward: 5'-GGTGATGATGAACATCTACG-3'
	Reverse: 5'-TGTGGAGACAGGAAGTGA-3'
<i>murD</i>	Forward: 5'-CTAATCTCTGAAGCACCAATC-3'
	Reverse: 5'-ATGACGACAACTCTGTAACT-3'
<i>murQ</i>	Forward: 5'-CCGTTTCAGTGCGTATTATTC-3'
	Reverse: 5'-GTCTTGTTGCTTCTTCCTTAG-3'
<i>ERG1</i>	Forward: 5'-GGCTGGTATCAAGGCATT-3'
	Reverse: 5'-ACTGGCTTCACTGGATTAG-3'
<i>ERG3</i>	Forward: 5'-CTTGTCACACTGTCCATCA-3'

Reverse: 5'-GAATCATCTGGTCTTCTGTAAG-3'

ERG11

Forward: 5'-TGGTGGTGGTAGACATAGA-3'

Reverse: 5'-TCTGCTGGTTCAGTAGGT-3'

CDR1

Forward: 5'-CAACAATACAAGACCAGCAT-3'

Reverse: 5'-ATAGAACACCGACGACAATA-3'

CDR2

Forward: 5'-ATGTTCTCAAGACGCTTATG-3'

Reverse: 5'-TGGATTGGTTAAGGAAGTCA-3'
