

Supplementary Materials

Table S1. Search strategy in PubMed.

| Search | Query | Results |
|--------|---|-----------|
| #4 | #1 AND (#2 OR #3) | 1,450 |
| #3 | "Comorbidity"[Mesh] OR Comorbidit*[tiab] OR "Co morbidity*[tiab] OR "underlying dis*[tiab] OR "co existing dis*[tiab] OR "co occurring dis*[tiab] OR "concurrent dis*[tiab] OR "underlying condition*[tiab] OR "co-existing condition*[tiab] OR "co-occurring condition*[tiab] OR "concurrent condition*[tiab] OR Multimorbidit*[tiab] OR "Multi morbidity*[tiab] | 297,875 |
| #2 | "Diabetes Mellitus"[Mesh] OR "Hypoglycemic Agents"[Mesh] OR "Hypoglycemic Agents" [Pharmacological Action] OR Prediabete*[tw] OR diabetes[tw] OR NIDDM[tw] OR IDDM[tw] OR T1DM[tw] OR T2DM[tw] OR diabetic*[tw] OR insulin*[tw] OR metformin*[tw] OR rosiglitazon*[tw] OR troglitazon*[tw] OR pioglitazon*[tw] OR hypoglycem*[tw] OR hypoglycaem*[tw] | 1,082,697 |
| #1 | "COVID-19 Vaccines"[Mesh] OR ((Covid*[tw] OR corona*[tw] OR ncov[tw] OR "SARS CoV"[tw] OR SARSCoV*[tw] OR Coronavirus[tw] OR Pfizer[tw] OR comirnaty[tw] OR spikevax[tw] OR moderna[tw] OR "mRNA 1273"[tw] OR "Ad26.COV*[tw] OR Janssen[tw] OR Johnson[tw] OR 78436735*[tw] OR BNT162*[tw]) AND (vaccin*[tw])) | 31,885 |

Table S2: Search strategy in Embase.com.

| Search | Query | Results |
|--------|--|-----------|
| #5 | #4 NOT ('chapter'/it OR 'conference abstract'/it OR 'conference paper'/it OR 'conference review'/it OR 'editorial'/it OR 'erratum'/it OR 'letter'/it OR 'note'/it OR 'review'/it OR 'short survey'/it) | 1,301 |
| #4 | #1 AND (#2 OR #3) | 2,516 |
| #3 | 'comorbidity'/exp OR (Comorbidit* OR 'Co morbidit*' OR 'underlying dis*' OR 'co existing dis*' OR 'co occurring dis*' OR 'concurrent dis*' OR 'underlying condition*' OR 'co-existing condition*' OR 'co-occurring condition*' OR 'concurrent condition*' OR Multimorbidit* OR 'Multi morbidit*'):ti,ab,kw | 522,745 |
| #2 | 'diabetes mellitus'/exp OR 'antidiabetic agent'/exp OR (Prediabete* OR diabetes OR NIDDM OR IDDM OR T1DM OR T2DM OR diabetic* OR insulin* OR metformin* OR rosiglitazon* OR troglitazon* OR pioglitazon* OR hypoglycem* OR hypoglycaem*):ti,ab,kw | 1,721,381 |
| #1 | 'SARS-CoV-2 vaccine'/exp OR ((Covid* OR corona* OR ncov OR 'SARS CoV' OR SARSCoV* OR Coronavirus OR Pfizer OR comirnaty OR spikevax OR moderna OR 'mRNA 1273' OR 'Ad26.COV*' OR Janssen OR Johnson OR 78436735* OR BNT162*) AND (vaccin*)):ti,ab,kw | 33,038 |

Table S3: Search strategy in Clarivate Analytics/Web of Science Core Collection.

| Search | Query | Results |
|--------|---|-----------|
| #4 | #1 AND (#2 OR #3) | 1,187 |
| #3 | TS=(Comorbidit* OR "Co morbidit**" OR "underlying dis**" OR "co existing dis**" OR "co occurring dis**" OR "concurrent dis**" OR "underlying condition**" OR "co-existing condition**" OR "co-occurring condition**" OR "concurrent condition**" OR Multimorbidit* OR "Multi morbidit**") | 251,769 |
| #2 | TS=(Prediabete* OR diabetes OR NIDDM OR IDDM OR T1DM OR T2DM OR diabetic* OR insulin* OR metformin* OR rosiglitazon* OR troglitazon* OR pioglitazon* OR hypoglycem* OR hypoglycaem*) | 1,216,530 |
| #1 | TS=((Covid* OR corona* OR ncov OR "SARS CoV" OR SARSCoV* OR Coronavirus OR Pfizer OR comirnaty OR spikevax OR moderna OR "mRNA 1273" OR "Ad26.COV**" OR Janssen OR Johnson OR 78436735* OR BNT162*) AND (vaccin*)) | 28,036 |

Table S4: Search strategy in Wiley/Cochrane Library.

| Search | Query | Results |
|--------|---|---------|
| #4 | #1 AND (#2 OR #3) | 110 |
| #3 | (Comorbidit* OR "Co NEXT morbidit*" OR "underlying NEXT dis*" OR "co existing NEXT dis*" OR "co occurring NEXT dis*" OR "concurrent NEXT dis*" OR "underlying NEXT condition*" OR "co-existing NEXT condition*" OR "co-occurring NEXT condition*" OR "concurrent NEXT condition*" OR Multimorbidit* OR "Multi NEXT morbidit*"):ti,ab,kw | 22,363 |
| #2 | (Prediabete* OR diabetes OR NIDDM OR IDDM OR T1DM OR T2DM OR diabetic* OR insulin* OR metformin* OR rosiglitazon* OR troglitazon* OR pioglitazon* OR hypoglycem* OR hypoglycaem*):ti,ab,kw | 131,680 |
| #1 | ((Covid* OR corona* OR ncov OR "SARS NEXT CoV" OR SARSCoV* OR Coronavirus OR Pfizer OR comirnaty OR spikevax OR moderna OR "mRNA NEXT 1273" OR "Ad26.COV*" OR Janssen OR Johnson OR 78436735* OR BNT162*) AND (vaccin*)):ti,ab,kw | 1,402 |

| | Risk of bias domains | | | | | | | |
|-------|----------------------------|----|----|----|----|----|----|---------|
| | D1 | D2 | D3 | D4 | D5 | D6 | D7 | Overall |
| Study | Agrawal et al. 2021 | + | + | + | ? | ? | + | + |
| | Alsaffar et al. 2022 | ! | ! | + | ? | ? | + | ! |
| | Basso et al. 2022 | X | + | + | ? | ! | + | ! |
| | Chodick et al. 2022 | X | + | + | ? | ? | + | X |
| | Dagan et al. 2021 | + | + | + | ? | - | + | - |
| | Drawz et al. 2022 | ! | - | + | ? | ? | + | ! |
| | Hitchings et al. 2021 | X | - | + | ? | X | + | X |
| | Murillo-Zamora et al. 2021 | X | X | + | ? | ? | ? | X |
| | Niessen et al. 2022 | X | + | + | ? | - | + | X |
| | Pilishvili et al. 2021 | X | X | + | ? | ? | + | X |
| | Ranzani et al. 2021 | - | - | + | ? | ? | X | X |
| | Saciuk et al. 2022 | + | + | + | ? | ? | + | + |
| | Tenforde et al. 2021 | X | X | + | ? | ? | + | X |
| | Whitaker et al. 2022 | + | + | + | ? | - | + | - |
| | Yek et al. 2022 | X | X | + | ? | ? | + | X |
| | Young-Xu et al. 2021 | + | - | + | ? | ? | + | - |
| | Zaqout et al. 2021 | ? | + | + | ? | ? | + | ? |

Domains:

- D1: Bias due to confounding.
- D2: Bias due to selection of participants.
- D3: Bias in classification of interventions.
- D4: Bias due to deviations from intended interventions.
- D5: Bias due to missing data.
- D6: Bias in measurement of outcomes.
- D7: Bias in selection of the reported result.

Judgement

- ! Critical
- X Serious
- Moderate
- + Low
- ? No information

Figure S1. Risk of bias by domain and overall, for each study separately.




Figure S2. Risk of bias in included studies, by domain and overall.