

**Supplementary material:**

Supplementary Table S1	List of patients contributed by each participating hospital
Supplementary Figure S1	Histological diagnoses and treatments classified into two time periods: 2010 to 2016 and from 2017 to 2021
Supplementary Figure S2	Opinion of the nephrologist


**Supplementary Table S1**

List of patients contributed by each participating hospital:


<b>Hospital</b>	<b>N</b>
Vall d'Hebron University Hospital	48
Hospital Clinic Barcelona	20
Fundación Alcorcón	14
Bellvitge Hospital	13
Córdoba Hospital	13
Dr. Josep Trueta Hospital	12
Virgen Macarena Hospital	10
Clínico San Carlos Hospital	7
Gregorio Marañón Hospital	5
Hospital del Mar	3
Virgen del Rocio Hospsital	2
Navarra Hospital	1

## Supplementary Figure S1

Histological diagnoses and treatments classified into two time periods: 2010 to 2016 and from




2017 to 2021.




MCD: Minimal change disease

2010-2016 (N=45)




2017-2021 (N=137)




## Supplementary Figure S2

Opinion of the nephrologist.

### IN THE OPINION OF THE NEPHROLOGIST (N=134), THE HISTOPATHOLOGICAL DIAGNOSIS WAS RELATED TO:




### TYPE OF TREATMENT ADMINISTERED



### Kidney biopsy diagnosis.

Diagnosis secondary to antineoplastic treatment: colored bar diagram.



BCG: Bacillus Calmette Guérin.