

Table S1. Patient characteristics according to dichotomized CD4+ tumor center and CD4+ invasion front cell counts.

Variables/Categories	CD4+ tumor center		CD4+ invasion front	
	low	high	low	high
	n (%)	n (%)	n (%)	n (%)
Number of patients	32 (100.0%)	23 (100.0%)	30 (100.0%)	25 (100.0%)
Age				
≥70	13 (40.6%)	7 (30.4%)	10 (33.3%)	10 (40.0%)
<70	19 (59.4%)	16 (69.6%)	20 (66.7%)	15 (60.0%)
Gender				
male	20 (62.5%)	19 (82.6%)	20 (66.7%)	19 (76.0%)
female	12 (37.5%)	4 (17.4%)	10 (33.3%)	6 (24.0%)
Tumor spread				
1	10 (31.3%)	10 (43.5%)	11 (36.7%)	9 (36.0%)
2	7 (21.9%)	8 (34.8%)	7 (23.3%)	8 (32.0%)
3	4 (12.5%)	3 (13.0%)	3 (10.0%)	4 (16.0%)
4	11 (34.4%)	2 (8.7%)	9 (30.0%)	4 (16.0%)
Nodal metastasis				
0	19 (59.4%)	11 (47.8%)	19 (63.3%)	11 (44.0%)
+	13 (40.6%)	12 (52.2%)	11 (36.7%)	14 (56.0%)
Metastasis				
no spread	25 (78.1%)	15 (65.2%)	23 (76.7%)	17 (68.0%)
any spread	2 (6.3%)	5 (21.7%)	2 (6.7%)	5 (20.0%)
unknown	5 (15.6%)	3 (13.0%)	5 (16.7%)	3 (12.0%)
Grade				
1	2 (6.3%)	0 (0.0%)	1 (3.3%)	1 (4.0%)
2	25 (78.1%)	19 (82.6%)	24 (80.0%)	20 (80.0%)
3	5 (15.6%)	4 (17.4%)	5 (16.7%)	4 (16.0%)
Stage				
I	7 (21.9%)	8 (34.8%)	10 (33.3%)	5 (20.0%)
II	4 (12.5%)	2 (8.7%)	3 (10.0%)	3 (12.0%)
III	7 (21.9%)	4 (17.4%)	6 (20.0%)	5 (20.0%)
IV	14 (43.8%)	9 (39.1%)	11 (36.7%)	12 (48.0%)

Table S2. Patient characteristics according to dichotomized CD8+ tumor center and CD8+ invasion front cell counts.

Variables/Categories	CD8+ tumor center		CD8+ invasion front	
	low	high	low	high
	n (%)	n (%)	n (%)	n (%)
Number of patients	32 (100.0%)	23 (100.0%)	32 (100.0%)	23 (100.0%)
Age				
≥70	16 (50.0%)	4 (17.4%)	14 (43.8%)	6 (26.1%)
<70	16 (50.0%)	19 (82.6%)	18 (56.3%)	17 (73.9%)
Gender				
male	24 (75.0%)	15 (65.2%)	20 (62.5%)	19 (82.6%)
female	8 (25.0%)	8 (34.8%)	12 (37.5%)	4 (17.4%)
Tumor spread				
1	11 (34.4%)	9 (39.1%)	13 (40.6%)	7 (30.4%)
2	8 (25.0%)	7 (30.4%)	8 (25.0%)	7 (30.4%)
3	3 (9.4%)	4 (17.4%)	4 (12.5%)	3 (13.0%)
4	10 (31.3%)	3 (13.0%)	7 (21.9%)	6 (26.1%)
Nodal metastasis				
0	16 (50.0%)	14 (60.9%)	16 (50.0%)	14 (60.9%)
+	16 (50.0%)	9 (39.1%)	16 (50.0%)	9 (39.1%)
Metastasis				
no spread	21 (65.6%)	19 (82.6%)	24 (75.0%)	16 (69.6%)
any spread	6 (18.8%)	1 (4.3%)	4 (12.5%)	3 (13.0%)
unknown	5 (15.6%)	3 (13.0%)	4 (12.5%)	4 (17.4%)
Grade				
1	1 (3.1%)	1 (4.3%)	1 (3.1%)	1 (4.3%)
2	24 (75.0%)	20 (87.0%)	27 (84.4%)	17 (73.9%)
3	7 (21.9%)	2 (8.7%)	4 (12.5%)	5 (21.7%)
Stage				
I	7 (21.9%)	8 (34.8%)	8 (25.0%)	7 (30.4%)
II	2 (6.3%)	4 (17.4%)	2 (6.3%)	4 (17.4%)
III	6 (18.8%)	5 (21.7%)	9 (28.1%)	2 (8.7%)
IV	17 (53.1%)	6 (26.1%)	13 (40.6%)	10 (43.5%)

Table S3. Patient characteristics according to dichotomized CD68+ tumor center and CD68+ invasion front cell counts.

Variables/Categories	CD68+ tumor center		CD68+ invasion front	
	low	high	low	high
	n (%)	n (%)	n (%)	n (%)
Number of patients	34 (100.0%)	21 (100.0%)	28 (100.0%)	27 (100.0%)
Age				
≥70	11 (32.4%)	9 (42.9%)	11 (39.3%)	9 (33.3%)
<70	23 (67.6%)	12 (57.1%)	17 (60.7%)	18 (66.7%)
Gender				
male	25 (73.5%)	14 (66.7%)	19 (67.9%)	20 (74.1%)
female	9 (26.5%)	7 (33.3%)	9 (32.1%)	7 (25.9%)
Tumor spread				
1	11 (32.4%)	9 (42.9%)	11 (39.3%)	9 (33.3%)
2	9 (26.5%)	6 (28.6%)	7 (25.0%)	8 (29.6%)
3	3 (8.8%)	4 (19.0%)	3 (10.7%)	4 (14.8%)
4	11 (32.4%)	2 (9.5%)	7 (25.0%)	6 (22.2%)
Nodal metastasis				
0	16 (47.1%)	14 (66.7%)	14 (50.0%)	16 (59.3%)
+	18 (52.9%)	7 (33.3%)	14 (50.0%)	11 (40.7%)
Metastasis				
no spread	26 (76.5%)	14 (66.7%)	22 (78.6%)	18 (66.7%)
any spread	5 (14.7%)	2 (9.5%)	4 (14.3%)	3 (11.1%)
unknown	3 (8.8%)	5 (23.8%)	2 (7.1%)	6 (22.2%)
Grade				
1	0 (0.0%)	2 (9.5%)	0 (0.0%)	2 (7.4%)
2	27 (79.4%)	17 (81.0%)	22 (78.6%)	22 (81.5%)
3	7 (20.6%)	2 (9.5%)	6 (21.4%)	3 (11.1%)
Stage				
I	8 (23.5%)	7 (33.3%)	8 (28.6%)	7 (25.9%)
II	2 (5.9%)	4 (19.0%)	3 (10.7%)	3 (11.1%)
III	6 (17.6%)	5 (23.8%)	7 (25.0%)	4 (14.8%)
IV	18 (52.9%)	5 (23.8%)	10 (35.7%)	13 (48.1%)

Table S4. Patient characteristics according to dichotomized CD163+ tumor center and CD163+ invasion front cell counts.

Variables/Categories	CD163+ tumor center		CD163+ invasion front	
	low	high	low	high
	n (%)	n (%)	n (%)	n (%)
Number of patients	33 (100.0%)	22 (100.0%)	25 (100.0%)	30 (100.0%)
Age				
≥70	11 (33.3%)	9 (40.9%)	9 (36.0%)	11 (36.7%)
<70	22 (66.7%)	13 (59.1%)	16 (64.0%)	19 (63.3%)
Gender				
male	24 (72.7%)	15 (68.2%)	19 (76.0%)	20 (66.7%)
female	9 (27.3%)	7 (31.8%)	6 (24.0%)	10 (33.3%)
Tumor spread				
1	12 (36.4%)	8 (36.4%)	9 (36.0%)	11 (36.7%)
2	8 (24.2%)	7 (31.8%)	8 (32.0%)	7 (23.3%)
3	4 (12.1%)	3 (13.6%)	2 (8.0%)	5 (16.7%)
4	9 (27.3%)	4 (18.2%)	6 (24.0%)	7 (23.3%)
Nodal metastasis				
0	19 (57.6%)	11 (50.0%)	10 (40.0%)	20 (66.7%)
+	14 (42.4%)	11 (50.0%)	15 (60.0%)	10 (33.3%)
Metastasis				
no spread	25 (75.8%)	15 (68.2%)	19 (76.0%)	21 (70.0%)
any spread	4 (12.1%)	3 (13.6%)	4 (16.0%)	3 (10.0%)
unknown	4 (12.1%)	4 (18.2%)	2 (8.0%)	6 (20.0%)
Grade				
1	0 (0.0%)	2 (9.1%)	0 (0.0%)	2 (6.7%)
2	28 (84.8%)	16 (72.7%)	21 (84.0%)	23 (76.7%)
3	5 (15.2%)	4 (18.2%)	4 (16.0%)	5 (16.7%)
Stage				
I	10 (30.3%)	5 (22.7%)	6 (24.0%)	9 (30.0%)
II	3 (9.1%)	3 (13.6%)	1 (4.0%)	5 (16.7%)
III	5 (15.2%)	6 (27.3%)	6 (24.0%)	5 (16.7%)
IV	15 (45.5%)	8 (36.4%)	12 (48.0%)	11 (36.7%)

Table S5. Patient characteristics according to dichotomized M1 tumor center and M1 invasion front cell counts.

Variables/Categories	M1 tumor center		M1 invasion front	
	low	high	low	high
	n (%)	n (%)	n (%)	n (%)
Number of patients	38 (100.0%)	17 (100.0%)	35 (100.0%)	20 (100.0%)
Age				
≥70	12 (31.6%)	8 (47.1%)	13 (37.1%)	7 (35.0%)
<70	26 (68.4%)	9 (52.9%)	22 (62.9%)	13 (65.0%)
Gender				
male	30 (78.9%)	9 (52.9%)	23 (65.7%)	16 (80.0%)
female	8 (21.1%)	8 (47.1%)	12 (34.3%)	4 (20.0%)
Tumor spread				
1	12 (31.6%)	8 (47.1%)	14 (40.0%)	6 (30.0%)
2	11 (28.9%)	4 (23.5%)	9 (25.7%)	6 (30.0%)
3	5 (13.2%)	2 (11.8%)	4 (11.4%)	3 (15.0%)
4	10 (26.3%)	3 (17.6%)	8 (22.9%)	5 (25.0%)
Nodal metastasis				
0	19 (50.0%)	11 (64.7%)	18 (51.4%)	12 (60.0%)
+	19 (50.0%)	6 (35.3%)	17 (48.6%)	8 (40.0%)
Metastasis				
no spread	28 (73.7%)	12 (70.6%)	25 (71.4%)	15 (75.0%)
any spread	6 (15.8%)	1 (5.9%)	6 (17.1%)	1 (5.0%)
unknown	4 (10.5%)	4 (23.5%)	4 (11.4%)	4 (20.0%)
Grade				
1	0 (0.0%)	2 (11.8%)	1 (2.9%)	1 (5.0%)
2	31 (81.6%)	13 (76.5%)	28 (80.0%)	16 (80.0%)
3	7 (18.4%)	2 (11.8%)	6 (17.1%)	3 (15.0%)
Stage				
I	9 (23.7%)	6 (35.3%)	9 (25.7%)	6 (30.0%)
II	3 (7.9%)	3 (17.6%)	5 (14.3%)	1 (5.0%)
III	7 (18.4%)	4 (23.5%)	6 (17.1%)	5 (25.0%)
IV	19 (50.0%)	4 (23.5%)	15 (42.9%)	8 (40.0%)