

## Supplementary material




Figure S1: Forest plot showing the adverse event of hypotension with sacubitril/valsartan compared to valsartan in patients with HFmrEF and HFpEF after removing the PARALLAX trial (Pieske et al. 2021 [12]). HFmrEF – heart failure with mildly reduced ejection fraction, HFpEF – heart failure with preserved ejection fraction, ARNI – angiotensin receptor-neprilysin inhibitor, OR – odds ratio, SE – standard error, CI – confidence interval. In the forest plot, dark blue squares represent the point estimates, and the size of the square is a function of the weight given to each study in the meta-analysis. Horizontal solid black lines represent 95% CI. The bottom light blue diamonds represent the summary estimates, with the width of the diamond illustrating the 95% CI.




Figure S2: Forest plot showing the adverse event of renal failure with sacubitril/valsartan compared to valsartan in patients with HFmrEF and HFpEF after removing the PARALLAX trial (Pieske et al. 2021 [12]). HFmrEF – heart failure with mildly reduced ejection fraction, HFpEF – heart failure with preserved ejection fraction, ARNI – angiotensin receptor-neprilysin inhibitor, OR – odds ratio, SE – standard error, CI – confidence interval. In the forest plot, dark blue squares represent the point estimates, and the size of the square is a function of the weight given to each study in the meta-analysis. Horizontal solid black lines represent 95% CI. The bottom light blue diamonds represent the summary estimates, with the width of the diamond illustrating the 95% CI.